

Catalogue of Palearctic Dytiscidae (Coleoptera)

by Anders N. Nilsson, University of Umeå, Sweden

Update distributed as a PDF file via Internet; version 2011-01-01.

Available from: http://www2.emg.umu.se/projects/biginst/andersn/Cat_main.htm

[Changes relative to former version marked in yellow. The following abbreviations are used: (CN) conserved name, (HN) homonym, (NO) nomen oblitum, (NP) nomen protectum, (RN) replacement name, and (SN) suppressed name.]

family **DYTISCIDAE** Leach, 1815

subfamily **Agabinae** Thomson, 1867

tribe Agabini Thomson, 1867

genus Agabus Leach, 1817: 69 type species *Agabus paykullii* Leach, 1817 (= *Dytiscus serricornis* Paykull, 1799)

subgenus Acatodes Thomson, 1859: 13 type species *Dytiscus fuscipennis* Paykull, 1798

= *Allonychus* Zaitzev, 1905: 39 [RN] type species *Agabus coxalis* Sharp, 1882

= *Arctodytes* Thomson, 1874: 541 type species *Dytiscus elongatus* Gyllenhal, 1826

= *Badynectus* Seidlitz, 1872:57, type species *Dytiscus fuscipennis* Paykull, 1798

= *Heteronychus* Seidlitz, 1887: 81 [HN] type species *Agabus coxalis* Sharp, 1882

= *Mesogabus* Guéorguiev, 1969: 61 type species *Agabus insignis* Guéorguiev, 1969 (= *Dytiscus arcticus* Paykull, 1798)

= *Scytodytes* Seidlitz, 1887: 81 type species *Dytiscus sturmii* Gyllenhal, 1808

aequabilis Gschwendtner, 1923: 105 (*Gaurodytes*) **A:** CH (SCH XIN) UZ

aequalis Sharp, 1882: 501 **A:** CH (GAN JIL SCH) MG RU (ES FE)

amoenus amoenus Solsky, 1874: 142 **E:** GG RU (ST) UK **A:** KZ UZ

amoenus sinuaticollis Régimbart, 1899: 278 **A:** AP CH (GAN GUX SCH YUN XIN XIZ) HP NP UP

angusi Nilsson, 1994: 172 **A:** CH (HEI) MG RU (ES)

arcticus alpinus Motschulsky, 1860: 102 (*Colymbetes*) **A:** MG RU (ES WS)

= *insignis* Guéorguiev, 1969: 62

= *punctipennis* J. Sahlberg, 1880: 56 (*Gaurodytes*)

= *sibiricus* J. Sahlberg, 1880: 56 (*Gaurodytes*)

arcticus arcticus Paykull, 1798: 201 (*Dytiscus*) **E:** FI GB IR NR RU (NT) SV **NAR**

= *reticulatus* Kirby, 1837: 71 (*Colymbetes*)

arcticus ochoticus Poppius, 1908: 54 **A:** RU (FE)

bergi Zaitzev, 1913: 195 **E:** AR GG **A:** TR

browni Kamiya, 1934: 181 **A:** CH (BEI) JA SC

= *brunneus* Kamiya, 1935: 8 [HN]

= *orientalis* Kamiya, 1938: 36 [RN]

clypealis Thomson, 1867: 107 (*Gaurodytes*) **E:** BY DE FI GE PL RU (CT NT) SV UK **A:** RU (ES FE WS) **NAR**

= *scholzi* W. Kolbe, 1916: 253

confinis Gyllenhal, 1808: 511 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** MG RU (ES FE WS) **NAR**

= *longulus* LeConte, 1878: 596 (*Gaurodytes*)

= *ovoideus* Crotch, 1873: 418 (*Gaurodytes*)

congener Thunberg, 1794: 75 (*Dytiscus*) **E:** AN AR AU BE BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT MC NL NR RU (CT NT ST) PL SK SV SZ UK **A:** CH (JIL QIN) JA KZ MG RU (ES FE WS) TR

= *congener* Paykull, 1798: 214 (*Dytiscus*) [HN]

= *daisetsuzanus* Kamiya, 1938: 34

= *foveolatus* Mulsant & Godart, 1860: 177

= *funkii* Seidlitz, 1887: 92

= *venturii* Bertolini, 1870: 242

conspicuus Sharp, 1873: 48 **A:** JA RU (FE) SC

= *deplanatus* Guignot, 1952: 18

= *procerus* Régimbart, 1899: 281 (*Platynectes*)

costulatus Motschulsky, 1859: 541 (*Colymbetes*) **A:** KI KZ MG RU (ES FE WS)

= *tunkunensis* Zimmermann, 1928: 178 (*Gaurodytes*)

coxalis coxalis Sharp, 1882: 535 **A:** KZ MG RU (ES WS)
 = *splichali* Reitter, 1899: 196
coxalis ermaki Zaitzev, 1953: 259 (*Gaurodytes*) **E:** RU (NT) **A:** RU (ES FE WS) **NAR**
coxalis schmidti Zaitzev, 1913: 197 **E:** AR GG TR
discolor Harris, 1828: 164 (*Colymbetes*) **E:** FI NR RU (NT) SV **A:** RU (ES FE) **NAR**
 = *levanderi* Hellén, 1929: 40
elongatus Gyllenhal, 1826: 169 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (ES WS) **NAR**
 = *bryanti* Carr, 1930: 278
fulvipennis Régimbart, 1899: 277 **A:** CH (HEB HUB JIX SCH SHN SHX TAI)
 = *chinensis* Zimmermann, 1919: 211 (*Gaurodytes*)
fuscipennis Paykull, 1798: 209 (*Dytiscus*) **E:** AU BY CZ DE EN FI GE HU LA LT NR PL RU (CT NT ST) SK SV
 UK **A:** KZ RU (ES FE WS) **NAR**
 = *eversmanni* Ballion, 1855: 237
 = *fossarum* Germar, 1824: 29 (*Dytiscus*)
 = *obscurior* J. Sahlberg, 1875: 170 (*Acatodes*)
granulatus Falkenström, 1936: 95 (*Gaurodytes*) **A:** CH (SCH)
hummeli Falkenström, 1936: 2 (*Gaurodytes*) **A:** CH (SCH TAI)
inexpectatus Nilsson, 1990: 157 **A:** RU (ES WS) **NAR**
infuscatus Aubé, 1838: 330 **E:** FI NR RU (NT) **A:** MG RU (ES FE WS) **NAR**
 = *dubiosus* Poppius, 1905: 20
 = *gelidus* U. Sahlberg, 1906: 15
japonicus continentalis Guéorguiev, 1970: 259 [RN] **A:** CH (FUJ GUX HEB HUB JIA JIX LIA SCH TAI YUN)
 RU (FE) SC **ORR**
 = *falkenstromi* Zaitzev, 1953: 254 [HN] (*Gaurodytes*)
japonicus ezo Nakane, 1989: 23 **A:** CH (TAI) JA RU (FE)
japonicus japonicus Sharp, 1873: 50 **A:** JA
japonicus shiroumanus Nakane, 1959: 98 (*Gaurodytes*) **A:** JA
joachimschmidti Brancucci & Hendrich, 2008:52 **A:** CH (XIZ)
kaszabi Guéorguiev, 1972: 37 **A:** MG
kokoosson Feng, 1936: 8 **A:** CH (SHX)
lapponicus Thomson, 1867: 108 (*Gaurodytes*) **E:** FI FR IT NR RU (NT) SP SV SZ **A:** MG RU (ES FE WS) TR
 = *obovatus* J. Sahlberg, 1875: 176 (*Gaurodytes*)
 = *obscuripennis* J. Sahlberg, 1875: 177 (*Gaurodytes*)
matsumotoi Satô & Nilsson, 1990: 193 **A:** JA RU (FE)
moestus Curtis, 1835: lx (*Colymbetes*) **E:** FI RU (NT) **A:** RU (ES FE WS) **NAR**
 = *borealis* Sharp, 1882: 513
 = *nigripalpis* J. Sahlberg, 1880: 56
mucronatus Falkenström, 1936: 89 (*Gaurodytes*) **A:** CH (SCH SHA)
pseudoclypealis Scholz, 1933: 74 **E:** BY FI LA PL RU (CT NT ST) **A:** WS
 = *haraldi* Håkan Lindberg, 1933: 121
regimbarti Zaitzev, 1906: 174 **A:** CH (BEI GAN GUI HEB HEI JIX LIA SCH SHA SHN SHX XIZ YUN) NC
rufipennis Gschwendtner, 1933: 163 (*Gaurodytes*) **A:** CH (FUJ)
setulosus J. Sahlberg, 1895: 39 (*Gaurodytes*) **E:** FI LA NR RU (CT NT ST) SV UK
slovzovi J. Sahlberg, 1880: 59 (*Gaurodytes*) **E:** KZ **A:** RU (ES WS)
sturmii Gyllenhal in Schönherr, 1808: 18 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GG IR IT
 LA LT LU NL NR PL RU (CT NT ST) SK SL SP SV SZ UK **A:** KZ RU (ES WS) TR
 = *fallax* Munster, 1932: 85
 = *goedellii* A. Villa & G.B. Villa, 1833: 33 (*Colymbetes*)
suoduoangangi Štastný & Nilsson, 2003: 212 **A:** CH (YUN)
thomsoni J. Sahlberg, 1871: 407 (*Gaurodytes*) **E:** FI NR RU (NT) SV **A:** RU (ES FE WS) **NAR**
 = *coriaceus* J. Sahlberg, 1875: 174 (*Gaurodytes*)
tibetanus Zaitzev, 1908: 425 **A:** CH (QIN)
turcmenus Guignot, 1957: 93 **A:** KI CH (XIN)
zetterstedti Thomson, 1856: 216 **E:** FI NR RU (NT) SV **A:** RU (ES FE WS) **NAR**
 = *browni* Leech, 1938: 126 [HN]

subgenus *Agabus* Leach, 1817: 69 type species *Agabus paykullii* Leach, 1817 (= *Dytiscus serricornis* Paykull, 1799)
= *Aptator* Semenov, 1899: 512 type species *Agabus kessleri* Hochhuth, 1871 (= *Colymbetes bifarius* Kirby, 1837)
= *Carrhydrus* Fall, 1922: 35 type species *Carrhydrus crassipes* Fall, 1922
= *Eriglenus* Thomson, 1859: 14 type species *Dytiscus abbreviatus* Fabricius, 1787 (= *Dytiscus undulatus* Schrank, 1776)
= *Neonecticus* Guignot, 1951: 84 type species *Agabus disintegratus* Crotch, 1873

amnicola J. Sahlberg, 1880: 58 (*Gaurodytes*) **A:** RU (ES) **NAR**
= *triton* Fall, 1922: 17
bifarius Kirby, 1837: 71 (*Colymbetes*) **E:** BY RU (CT NT ST) **UK A:** RU (Siberia) **NAR**
= *kessleri* Hochhuth, 1871: 238
clavicornis Sharp, 1882: 536 **A:** CH (HEI) MG RU (ES FE) **NAR**
= *verus* Brown, 1931: 115
fulvaster Zaitzev, 1906: 26 **E:** KZ RU (ST) **A:** KZ MG RU (ES WS)
jacobsoni Zaitzev, 1905: 225 **E:** RU (NT) **A:** RU (FE)
labiatus Brahm, 1790: 27 (*Dytiscus*) **E:** AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT MC MD NL NR PL PT RU (CT NT ST) SK SL SP SV SZ UK YU **A:** KZ RU (ES WS) TR
= *assimilis* Sturm, 1834: 112 (*Colymbetes*)
= *femoralis* Paykull, 1798: 215 (*Dytiscus*)
= *femoralis* Gravenhorst, 1807: 102 (*Dytiscus*)
= *hochhuti* Zaitzev, 1908: clx
= *impressus* Zoubkoff, 1833: 317 (*Colymbetes*)
= *transcaucasicus* Zaitzev, 1927: 28
lineatus Gebler, 1848: 75 **E:** KZ MD RU (CT ST) **UK A:** KZ MG RU (ES WS)
= *desertorum* Morawitz, 1863: 169
luteaster Zaitzev, 1906: 27 **E:** RU (NT) **A:** RU (ES FE WS)
mandsuricus Guignot, 1956: 396 (*Ilybius*) **A:** CH (HEI) RU (FE)
= *charini* Lafer, 1988: 54 (*Eriglenus*)
pallens Poppius, 1905: 22 **E:** RU (NT) **A:** KZ MG RU (ES FE WS) **NAR**
= *hudsonicus* Leech, 1938: 123
= *mongolicus* Guéorguiev, 1968: 27
= *zaitzewi* Poppius, 1909: 12
poppiusi Nilsson, 2003: 97 **A:** RU (ES)
serricornis Paykull, 1799: 49 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (ES WS)
= *clavatus* Latreille, 1804: 166 (*Dytiscus*)
= *minor* J. Sahlberg, 1875: 170
= *paykullii* Leach, 1817: 72 [RN]
uliginosus Linnaeus, 1761: 216 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IC IT LA LT LU NL NR PL RO RU (CT NT ST) SK SL SV SZ UK YU
= *aeratus* Stephens, 1828: 79 (*Colymbetes*)
= *dispar* Bold, 1849: xxiv
= *reichei* Aubé, 1837: 138
= *uliginosus* O.F. Müller, 1776:71 (*Dytiscus*) [HN]
undulatus Schrank, 1776: 70 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FR GB GE GG HU IT LA LT LU NL NR PL RU (CT ST) SK SL SV SZ UK **A:** KI
= *abbreviatus* Fabricius, 1787: 191 (*Dytiscus*)
= *imperfectus* Meier, 1899: 98
= *interruptus* Schilsky, 1888: 183
= *pictus* Meier, 1899: 98
= *ruficeps* Ménétrés, 1832: 141 (*Colymbetes*)
uralensis Nilsson & Petrov, 2006: 162 **E:** RU (CT) **A:** KZ RU (ES)
vereschaginae Angus, 1984: 193 **A:** RU (ES WS)
zimmermanni Scholz, 1920: 15 **E:** BU GR RO RU (ST) **UK A:** TR

- subgenus** *Gaurodytes* Thomson, 1859: 14 type species *Dytiscus bipustulatus* Linnaeus, 1767
= *Agabinectes* Guignot, 1932: 525 type species *Dytiscus brunneus* Fabricius, 1798
= *Dichodytes* Thomson, 1886: x type species *Gaurodytes angusticollis* J. Sahlberg, 1871 (= *Agabus* = *adpressus* Aubé, 1837)
= *Dichonectes* Guignot, 1945: 21 type species *Dytiscus biguttatus* Olivier, 1795
= *Gabinectes* Guignot, 1931: 202 type species *Dytiscus brunneus* Fabricius, 1798
= *Metronectes* Sharp, 1882: 491 type species *Agabus aubei* Perris, 1869
= *Necticus* Hope, 1838: 131 [HN] type species *Dytiscus bipustulatus* Linnaeus, 1767
= *Xanthodytes* Seidlitz, 1887: 81 type species *Dytiscus nebulosus* Forster, 1771
- adpressus* Aubé, 1837: 169 **E:** FI NR RU (NT) SV **A:** KZ MG RU (ES WS) **NAR**
= *angusticollis* J. Sahlberg, 1871: 408 (*Gaurodytes*)
= *haeffneri* Aubé, 1837: 170
= *sahlbergi* Sharp, 1882: 517
= *solus* Leech, 1949: 248
= *subquadratus* Motschulsky, 1860: 102 (*Colymbetes*)
adustus Guignot, 1954: 223 **A:** IN KA
affinis Paykull, 1798: 211 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RU (CT NT) SK SV SZ UK **A:** JA (Hokkaido) RU (ES FE WS)
= *branchiatus* Babington, 1832: 329 (*Colymbetes*)
= *guttulus* Schönherr, 1808: 19 (*Dytiscus*)
africanus Pederzani & Schizzerotto, 1998: 88 **N:** TU
alexandrae Ribera, Hernando & Aguilera, 2001:256 **N:** MO
alinae Lafer, 1988: 58 (*Gaurodytes*) **A:** RU (FE)
aubei Perris, 1869: 6 **E:** FR (Corse) IT (Elba)
= *parallelipennis* Desbrochers des Loges, 1871: 337
basalis Gebler, 1829: 65 (*Colymbetes*) **A:** CH (XIN) KI KZ MG RU (WS) TD UZ
= *abnormicollis* Ballion, 1871: 329
= *pallidipennis* Jakovlev, 1897: 40 [HN]
= *songoricus* Gebler, 1859: 450 [RN] (*Colymbetes*)
biguttatus Olivier, 1795: 26 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ FR GB GE GG GR HU IR IT LS LU MC NL PL PT RO RU (CT ST) SK SL SP SZ UK YU **N:** AG CI EG LB MO TU **A:** AF CH (SCH XIN) CY HP IN IQ IS JO KA KI LE PA RU (WS) SA SI SY TM TR UZ
= *alligator* Normand, 1933: 299
= *annulatus* Zoubkoff, 1833: 318 (*Colymbetes*)
= *concii* Franciscolo, 1942: 137
= *consanguineus* Wollaston, 1864: 81
= *fontinalis* Stephens, 1828: 66 (*Colymbetes*)
= *impressus* Guignot, 1932:540 [HN]
= *indicus* Régimbart, 1899: 272
= *melas* Aubé, 1837: 168
= *nigricollis* Zoubkoff, 1833: 317 (*Colymbetes*)
= *nitidus* Fabricius, 1801: 265 (*Dytiscus*)
= *nubiensis* Régimbart, 1895: 154
= *olivieri* Zaitzev, 1908: 121 [RN]
= *pauper* Schilsky, 1888: 184
= *pivicornis* Stephens, 1828: 66 (*Colymbetes*)
= *silesiacus* Letzner, 1844: 170
= *subaquilus* Gozis, 1912: 60
biguttulus Thomson, 1867: 110 (*Gaurodytes*) **E:** BY EN FI GE LA NR PL RU (CT NT) SV UK **A:** MG RU (ES WS)
= *boreellus* J. Sahlberg, 1871: 409 (*Gaurodytes*)
= *ovalis* J. Sahlberg, 1875: 178 (*Gaurodytes*)
binotatus Aubé, 1837: 161 **E:** FR (Corse) IT
bipustulatus Linnaeus, 1767: 667 (*Dytiscus*) **E:** AB AL AN AR AU AZ BE BH BU BY CR CZ DE EN FA FI FR GB GE GG GR HU IC IR IT LA LS LT LU MC NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ TR UK YU

N: AG LB MO TU **A:** AF CH (XIN) CY IN IS KI KZ LE RU (WS) SY TD TR UZ "Manchuria" **AFR**
= *abdominalis* Costa, 1847: 134 (*Colymbetes*)
= *acuductus* Marsham, 1802: 416 (*Dytiscus*)
= *alpestris* Heer, 1837: 53
= *alpicola* Zaitzev, 1927: 24
= *alticola* Bruneau de Miré & Legros, 1963: 875
= *bipustulatus* O.F. Müller, 1776:71 (*Dytiscus*) [HN]
= *callosus* Thomson, 1884: 1031 (*Gaurodytes*)
= *carbonarius* Fabricius, 1801: 263 [HN] (*Dytiscus*)
= *dolomitanus* Scholz, 1935: 37
= *falcozi* Guignot, 1932: 557
= *immaculatus* Schrank, 1781: 201 (*Dytiscus*)
= *kiesenwetterii* Seidlitz, 1887: 88
= *latus* Gebler, 1841: 371 (*Colymbetes*)
= *luctuosus* Geoffroy, 1785: 67 (*Dytiscus*)
= *maurus* Zimmermann, 1919: 209 (*Gaurodytes*)
= *peyerimhoffi* Bruneau de Miré & Legros, 1963: 875
= *picipennis* J. Sahlberg, 1903: 5
= *pyrenaeus* Fresneda & Hernando, 1989: 35
= *regalis* Pétri, 1903: 49
= *remotus* J. Sahlberg, 1913: 45
= *sexualis* Reiche, 1857: ix
= *snowdonius* Newman, 1833: 55 (*Colymbetes*)
= *solieri* Aubé, 1837: 183
blatta Jakovlev, 1897: 39 **A:** CH (QIN XIN) KI
= *piceus* Jakovlev, 1897: 40
brandti Harold, 1880: 148 **A:** CH (BEI HEB JIL LIA QIN SCH YUN) MG RU (FE)
= *jeholensis* Kamiya, 1935: 8
brunneus Fabricius, 1798: 64 (*Dytiscus*) **E:** BE FR GB GE GR IT PT SP SZ **N:** AG LB MO TU **A:** SY
= *castaneus* Gyllenhal, 1808: 21 (*Dytiscus*)
= *ferrugineus* Stephens, 1828: 79 (*Colymbetes*)
caraboides Sharp, 1882: 494 **E:** BU GG MC UK **A:** IN LE SY TR
= *merkli* Régimbart, 1884: xix
cephalotes Reiche, 1861: 202 **E:** FR (Corse)
conspersus Marsham, 1802: 427 (*Dytiscus*) **E:** AB AL AR BE BU CR DE FR GB GE GG GR HU IR IT MC NL PL
PT RU (ST) SP SV UK YU **N:** AG CI EG LB MO TU **A:** AF CH (QIN XIN XIZ ZHE) CY HP IN IQ JO KA KI
KU KZ LE PA RU (WS) SI SY TD TM TR UZ
= *bulgaricus* Csiki, 1943: 214 (*Gaurodytes*)
= *corsicus* Guignot, 1932: 571
= *gougeletii* Reiche, 1863: 474
= *luniger* Kolenati, 1845: 82
= *nebulosus* Schiødte, 1841: 467 [HN]
= *perlautus* Gozis, 1912: 53
= *subnebulosus* Stephens, 1828: 72 (*Colymbetes*)
debilipes Régimbart, 1899: 273 **A:** HP KA NP PA SD UP **ORR**
= *skarduensis* Guignot, 1958: 30
= *subsericatus* Régimbart, 1899: 274
dichrous Sharp, 1878: 169 **A:** AF CH (SCH XIN) KI KZ MG RU (ES) "Baluchistan"
= *dichrous* Sharp, 1890:38 [HN]
= *lederii* Seidlitz, 1887: 94
= *luteolus* Régimbart, 1899: 275
didymus Olivier, 1795: 26 (*Dytiscus*) **E:** AU BE BH BU BY CZ DE FR GB GE GR IT LU NL PL PT SL SP SV SZ
UK YU **N:** AG MO TU **A:** IS LE SY TR
= *chalybaeus* J. Sahlberg, 1903: 12
= *vitreus* Paykull, 1798: 217 (*Dytiscus*)
dilatatus Brullé, 1832: 127 (*Colymbetes*) **E:** AL BU GG GR IT MC RU (ST) TR UK **N:** AG EG MO TU **A:** CY IQ

IS KI LE SI SY TR UZ

= *balcanicus* Hlisenkovský, 1955: 101

= *castaneus* Sharp, 1882: 500 [HN]

= *gory* Aubé, 1837: 162

faldermanni Zaitzev, 1927: 22 **E:** AB **A:** IN IS LE SY TR

= *iranicus* Guéorguiev, 1965: 257

= *palaestinus* Zimmermann, 1934: 164 (*Gaurodytes*)

freudei Guéorguiev, 1975: 97 **A:** KA NP UP

friedrichi Falkenström, 1936: 91 (*Gaurodytes*) **A:** CH (GAN SCH) KI

glacialis Hochhuth, 1846: 218 **E:** AB AR GG RU (ST) **A:** IN TR

= *armeniacus* Sharp, 1882: 497

= *inguttatus* Reitter, 1908: 223

glazunovi Zaitzev, 1953: 228 (*Gaurodytes*) **A:** AF UZ

godmani Crotch, 1867: 385 **E:** AZ

guttatus baudii Seidlitz, 1887: 85 **E:** IT

guttatus guttatus Paykull, 1798: 211 (*Dytiscus*) **E:** AN AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT

LS LU MC NL NR PL RO RU (CT NT ST) SK SL SP SV SZ UK YU **A:** HP RU (WS) TR

= *nigripes* Costa, 1847: 97 (*Colymbetes*)

= *picinus* Marsham, 1802: 428 (*Dytiscus*)

= *septemseriatus* J. Sahlberg, 1875: 180 (*Gaurodytes*)

= *severior* Gozis, 1912: 63

= *signatus* Grimmer, 1841: 32 (*Colymbetes*)

= *styriacus* Sharp, 1882: 496

heydeni Wehncke, 1872: 135 **E:** PT SP **N:** MO

= *parvulus* Fresneda & Hernando, 1989: 14

kholini Nilsson, 1994: 45 **A:** CH (JIL) MG RU (FE)

laferi Nilsson, 1994: 47 **A:** CH (HEI) MG RU (FE)

lobonyx Guignot, 1952: 17 **A:** CH (QIN SCH) SD

longissimus Régimbart, 1899: 275 **A:** BT CH (QIN SCH) SD

maderensis Wollaston, 1854: 85 **N:** MR

melanarius Aubé, 1837: 180 **E:** AU BE BH BU BY CZ DE EN FI FR GB GE HU IT LA LT LU NL NR PL RU

(CT NT) SK SV SZ UK YU

= *frigidus* Schiødte, 1841: 477

= *kotschyi* Letzner, 1849: 95

= *tarsatus* Zetterstedt, 1838: 132 (*Dytiscus*)

= *tatricus* Roubal, 1938: 19

nebulosus Forster, 1771: 56 (*Dytiscus*) **E:** AB AL AR AU BE BH BU CR CZ DE EN FR GB GE GG GR HU IR IT

LA LT LU MA MC NL NR PL PT RU (CT ST) SK SL SP SV SZ TR YU **N:** AG CI EG LB MO MR TU **A:** CY IN

IS JO LE SY TM TR

= *abdominalis* Ragusa, 1887: 7 [HN]

= *bipunctatus* Fabricius, 1787: 190 [HN] (*Dytiscus*)

= *immaculatus* Gschwendtner, 1927: 92 [HN] (*Gaurodytes*)

= *mixtus* Guignot, 1949: 6

= *naevius* Gmelin, 1790: 1957 (*Dytiscus*)

= *nigromaculatus* Goeze, 1777: 625 (*Dytiscus*)

= *notatus* Bergsträsser, 1778: 31 (*Dytiscus*)

= *pratensis* Schaufuss, 1882: 620

= *ragusai* Zaitzev, 1908: 123 [RN]

= *rugosipennis* Guignot, 1932: 568

= *tesselatus* Geoffroy, 1785: 68 (*Dytiscus*)

nevadensis Håkan Lindberg, 1939: 32 **E:** SP

ommani Zaitzev, 1908: 424 **A:** CH (QIN)

paludosus Fabricius, 1801: 266 (*Dytiscus*) **E:** AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR

IT LA LT LU NL NR PL PT RU (CT NT ST) SK SL SP SV SZ UK YU **A:** RU (WS) TR

= *marginalis* Sharp, 1882: 502

= *pallidipennis* Laporte, 1835: 103 (*Colymbetes*)

= *politus* Marsham, 1802: 419 (*Dytiscus*)
picotae Foster & Bilton, 1997: 113 **E:** PT
ramblae Millán & Ribera, 2001:109 **E:** SP
rufulus Fairmaire, 1859: 272 **E:** FR (Corse) IT (Sardegna)
= *marginicollis* Fairmaire, 1860: 631
= *rotundatus* Wehncke, 1872: 136
safei Abdul-Karim & Ali, 1986: 277 **A:** IQ
sikhotealinensis Lafer, 1988: 56 (*Gaurodytes*) **A:** RU (FE)
solskii Jakovlev, 1897: 40 **A:** AF IN KA KI PA TM UZ
striolatus Gyllenhal, 1808: 508 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IT LA LT NL PL RU (CT NT) SK SV UK
= *costatus* Gerhardt, 1910: 42
= *rectus* Babington, 1841: 53 (*Colymbetes*)
svenhedini Falkenström, 1932: 192 (*Gaurodytes*) **A:** CH (XIN) MG
taiwanensis Nilsson & Wewalka, 1994: 993 **A:** CH (TAI)
tristis Aubé, 1838: 356 **E:** RU (NT) **A:** RU (ES FE WS) **NAR**
= *atratus* Mannerheim, 1853: 157
= *crotchi* Zaitzev, 1905: 212
= *dubius* Mannerheim, 1843: 221
= *kurilensis* Kamiya, 1938: 35
= *piceus* Zaitzev, 1905: 212 [HN]
= *piceolus* Zaitzev, 1908: 123 [RN]
udege Nilsson, 1994: 170 **A:** CH (JIL) NC RU (FE)
unguicularis Thomson, 1867: 101 (*Erigenus*) **E:** AU BE BY CZ DE EN FI FR GB GE IR LA LU NL PL RU (CT NT ST) SK SV UK **A:** RU (ES WS)
winkleri Gschwendtner, 1923: 104 (*Gaurodytes*) **A:** AF CH (XIN) KA KI KZ TD UZ
= *pamiricus* Guignot, 1955: 274
wollastoni Sharp, 1882: 531 **N:** MR
= *dissimilis* Falkenström, 1938: 13 [HN] (*Gaurodytes*)
= *falkenstromi* J.Balfour-Browne, 1944: 352 [RN]
yakutiae Nilsson & Larson, 1990: 229 **A:** RU (ES FE)

genus *Hydronebrius* Jakovlev, 1897: 37 type species *Agabus cordaticollis* Reitter, 1896

amplicollis Toledo, 1994: 207 **A:** CH (SCH YUN)
cordaticollis Reitter, 1896: 233 (*Agabus*) **A:** TD UZ
kashmirensis Vazirani, 1964: 145 (*Amphizoa*) **A:** KA
= *guignoti* Vazirani, 1970: 346
mattheyi mattheyi Brancucci, 1980: 171 **A:** PA
mattheyi nepalensis Brancucci, 1980: 174 **A:** NP

genus *Hydrotrupes* Sharp, 1882: 491 type species *Hydrotrupes palpalis* Sharp, 1882

chinensis Nilsson, 2003: 280 **A:** CH (ANH)

genus *Ilybiosoma* Crotch, 1873: 398 type species *Ilybius regularis* LeConte, 1852
= *Nebriogabus* Guignot, 1936: 187 type species *Agabus discicollis* Ancy, 1882
= *Ranagabus* J.Balfour-Browne, 1939: 106 type species *Agabus kermanense* J. Balfour-Browne, 1939

kermanense J. Balfour-Browne, 1939: 107 (*Agabus*) **A:** IN
yeti Brancucci & Hendrich, 2006:132 **A:** CH (XIZ)

genus *Ilybius* Erichson, 1832: 18 type species *Dytiscus fenestratus* Fabricius, 1781
= *Agabidius* Seidlitz, 1887: 97 type species *Ilybius cinctus* Sharp, 1882: 560
= *Asternus* Guignot, 1931: 202 type species *Dytiscus chalconatus* Panzer, 1796
= *Hyobius* Gistel, 1856: 354 type species *Dytiscus fenestratus* Fabricius, 1781

= *Idiolybius* Gozis, 1886: 8 type species *Dytiscus fenestratus* Fabricius, 1781
 = *Ilybidius* Guignot, 1948: 169 type species *Ilybius discedens* Sharp, 1882: 557
 = *Ilyobius* Gemminger & Harold, 1868: 451 type species *Dytiscus fenestratus* Fabricius, 1781
 = *Parasternus* Guignot, 1936: 186 type species *Agabus subtilis* Erichson, 1837

adygheanus Petrov, Shapovalov & Fery, 2010: 42 **E: RU (ST)**

aenescens Thomson, 1870: 125 **E: AU BE BY CZ DE EN FI FR GB GE IR IT LA LT LU NL NR PL RU (CT NT) SK SV SZ UK A: KZ RU (WS)**
 = *kiesenwetteri* Kraatz, 1872: 166
albarracinensis Fery, 1986: 345 (*Agabus*) **E: FR PT SP**
 = *maestri* Fresneda & Hernando, 1987: 67 (*Agabus*)
 = *maestroae* Fery & Nilsson, 1993: 91 (*Agabus*)
angustior Gyllenhal, 1808: 500 (*Dytiscus*) **E: BY DE EN FI GE LA LT NR PL RU (NT) SV A: MG RU (ES FE WS) NAR**
anjae Nilsson, 1999: 36 **A: CH (HEI) JA RU (ES FE)**
 = *anjarum* Nilsson, 2007: 49
apicalis Sharp, 1873: 51 **A: CH (BEI GAN HEI HUB JIA JIL JIX LIA SCH SHA SHG SHN) JA RU (FE) SC**
 = *intermediatus* Feng, 1936: 10
ater De Geer, 1774: 401 (*Dytiscus*) **E: AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU NL NR PL RU (CT NT ST) SK SL SP SV SZ UK A: IN RU (ES WS)**
 = *ater* Panzer, 1796: 38/15 [HN] (*Dytiscus*)
 = *ungularis* LeConte, 1862: 521 (*Colymbetes*)
balkei Fery & Nilsson, 1993: 103 (*Agabus*) **A: MG RU (ES FE WS)**
bedeli Zaitzev, 1908: 121 [RN] (*Agabus*) **N: AG TU**
 = *politus* Reiche, 1861: 369 [HN] (*Agabus*)
chalconatus Panzer, 1796: 38/t.17 (*Dytiscus*) **E: AU BE BH BU CR CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD NL PL PT RU (ST) SK SL SP SV SZ UK YU N: AG MO A: IN IS SY TM TR**
 = *aterrimus* Stephens, 1828: 79 (*Colymbetes*)
 = *fuscoaenescens* Régimbart, 1878: cxlviii (*Agabus*)
 = *nigroaeneus* Marsham, 1802: 428 (*Dytiscus*)
chishimanus Kôno, 1944: 80 **A: CH (HEI JIL) MG RU (ES FE)**
 = *weymarni* J. Balfour-Browne, 1947: 446
cinctus Sharp, 1878: 169 **E: AB GG RU (ST) UK A: CH (GAN GUX HEB HEI HUB JIA JIL LIA SCH SHA TIA XIN YUN) KZ MG RU (ES) UZ**
 = *angustulus* Régimbart, 1899: 289
 = *chinensis* Csiki, 1901: 102
 = *cinctus* Sharp, 1882:560 [HN]
 = *cinctus* Sharp, 1890:38 [HN]
crassus Thomson, 1856: 224 **E: AU BE CZ DE EN FI GE LT NR PL RU (CT NT) SK SV SZ UK A: RU (WS)**
dettneri Fery, 1986: 342 (*Agabus*) **E: PT SP**
discedens Sharp, 1882: 557 **A: RU (FE) NAR**
erichsoni Gemminger & Harold, 1868: 454 (*Agabus*) **E: AB BY DE EN FI GE HU IT LA LT NR PL RU (CT NT) SV SZ A: IN JA KZ MG RU (ES FE WS) NAR**
 = *cincticollis* Mäklin, 1881: 22
 = *lutosus* Crotch, 1873: 419 [HN] (*Gaurodytes*)
fenestratus Fabricius, 1781: 294 (*Dytiscus*) **E: AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IT LA LS LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK YU A: KI RU (ES WS)**
 = *aeneus* Panzer, 1796: 38/t.16 [HN] (*Dytiscus*)
 = *ciliatus* Olivier, 1791: 311 (*Dytiscus*)
 = *prescottii* Mannerheim, 1829: 21 (*Colymbetes*)
fuliginosus fuliginosus Fabricius, 1792: 191 (*Dytiscus*) **E: AB AL AN AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC MD NL NR PL RU (CT NT ST) SK SL SP SV SZ UK YU N: MO A: IN KZ MG RU (WS) TR**
 = *lacustris* Panzer, 1796: 38/t.14 [HN] (*Dytiscus*)
 = *pirinicus* Guéorguiev, 1957: 25
fuliginosus turcestanicus Gschwendtner, 1934: 74 **A: CH (XIN) KZ**

guttiger Gyllenhal, 1808: 499 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RU (CT NT) SL SV SZ UK **A:** RU (WS)
= *immunis* Stephens, 1828: 81 (*Colymbetes*)
= *kiesenwetteri* Wehncke, 1872: 136 [HN]
= *quadrinotatus* Stephens, 1828: 83 (*Colymbetes*)
hozgargantae Burmeister, 1983: 133 (*Agabus*) **E:** SP **N:** MO
hulae Wewalka, 1984: 137 (*Agabus*) **A:** IS SY TR
jaechi Fery & Nilsson, 1993: 94 (*Agabus*) **E:** GR TR **A:** TR
lagabrunensis Schizzerotto & Fery, 1990: 148 (*Agabus*) **E:** IT
lateralis Gebler, 1832: 40 (*Colymbetes*) **A:** CH (HEI) MG RU (ES FE)
= *limbatus* Sharp, 1882: 557
lenensis Nilsson, 2000: 31 [RN] **A:** RU (ES WS) "Manchuria"
= *aenescens* Poppius, 1905: 18 [HN] (*Agabus*)
lenkoranensis Fery & Nilsson, 1993: 95 (*Agabus*) **E:** AB **A:** IN
meridionalis Aubé, 1837: 126 **E:** FR IT PT SP **N:** MO
= *hispanicus* Sharp, 1873: 260
minakawai Nilsson & Ribera, 2007: 162 **A:** RU (FE)
montanus Stephens, 1828: 76 (*Colymbetes*) **E:** BE DE FR GB GE IR IT LT LU NL PL PT RU (ST) SP **N:** AG MO
= *melanocornis* Zimmermann, 1915: 223 (*Agabus*)
nakanei Nilsson, 1994: 58 **A:** JA RU (FE)
neglectus Erichson, 1837: 158 (*Agabus*) **E:** AU BE BY CZ DE EN FR GE HU LA LT LU NL PL RU (CT NT ST) SK SV SZ UK
obtus Sharp, 1882: 558 **A:** CH (SCH) MG RU (ES)
opacus Aubé, 1837: 173 (*Agabus*) **E:** FI NR RU (NT) SV **A:** MG RU (ES FE WS) **NAR**
= *gelidus* Fall, 1926: 142 [HN] (*Agabus*)
= *mimmi* J. Sahlberg, 1875: 182 (*Gaurodytes*) [HN]
= *mimmii* J. Sahlberg, 1874: xiv (*Gaurodytes*)
= *pseudoconfertus* Wallis, 1926: 90 (*Agabus*)
= *rufinus* Marseul, 1882: 28 (*Agabus*)
= *sachalinensis* Kamiya, 1938: 37 (*Agabus*)
= *sharpi* Jacobson, 1908: 430 [RN] (*Agabus*)
= *sibericus* Sharp, 1882: 519 [HN] (*Agabus*)
ovalis Gschwendtner, 1934: 74 **A:** RU (ES)
pederzanii Fery & Nilsson, 1993: 95 (*Agabus*) **E:** IT
picipes Kirby, 1837: 71 (*Colymbetes*) **E:** FI NR SV **A:** RU (WS) **NAR**
poppiusi Zaitzev, 1907: 208 **A:** CH (SCH) MG RU (ES)
pseudoneglectus Franciscolo, 1972: 84 (*Agabus*) **E:** BU CR GR HU IT **RO** YU
= *skiathos* Hinterseher, 1981: 87 (*Agabus*)
quadriguttatus Lacordaire, 1835: 316 (*Colymbetes*) **E:** AU BE BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SK SL SP SV SZ UK YU **A:** IN TR
= *obscurus* Marsham, 1802: 414 [HN] (*Dytiscus*)
= *sexdentatus* Schiødte, 1841: 487
samokovi Fery & Nilsson, 1993: 91 (*Agabus*) **E:** BU
satunini Zaitzev, 1913: 196 (*Agabus*) **E:** GG RU (ST) **A:** RU (WS) TR
similis Thomson, 1856: 225 **E:** BY DE EN FI FR GE HU LA LT NR RU (CT NT) PL SV UK
= *ovatus* Hochhuth, 1871: 237
subaeneus Erichson, 1837: 156 **E:** AB AR AU BE BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT LU MD NL NR PL RU (CT NT ST) SK SV SZ UK **A:** KZ MG RU (ES WS) **NAR**
= *badenii* Wehncke, 1872: 164
= *chalybeatus* C.G Thomson, 1860: 48
= *lapponicus* Scholz, 1917: 251
= *suffusus* Crotch, 1873: 411
= *viridiaeneus* Crotch, 1873: 411
subtilis Erichson, 1837: 157 (*Agabus*) **E:** AU BY CZ DE EN FI FR GE HU IT LA LT NR PL RU (CT NT) SK SV UK **A:** RU (ES WS)
= *altaicus* Gebler, 1848: 73

vittiger Gyllenhal, 1827: 379 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (WS) **NAR**
wasastjernae C.R. Sahlberg, 1824: 167 (*Dyticus*) **E:** AU BY CZ DE FI GB GE LA LT NR PL RU (CT NT) SV UK
A: RU (WS) **NAR**
= *kenaiensis* Fall, 1926: 141 (*Agabus*)
= *palustris* Wallis, 1926: 92 (*Agabus*)
wewalkai Fery & Nilsson, 1993: 85 (*Agabus*) **A:** TR

genus *Platambus* Thomson, 1859: 14 type species *Dytiscus maculatus* Linnaeus, 1758
= *Agabinus* Crotch, 1873:397 type species *Colymbetes glabrellus* Motschulsky, 1859
= *Agraphis* Guignot, 1954: 199 type species *Agraphis confossa* Guignot, 1954 (= *Agabus sawadai* Kamiya, 1932)
= *Allogabus* Guignot, 1954:199 type species *Agabus americanus* Aubé, 1838
= *Anagabus* Jakovlev, 1897: 38 type species *Anagabus semenowi* Jakovlev, 1897
= *Colymbinectes* Falkenström, 1936a: 97 type species *Colymbinectes ater* Falkenström, 1936
= *Neoplatynectes* Vazirani, 1970: 305 type species *Platynectes princeps* Régimbart, 1888
= *Paraplatynectes* Vazirani, 1970: 305 type species *Platynectes guttula* Régimbart, 1899
= *Stictogabus* Guignot, 1948: 167 type species *Agabus angulicollis* Régimbart, 1899

angulicollis Régimbart, 1899: 273 (*Agabus*) **A:** CH (BEI HEB NMO SCH SHA SHX XIZ)
ater Falkenström, 1936: 97 (*Colymbinectes*) **A:** CH (GUI SCH YUN)
balfourbrownnei Vazirani, 1965: 28 **A:** CH (YUN) NP UP **ORR**
biswasi Vazirani, 1965: 32 **A:** NP UP
dabieshanensis Nilsson, 2003: 266 **A:** CH (ANH)
denticulatus Nilsson, 2003: 270 **A:** CH (SCH)
elongatus Bian & Ji, 2008: 33 **A:** CH (HAI)
excoffieri Régimbart, 1899: 281 **A:** CH (GAN GUI HAI HEB HUN SCH SHA SHN YUN XIZ ZHE) **ORR**
fimbriatus Sharp, 1884: 445 **A:** CH (JIL GAN HEB SCH) JA **NC** RU (FE) SC
= *kansouis* Feng, 1936: 9
guttulus Régimbart, 1899: 283 (*Platynectes*) **A:** CH (SHG)
heteronychus Nilsson, 2003: 271 **A:** CH (GUA)
ikedai Nilsson, 1997: 635 (*Agabus*) **A:** JA
insolitus Sharp, 1884: 444 (*Agabus*) **A:** JA
kempi Vazirani, 1970: 330 (*Agraphis*) **A:** BT NP SD
khukri Brancucci, 1990: 240 **A:** NP
koreanus Nilsson, 1997: 636 (*Agabus*) **A:** RU (FE) SC
lindbergi Guéorguiev, 1963: 218 **A:** AF HP PA UP **ORR**
= *guignoti* Vazirani, 1965: 27
lineatus Gschwendtner, 1935: 62 **A:** AP BT NP PA UP **ORR**
lunulatus Fischer von Waldheim, 1829: 26 (*Colymbetes*) **E:** AB AR GG GR RU (ST) TR **N:** EG **A:** IN LE TR
= *sinuatus* Aubé, 1837: 148 (*Agabus*)
maculatus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AL AN AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT LA LS LT LU MC NL NR PL RO SK SL SP RU (CT NT ST) SV SZ UK YU **A:** IN MG RU (WS) TR
= *biocellatus* O.F. Müller, 1776: 72 (*Dytiscus*)
= *cantalicus* Pic, 1912: 57
= *causicus* Zaitzev, 1927: 18
= *escalerae* Régimbart, 1900: 121
= *glacialis* Graells, 1858: 42 [HN] (*Agabus*)
= *graellsii* Gemminger & Harold, 1868: 455 [RN] (*Agabus*)
= *hebraicus* Geoffroy, 1785: 70 (*Dyticus*)
= *inornatus* Schilsky, 1888: 183
= *ornatus* Herbst, 1784: 125 (*Dytiscus*)
= *pulchellus* Heer, 1839: 149 (*Colymbetes*)
micropunctatus Nilsson, 2003: 269 **A:** CH (GUA)
nepalensis Guéorguiev, 1968: 42 (*Stictogabus*) **A:** AP BT NP SD
= *bhutanensis* Wewalka, 1975: 157
optatus Sharp, 1884: 445 (*Agabus*) **A:** CH (FUJ JIX) JA
= *miyamotoi* Nakane, 1959: 95 (*Gaurodytes*)

pictipennis Sharp, 1873: 49 (*Agabus*) A: JA RU (FE) "Korea"
princeps Régimbart, 1888: 615 (*Platynectes*) A: CH (GUA HKG YUN) **ORR**
punctatipennis Brancucci, 1984: 153 A: CH (FUJ GUA JIX)
satoi Brancucci, 1982: 226 A: BT NP
sawadai Kamiya, 1932: 6 (*Agabus*) A: JA
= *confossus* Guignot, 1954: 200 (*Agraphis*)
schaefleini Brancucci, 1988: 188 A: CH (YUN) **ORR**
schillhammeri Wewalka & Brancucci, 1995: 99 A: CH (GUI HUB HUN SCH SHA)
semenowi Jakovlev, 1897: 38 (*Anagabus*) A: KI TD
sogdianus Jakovlev, 1897: 39 (*Anagabus*) A: AF KA KI NP PA TD UZ
= *holzschuhi* Wewalka, 1975: 155
= *jucundus* Guignot, 1954: 222 (*Agabus*)
= *ledouxii* Legros, 1977: 14 (*Anagabus*)
= *limbibasis* Reitter, 1900: 226 (*Anagabus*)
= *vatelloides* Régimbart, 1899: 270 (*Agabus*)
striatus Zeng & Pu, 1992: 482 (*Hydronebrius*) A: CH (SCH YUN)
stygius Régimbart, 1899: 279 (*Agabus*) A: CH (BEI HEB JIL LIA SCH SHN YUN) JA SC
= *jilanzhui* Wewalka & Brancucci, 1995: 98
= *nakanei* Nilsson, 1997: 631 (*Agabus*)
ussuriensis Nilsson, 1997: 632 (*Agabus*) A: CH (FUJ HEB JIL LIA) NC RU (FE) SC
wewalkai Brancucci, 1982: 120 A: KA
wittmeri Wewalka, 1975: 158 A: BT NP **ORR**
wulingshanensis Brancucci, 2005: 1 A: CH (HUB HUN)
yaanensis Nilsson, 2003: 272 A: CH (SCH)

genus *Platynectes* Régimbart, 1879: 454 type species *Agabus decemnotatus* Aubé, 1838

subgenus *Gueorguievtes* Vazirani, 1976: 170 type species *Agabus dissimilis* Sharp, 1873
= *Metaplatynectes* Guéorguiev, 1978: 271 type species *Dytiscus decempunctatus* Fabricius, 1775

babai Satô, 1982: 3 A: CH (TAI)
chujoi Satô, 1982: 1 A: JA (Ryukyu Islands)
deletus Régimbart, 1899: 287 A: JA
dissimilis Sharp, 1873: 50 (*Agabus*) A: CH (ANH FUJ GUA GUI HUN JIX SHA SHX ZHE)
gemellatus Štastný, 2003: 235 A: CH (FUJ GUA GUI GUX HKG JIX MAC TAI)
hainanensis Nilsson, 1998: 110 A: CH (HAI)
kashmiranus kashmiranus J.Balfour-Browne, 1944: 352 [RN] A: AF BT CH (XIZ) HP KA NP PA SD UP **ORR**
= *lineatus* Redtenbacher, 1844: 503 [HN] (*Colymbetes*)
kashmiranus lemerki Štastný, 2003: 230 A: CH (YUN)
major Nilsson, 1998: 114 A: CH (YUN) **ORR**
mazzoldii Štastný, 2003: 240 A: CH (YUN) **ORR**
nanlingensis Štastný, 2003: 236 A: CH (FUJ GUA)
rihai Štastný, 2003: 243 A: CH (SHN)
wewalkai Štastný, 2003: 224 A: NP

subfamily **Colymbetinae** Erichson, 1837

tribe Colymbetini Erichson, 1837

genus *Colymbetes* Clairville, 1806: 188 type species *Dytiscus striatus* Linnaeus, 1758
= *Cymatopterus* Dejean, 1833: 54 type species *Dytiscus fuscus* Linnaeus, 1758

dahuricus Aubé, 1837: 99 A: CH (JIL) MG RU (ES FE) **NAR**
= *obscuratus* Mannerheim, 1853: 154 (*Cymatopterus*)
= *seminiger* LeConte, 1862: 522
dolabratus Paykull, 1798: 204 (*Dytiscus*) E: FI IC NR RU (NT) SV A: RU (ES FE WS) **NAR**
= *drewseni* LeConte, 1862: 523

= *groenlandicus* Aubé, 1838: 233
= *thomsoni* Sharp, 1882: 628
= *tolli* Zaitzev, 1907: 209
= *triseriatus* Kirby, 1837: 73
fuscus Linnaeus, 1758: 411 (*Dytiscus*) **E:** AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MA MC NL NR PL PT RU (CT NT ST) SK SL SP SV SZ TR UK YU **N:** AG EG LB MO TU **A:** AF CH (XIZ) CY IN IS KA KZ LE RU (WS) SI SY TR UZ
= *affinis* Stein, 1881: 222
= *semirufus* Zimmermann, 1921: 89
= *transversestriatus* DeGeer, 1774: 399 (*Dytiscus*)
koenigi Zaitzev, 1927: 30 **E:** GG **A:** IN TR
magnus Feng, 1936: 12 **A:** CH (HEI TIA)
mesopotamicus Abdul-Karim & Ali, 1986: 278 **A:** IQ
minimus Zaitzev, 1908: 420 **A:** CH (QIN XIZ)
paykulli Erichson, 1837: 149 **E:** BY DE EN FI GE LA LT NL NR PL RU (CT NT) SV UK **A:** RU (ES KZ WS)
piceus Klug, 1834: t.33: 6 **N:** EG **A:** IN IQ KU SA SI YE
= *procerus* Sharp, 1882: 631
= *simplex* Walker, 1871: 11
pseudostriatus Nilsson, 2002:191 **A:** CH (HEI) JA MG RU (ES FE)
schildknechti Dettner, 1983: 39 **E:** FR IT PT SP **N:** AG LB MO TU
semenowi Jakovlev, 1896: 176 (*Cymatopterus*) **E:** AB GG RU (ST) UK **A:** AF CH (XIN XIZ) IN KZ TM
= *kokujewi* Jakovlev, 1896: 180 (*Cymatopterus*)
striatus Linnaeus, 1758: 411 (*Dytiscus*) **E:** BE BH BY CR CZ DE EN FI FR GE HU KZ LA LT NR PL RU (CT NT ST) SK SL SV UK **A:** KZ RU (ES WS)
= *bogemanni* Gyllenhal, 1813: 687 (*Dytiscus*)
substrigatus Sharp, 1882: 630 **A:** SA YE
tschitscherini Jakovlev, 1896: 177 (*Cymatopterus*) **A:** CH (XIN)
vagans Sharp, 1882: 630 **A:** IN KU

genus *Meladema* Laporte, 1835: 98 type species *Meladema coriacea* Laporte, 1835

coriacea Laporte, 1835: 98 **E:** BU FR GR IT MA PT SP **N:** AG CI LB MO TU **A:** TR
imbricata Wollaston, 1871: 220 (*Scutopterus*) **N:** CI
lanio Fabricius, 1775: 231 (*Dytiscus*) **N:** MR
= *lowei* Gray in Griffith, 1831: 284 (*Colymbetes*)

genus *Melanodytes* Seidlitz, 1887: 24 type species *Dytiscus pustulatus* Rossi, 1792

pustulatus Rossi, 1792: 68 (*Dytiscus*) **E:** AL BU CR FR GR IT

genus *Rhantus* Dejean, 1833: 54 type species *Colymbetes pulverosus* Stephens, 1828 (= *Colymbetes suturalis* W.S. Macleay, 1825)

subgenus *Nartus* Zaitzev, 1907: 103 type species *Dytiscus grapii* Gyllenhal, 1808
= *Itybiomorphus* Porta, 1923: 259 type species *Dytiscus grapii* Gyllenhal, 1808
= *Rantogiton* Gozis, 1910: 6 type species *Dytiscus grapii* Gyllenhal, 1808

grapii Gyllenhal, 1808: 505 (*Dytiscus*) **E:** AU BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT NL NR PL RO RU (CT NT ST) SK SL SV SZ UK YU
= *niger* Lacordaire in Boisduval & Lacordaire, 1835: 314 (*Colymbetes*)

subgenus *Rhantus* Dejean, 1833: 54 type species *Colymbetes pulverosus* Stephens, 1828 (= *Colymbetes suturalis* W.S. MacLeay, 1825)

bistriatus Bergsträsser, 1778: 42 (*Dytiscus*) **E:** AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT KZ LA LT NL PL SK RU (CT NT ST) SV SZ UK **A:** IN MG RU (WS) TM

= *aberratus* Gemminger & Harold, 1868: 448
 = *nigropunctatus* Motschulsky, 1860: 302
 = *pericaspicus* Guignot, 1956: 398
consputus Sturm, 1834: 83 (*Colymbetes*) **E:** AU BH CZ FR GE HU PL RO RU (CT ST) SK SL **A:** RU (WS)
 = *dressleri* Zimmermann, 1920:200
 = *luteicollis* Gebler, 1848: 72
erraticus Sharp, 1884: 446 **A:** JA RU (FE)
exsoletus Forster, 1771: 57 (*Dytiscus*) **E:** AU BE BH BY CR DE EN FI FR GB GE IR IT LA LT LU MD NL NR PL PT RU (CT NT ST) SK SL SV SZ UK YU **A:** RU (ES WS) TM
 = *adspersus* Panzer, 1796: 38/t.18 (*Dytiscus*)
 = *collaris* Paykull, 1798: 200 [HN] (*Dytiscus*)
 = *insolatus* Gebler, 1829: 66 (*Colymbetes*)
 = *melanopterus* Zetterstedt, 1828: 211 (*Dytiscus*)
 = *nigriventris* Newbery & Sharp, 1915 [HN]
 = *oculatus* Herbst, 1784: 125 (*Dytiscus*)
fennicus Huldén, 1982: 125 **E:** BY FI RU (CT NT ST) SV
formosanus Kamiya, 1938: 42 **A:** CH (TAI)
friedrichi Falkenström, 1936: 227 **A:** RU (SCH)
frontalis Marsham, 1802: 425 (*Dytiscus*) **E:** AB AR AU BE BH BY CR CZ DE EN FI FR GB GE GG HU IR IT KZ LA LS LT LU MD NL NR PL RU (CT NT ST) SK SL SV SZ UK YU **A:** KZ MG RU (ES WS) TR
 = *flavicollis* Eschscholtz, 1818: 458 (*Dytiscus*)
 = *gyllenhalii* Laporte, 1840: 162 (*Colymbetes*)
 = *punctatus* Hoppe, 1795: 32 [HN] (*Dytiscus*)
 = *semicirculatus* Schneider, 1898: 51
 = *suturalis* Lacordaire, 1835: 311 [HN]
 = *vermicularis* Fauvel, 1889:82
 = *virgulatus* Illiger, 1806: 225 (*Dytiscus*)
gogonensis Wewalka, 1975: 160 **A:** BT
hispanicus Sharp, 1882: 622 **E:** FR PT SP **N:** AG EG MO
includens Walker, 1871: 11 (*Colymbetes*) **N:** EG **A:** IS SA SI SY YE **AFR**
 = *aulicus* Omer-Cooper, 1931: 789
 = *elevatus* Sharp, 1882: 609
 = *pictiventris* Régimbart, 1905: 208
incognitus Scholz, 1927: 147 **E:** BY LA PL RU (CT NT) SK UK
latitans Sharp, 1882: 621 **E:** AU BE BU BY CR CZ EN FR GE HU IT LA LT MD NL PL RU (CT ST) SK SL SZ UK **A:** KZ RU (ES WS)
notaticollis Aubé, 1837: 107 (*Colymbetes*) **E:** AU BY CZ DE EN FI FR GE GG IT LA LT MD NR PL RO RU (CT NT) SK SV SZ **A:** CH (HEI JIL) JA MG RU (ES FE WS)
 = *infuscatus* Erichson, 1837: 151 (*Colymbetes*)
 = *nigriventris* Motschulsky, 1860: 101
 = *vibicollis* Hochhuth, 1846: 216 (*Colymbetes*)
ovalis Gschwendtner, 1936: 371 **A:** BT NP SD
pederzani Toledo & Mazzoldi, 1996: 237 **A:** CH (SCH)
rufus Zimmermann, 1922: 20 **A:** KI RU (WS)
 = *subparallelus* Scholz, 1927: 146
sexualis Zimmermann, 1919: 219 **A:** CH (XIZ) HP NP SD
sikkimensis Régimbart, 1899: 306 **A:** BT CH (HEB SCH YUN) HP NP PA SD **ORR**
 = *punjabensis* Vazirani, 1970: 355
suturalis W.S. Macleay, 1825: 31 (*Colymbetes*) **E:** AB **AL** AR AU AZ BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MA MC NL NR PL PT RU (CT ST) SK SL SP SV SZ UK YU **N:** EG LB MO TU **A:** AF CH (BEI FUJ GAN GUA GUI GUX HEB HEI HUB JIA JIL LIA MAC NMO QIN SCH SHN SHX TAI XIZ YUN ZHE) CY HP IN IQ IS JA KA KI KU KZ MG NC NP PA RU (ES FE WS) SA SC SD SI TD TM TR UZ **AUR ORR**
 = *annamita* Régimbart, 1899: 309
 = *australis* Aubé, 1838: 236 (*Colymbetes*)
 = *birmanicus* Vazirani, 1970: 352

= *bramardi* Guignot, 1942: 87
= *chinensis* Falkenström, 1936: 228
= *dispar* Régimbart, 1899: 308
= *flaviventris* Schilsky, 1908:600
= *hypochlorus* Gozis, 1911: 36
= *montrouzieri* Lucas, 1860: 243 (*Colymbetes*)
= *morneri* Falkenström, 1937: 41
= *neoguineensis* Guéorguiev & Rocchi, 1993: 149
= *pulverosus* Stephens, 1828: 69 (*Colymbetes*)
= *punctatus* Geoffroy, 1785: 70 [HN] (*Dyticus*)
= *regimbarti* Jakovlev, 1896: 182
= *ruficollis* Schilsky, 1908:600
= *rufimanus* White, 1846: 6 (*Colymbetes*)
= *sharpi* Jakovlev, 1896: 183
sutrellus Harris, 1828: 164 (*Colymbetes*) **E:** AU BE BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU MD NL NR PL RU (CT NT) SK SV UK YU **A:** RU (ES FE WS) **NAR**
= *semilineatus* Fleischer, 1898: 25
= *subopacus* Mannerheim, 1853: 157 (*Agabus*)
= *zimmermanni* Wallis, 1933: 274
taprobanicus Sharp, 1890: 346 **A:** HP NP PA UP **ORR**
thibetanus Régimbart, 1899: 307 **A:** CH (HUB JIX SCH)
= *aequimarginatus* Falkenström, 1936: 232
= *laticollis* Régimbart, 1899: 308
vermiculatus Motschulsky, 1860: 101 **A:** CH (HEI) MG RU (ES)
yessoensis Sharp, 1891: 6 **A:** CH (FUJ HUN JIX LIA) JA SC

subfamily **Copelatinae** Branden, 1885

tribe Copelatini Branden, 1885

genus Copelatus Erichson, 1832: 18 type species *Dytiscus posticatus* Fabricius, 1801

atrosulcatus Régimbart, 1906: 251 **A:** YE **AFR**
bacchusi Wewalka, 1981: 66 **A:** UP
bangalorensis Vazirani, 1970: 311 **A:** CH (GUX SHG YUN) NP **ORR**
erichsonii Guérin-Méneville, 1847: 51 **N:** EG **AFR**
= *erichsonii* Guérin-Méneville, 1849: 270 [HN]
= *formosus* Wollaston, 1867: 34
filiformis Sharp, 1882: 563 **A:** "Himalaya" **ORR**
freudei Guignot, 1954: 72 **A:** BT **ORR**
gestroi (Sharp, 1882: 597) (*Aglymbus*) **N:** EG **A:** IS OM SA SI **AFR**
ibrahimi Zalat, Saleh, Angus & Kaschef, 2000:15 **N:** EG
imasakai Matsui & Kitayama, 2000:95 **A:** JA (Ryukyu Islands)
indicus Sharp, 1882: 582 **A:** UP **ORR**
japonicus Sharp, 1884: 445 **A:** CH (FUJ HUB SCH TAI YUN) JA SC
= *chinensis* Régimbart, 1899: 298
= *collocallosus* Falkenström, 1932: 192
kammuriensis Tamu & Tsukamoto, 1955: 73 **A:** JA
koreanus Mori, 1932: 49 **A:** SC
minutissimus J.Balfour-Browne, 1939: 79 **A:** JA **ORR**
nakamurai Guéorguiev, 1970: 258 **A:** JA
= *hasegawai* Satô, 1988: 123
oblitus Sharp, 1882: 582 **A:** CH (HKG MAC TAI) JA **ORR**
= *andamanicus* Régimbart, 1899: 302
= *ryukyuensis* Satô, 1961: 8
= *subfasciatus* Zimmermann, 1919: 76
= *tokaraensis* Nakane, 1963: 25

ogasawarensis Kamiya, 1932: 6 **A:** JA
parallelus Zimmermann, 1920: 226 **A:** JA
pulchellus Klug, 1834: t.33/7 (*Agabus*) **A:** IQ SA SI **AFR**
= *africanus* Sharp, 1882: 583
= *basalis* Boheman, 1848: 244
= *discoideus* Sharp, 1882: 582
= *marginipennis* Laporte, 1835: 102 (*Colymbetes*)
= *obtusus* Boheman, 1848: 242
= *strigulosus* Sharp, 1882: 582
rimosus Guignot, 1952: 27 **A:** CH (YUN)
sociennus J.Balfour-Browne, 1952: 26 **A:** CH (HKG MAC TAI) NP
takakurai Satô, 1985: 63 **A:** CH JA
tenebrosus Régimbart, 1880: 210 **A:** CH (FUJ MAC TAI YUN) JA **ORR**
= *hisamatsui* Satô, 1961: 8
= *pusillus* Sharp, 1882: 580
teranishii Kamiya, 1938: 27 **A:** JA
= *multistriolatus* Guignot, 1956: 490
tomokunii Satô, 1985: 63 **A:** JA
weymarni J. Balfour-Browne, 1947: 440 **A:** CH (HEI LIA SHG) JA **NC** RU (FE) SC
zimmermanni Gschwendtner, 1934: 143 **A:** CH (ZHE) JA

genus *Exocelina* Broun, 1886: 938 type species *Exocelina advena* Broun, 1886 (= *Celina australis* Clark, 1863)
= *Papuadytes* Balke, 1998: 305 type species *Copelatus rivulus* Balke, 1998

shizong Balke & Bergsten, 2003: 90 (*Copelatus*) **A:** CH (YUN)

genus *Lacconectus* Motschulsky, 1855: 83 type species *Lacconectus fulvescens* Motschulsky, 1855
= *Paralacconectus* Vazirani, 1970: 304 type species *Lacconectus scholzi* Gschwendtner, 1922

arunachal Brancucci, 2006: 61 **A:** AP
basalis Sharp, 1882: 598 **A:** CH (TAI YUN) **ORR**
formosanus Kamiya, 1938: 29 (*Platynectes*) **A:** CH (FUJ TAI) **ORR**
hainanensis Hendrich, 1998: 102 **A:** CH (HAI)
holzschuhi Brancucci, 1986: 104 **A:** NP SD
klausnitzeri Brancucci, 2006: 59 **A:** AP
kubani Brancucci, 2003: 98 **A:** CH (YUN) **ORR**
laccophiloides Zimmermann, 1928: 175 **A:** CH (GUA) **ORR**
= *kurosawai* Satô, 1979: 39
maoyangensis Brancucci, 2003: 103 **A:** CH (HAI)
menglunensis Brancucci, 2003: 100 **A:** CH (YUN)
meyeri Brancucci, 2003: 101 **A:** CH (YUN) **ORR**
nepalensis Brancucci, 1989: 108 **A:** NP
nicolasi Brancucci, 1986: 119 **A:** AP BT NP SD **ORR**
ovalis Gschwendtner, 1936: 369 **A:** AP
pseudonicolasi Brancucci, 2003: 106 **A:** CH (YUN) **ORR**
sikkimensis Brancucci, 1989: 109 **A:** SD
similis 1986: 109 **A:** CH (YUN) **ORR**
tonkinoides Brancucci, 1986: 127 **A:** CH (GUA YUN) **ORR**

genus *Liopterus* Dejean, 1833: 54 type species *Dytiscus oblongus* Illiger, 1801
= *Pelocatus* Zaitzev, 1908: 121 [RN] type species *Dytiscus oblongus* Illiger, 1801

atriceps Sharp, 1882: 569 (*Copelatus*) **E:** FR IT PT SP **N:** AG MO TU
haemorrhoidalis Fabricius, 1787: 191 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG
GR HU IR IT LA LS LT LU MC NL PL RU (CT NT ST) SK SL SP SV SZ UK YU **N:** AG **A:** IN IS TD TM TR
= *agilis* Fabricius, 1792: 194 (*Dytiscus*)

= *oblongus* Illiger, 1801: 72 (*Dytiscus*)
= *ruficollis* Schaller, 1783: 313 [HN] (*Dytiscus*)
= *schalleri* Gmelin, 1790: 1952 (*Dytiscus*)

subfamily **Dytiscinae** Leach, 1815
tribe Aciliini Thomson, 1867

genus Acilius Leach, 1817: 69 type species *Dytiscus sulcatus* Linnaeus, 1758

subgenus Acilius Leach, 1817: 69 type species *Dytiscus sulcatus* Linnaeus, 1758
= *Heteroelytrus* Ádám, 1993: 81 [RN] type species *Dytiscus sulcatus* Linnaeus, 1758

canaliculatus Nicolai, 1822: 29 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK **A:** CH (JIL) KZ RU (ES FE WS)
= *caliginosus* Curtis, 1825: 63
= *dispar* Lacordaire, 1835: 306
= *kotulae* Ulanowski, 1884: 6
= *laevisulcatus* Motschulsky, 1845: 30
= *subimpressus* Motschulsky, 1845: 30
= *sulcatoaffinis* Hummel, 1822: 7 (*Dytiscus*)
= *sulcipennis* C.R. Sahlberg, 1824: 157 (*Dytiscus*)
= *xantischius* Gozis, 1911: 20
japonicus Brinck, 1939: 168 **A:** JA
kishii Nakane, 1963: 26 **A:** JA
sinensis Peschet, 1915: 288 **A:** CH (SCH YUN)
= *guerryi* Olsoufieff, 1925: 90
sulcatus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU NL NR PL PT RU (CT NT ST) SK SL SP SV SZ UK YU **N:** AG **A:** KZ RU (ES FE WS) TR
= *blancki* Peyerimhoff, 1927: 79
= *brevis* Aubé, 1837: 70
= *fasciatus* DeGeer, 1774: 397 (*Dytiscus*)
= *punctatus* Scopoli, 1763: 97 (*Dytiscus*)
= *scopolii* Gmelin, 1790: 1954 (*Dytiscus*)
= *scoticus* Stephens, 1828: 93
= *tomentosus* Motschulsky, 1845: 30
= *varipes* Stephens, 1828: 93

subgenus Homoeolytrus Gobert, 1874: 440 type species *Acilius duvergeri* Gobert, 1874

duvergeri Gobert, 1874: 441 **E:** FR IT PT SP **N:** MO

genus Graphoderus Dejean, 1833: 54 type species *Dytiscus cinereus* Linnaeus, 1758
= *Derographus* Portevin, 1929: 210 type species *Hydaticus austriacus* Sturm, 1834
= *Graphothorax* Motschulsky, 1853: 9 type species *Dytiscus cinereus* Linnaeus, 1758
= *Prosciastes* Gistel, 1856: 355 type species *Dytiscus cinereus* Linnaeus, 1758

adamsii Clark, 1864: 211 (*Hydaticus*) **A:** CH (BEI HEB HEI HUB JIA JIL LIA SHX ZHE) JA RU (FE) SC
= *japonicus* Sharp, 1873: 48 (*Hydaticus*)
austriacus Sturm, 1834: 46 (*Hydaticus*) **E:** AB AR AU BE BH BU BY CR CZ DE FR GE HU IT KZ LA MD **NL** PL RU (CT ST) SK SL SV SZ UK YU **A:** KI KZ MG RU (ES FE WS) TM
bieneri Zimmermann, 1921: 86 **A:** RU (FE)
bilineatus DeGeer, 1774: 400 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IT LA LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK YU **A:** RU (WS)
cinereus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT KZ LA LT LU MC NL NR PL RU (CT ST) SK SL SP SV SZ UK YU **A:** KZ MG RU (WS) TR
= *intermedius* Westhoff, 1881: 53 (*Hydaticus*)

= *simulator* Westhoff, 1882: 304 (*Hydaticus*)
= *taeniatus* Rossi, 1792: 69 (*Dytiscus*)
perplexus Sharp, 1882: 695 **A:** RU (FE) **NAR**
zonatus verrucifer C.R. Sahlberg, 1824: 159 (*Dytiscus*) **E:** EN FI IT LA NR RU (NT) SV **A:** MG RU (ES FE WS)
= *bertolinii* Seidlitz, 1887: 107
= *flavotestaceus* J. Sahlberg, 1875: 161
= *piciventris* Thomson, 1868: 351
= *rosenbergeri* Seidlitz, 1887: 107
= *sahlbergii* Seidlitz, 1887: 107
= *thomsonii* Seidlitz, 1887: 108
zonatus zonatus Hoppe, 1795: 33 (*Dytiscus*) **E:** AR AU BE BU BY CR CZ DE FR GB GE GG HU LT LU MD NL
PL SK SL RU (CT ST) SV SZ UK YU **A:** CH (HEI JIL) JA MG TR
= *interiectus* Westhoff, 1882: 304 (*Hydaticus*)
= *zonatus* Panzer, 1796: 38/13 [HN] (*Dytiscus*)

genus *Rhantaticus* Sharp, 1882: 672 type species *Hydaticus signatipennis* Laporte, 1835 (= *Hydaticus congestus* Klug, 1833)

congestus Klug, 1833: 48 (*Hydaticus*) **N:** EG **A:** AP CH (FUJ GUA GUX HAI HUB TAI YUN) JA NP UP **AFR**
AUR ORR
= *rochasi* Perroud & Montrouzier, 1864: 81 (*Hydaticus*)
= *signatipennis* Laporte, 1835: 95 (*Hydaticus*)

genus *Sandracottus* Sharp, 1882: 672 type species *Dytiscus fasciatus* Fabricius, 1775 (= *Hydaticus mixtus* Blanchard, 1843)

dejeanii Aubé, 1838: 165 (*Hydaticus*) **A:** AP HP IN PA UP **ORR**
festivus Illiger, 1801: 166 (*Dytiscus*) **A:** AP CH (GUA GUX HAI HUN SCH YUN) HP PA **ORR**
mixtus Blanchard, 1843: pl. 4 (*Hydaticus*) **A:** CH (FUJ HUB JIA JIX SCH SHG ZHE) JA **ORR**
= *crucialis* Régimbart, 1899: 333
= *fasciatus* Fabricius, 1775: 825 [HN] (*Dytiscus*)
= *hunteri* Crotch, 1872: 205 [RN] (*Hydaticus*)

tribe Cybistrini Sharp, 1882

genus *Cybister* Curtis, 1827: 151 type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)

subgenus *Cybister* Curtis, 1827: 151 type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)
= *Alocomerus* Brinck, 1945: 11 type species *Cybister buqueti* Aubé, 1838
= *Cybisteter* Bedel, 1881: 242 type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)
= *Gschwendtnerhydrus* Brinck, 1945: 11 type species *Dytiscus tripunctatus* Olivier, 1795
= *Megadytoides* Brinck, 1945: 11 type species *Cybister marginicollis* Boheman, 1848
= *Meganectes* Brinck, 1945: 11 type species *Cybister dejeanii* Aubé, 1838
= *Nealocomeris* Brinck, 1945: 11 type species *Dytiscus fimbriolatus* Say, 1825
= *Scaphinectes* Ádám, 1993: 81 [RN] type species *Dytiscus roeselii* Fuessli, 1775 (= *Dytiscus lateralimarginalis* DeGeer, 1774)
= *Trochalus* Dejean, 1833: 53 [HN] type species *Dytiscus roeselii* Fuessli, 1775 (= *Dytiscus lateralimarginalis* DeGeer, 1774)
= *Trogus* Leach, 1817: 70 [HN] type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)

bengalensis Aubé, 1838: 61 **A:** CH (BEI GUA FUJ HAI HEB JIX SCH YUN ZHE) **ORR**
cardoni Severin, 1890: cxcii **A:** PA **ORR**

cephalotes Sharp, 1882: 737 **A: SA YE AFR**
 = *konduensis* Gschwendtner, 1927:93
chinensis Motschulsky, 1854: 44 **A: CH** (BEI FUJ GUA HAI HEB HEI JIL LIA NIN SCH SHA SHN SHX TAI TIA) JA NC RU (FE) SC
 = *japonicus* Sharp, 1873: 45
cognatus Sharp, 1882: 744 **A: HP ORR**
confusus Sharp, 1882: 739 **A: PA ORR**
crassipes Sharp, 1882: 735 **A: SA**
fumatus Sharp, 1882: 731 **A: CH (SHG) ORR**
gracilis Sharp, 1882: 742 **A: SD**
guerini Aubé, 1838: 57 **A: CH (GUA) "Manchuria" ORR**
kansou Feng, 1936: 13 **A: CH (GAN)**
laevis Falkenström, 1936: 243 **A: CH (SCH)**
lateralimarginalis lateralimarginalis DeGeer, 1774: 396 (*Dytiscus*) **E: AB AR AU BE BH BU BY CR CZ DE EN FR GE GR HU IT KZ LA LU MC NL PL PT RO RU (CT ST) SK SL SP SV SZ UK YU N: AG EG LB MO TU A: CY IN IS JO KU KZ LE SY**
 = *dispar* Rossi, 1790: 199 [HN] (*Dytiscus*)
 = *dissimilis* Rossi, 1792: 66 (*Dytiscus*)
 = *glaber* Bergsträsser, 1778: 31 [HN] (*Dytiscus*)
 = *herbeti* Peytoureau, 1894: xxxix (*Dytiscus*)
 = *intricatus* Schaller, 1783: 311 (*Dytiscus*)
 = *jordanis* Reiche & Saulcy, 1855: 637
 = *lepidus* Apetz, 1852: 34
 = *lusitanicus* Sharp, 1882: 747
 = *pallidus* Ménétries, 1832: 140 [HN] (*Dytiscus*)
 = *roeselii* Fuessli, 1775: 18 (*Dytiscus*)
 = *tataricus* Gebler, 1829: 64 (*Dytiscus*)
 = *vetulus* Schrank, 1798: 710 (*Dytiscus*)
 = *virens* O.F. Müller, 1776: 70 (*Dytiscus*)
 = *virescens* Gmelin, 1790: 1958 (*Dytiscus*)
lateralimarginalis ponticus Sharp, 1882: 748 **A: IQ**
lateralimarginalis torquatus Fischer von Waldheim, 1829: 25 (*Dytiscus*) **E: GG A: AF CH (XIN) KA TM TR**
 = *chaudoirii* Hochhuth, 1846: 213
 = *hedini* Zaitzev, 1908: 419
lewisianus Sharp, 1873: 46 **A: CH (ANH BEI HEB HUB JIA JIX LIA SHG ZHE) JA ORR**
limbatus Fabricius, 1775: 230 (*Dytiscus*) **A: AF AP JA PA TAI UP "China" ORR**
 = *aciculatus* Herbst, 1784: 123 (*Dytiscus*)
reichei Aubé, 1838: 79 **N: EG AFR**
rugosus W.S. MacLeay, 1825: 32 (*Dytiscus*) **A: CH (TAI) JA ORR**
 = *indicus* Aubé, 1838: 62
rugulosus Redtenbacher, 1844: 502 (*Trochalus*) **A: KA**
senegalensis Aubé, 1838: 72 **E: IT N: AG AFR**
 = *convexusculus* Kolbe, 1883: 420
 = *irroratus* Kolbe, 1883: 420
 = *marginellus* Régimbart, 1895: 212
 = *rufiventris* Régimbart, 1895: 214
 = *seidlitzii* Ragusa, 1887: 43
szechwanensis Falkenström, 1936: 238 **A: CH (SCH)**
tripunctatus africanus Laporte, 1835: 99 **E: AL BH FR GR IT PT SP N: AG CI EG LB MO TU A: IS KU OM SA SI YE AFR**
 = *aegyptiacus* Peyron, 1856: 722
 = *haagi* Wehncke, 1876: 358 (*Trogus*)
 = *meridionalis* Gené, 1836: 170 (*Trochalus*)
 = *punctipennis* Taschenberg, 1883: 176 (*Trogus*)
tripunctatus lateralis Fabricius, 1798: 64 (*Dytiscus*) **E: AB A: AF BT CH (GUA FUJ HAI HEB HEI HUB HUN JIA NAC SCH TAI YUN XIZ ZHE) CY IN IQ JA KA KI MG NP PA RU (FE) SD SY TD TM TR UZ ORR**

= *asiaticus* Sharp, 1882: 731
= *gotschii* Hochhuth, 1846: 214
= *orientalis* Gschwendtner, 1931: 99
= *similis* Régimbart, 1899: 352
ventralis Sharp, 1882: 742 **A:** CH (MAC SCH SHN TAI) UP **ORR**
= *crassus* Sharp, 1882: 743

subgenus *Melanectes* Brinck, 1945: 11 type species *Cybister owas* Laporte, 1835

bimaculatus Aubé, 1838: 84 **N:** AG **AFR**
= *aequatorius* Zimmermann, 1917: 100
= *regimbarti* Wilke, 1920: 257
brevis Aubé, 1838: 98 **A:** CH (LIA SCH TAI) JA SC
convexus Sharp, 1882: 718 **A:** CH (YUN) **ORR**
posticus Aubé, 1838: 87 **A:** HP NP PA UP **ORR**
sugillatus Erichson, 1834: 227 **A:** AF BT CH (BEI FUJ GUA HAI HEB HUB JIX SCH TAI XIZ ZHE) JA NP PA SD UP **ORR**
= *bisignatus* Aubé, 1838: 88
= *notasicus* Aubé, 1838: 90
= *olivaceus* Boheman, 1858: 21
vulneratus Klug, 1834: t.33/1 **E:** IT SP **N:** AG EG LB MO TU **A:** BA IN OM SA SI YE **AFR**
= *binotatus* Klug, 1835: 28
= *bivulnerus* Aubé, 1838: 91
= *madagascariensis* Aubé, 1838: 94

tribe Dytiscini Leach, 1815

genus *Dytiscus* Linnaeus, 1758: 411 type species *Dytiscus marginalis* Linnaeus, 1758
= *Leionotus* Kirby, 1837: 76 type species *Dytiscus conformis* Kunze, 1818 (= *Dytiscus marginalis* Linnaeus, 1758)
= *Macrodytes* Thomson, 1859: 12 type species *Dytiscus marginalis* Linnaeus, 1758

circumcinctus Ahrens, 1811: 67(=55) **E:** AU BE BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT NL NR PL RU (CT NT ST) SK SL SV SZ UK **A:** KZ RU (ES FE WS) TR **NAR**
= *angustatus* Curtis, 1826: 99
= *angustatus* Stephens, 1828: 88
= *anxius* Mannerheim, 1843: 218
= *circumscriptus* Lacordaire, 1835: 300 [HN]
= *confusus* Motschulsky, 1860: 101
= *dubius* Gyllenhal, 1827: 372 [HN]
= *flavocinctus* Hummel, 1823: 17
= *fuscostriatus* Motschulsky, 1859: 167
= *ooligbukii* Kirby, 1837: 74
circumflexus Fabricius, 1801: 258 **E:** AB AR AU BE BH BU BY CR CZ DE EN FR GB GE GG GR HU IR IT LA LT LU MA MD NL PL PT RU (ST) SK SL SP SV UK YU **N:** AG EG LB MO TU **A:** CY IN IS KZ LE RU (WS) SY TR
= *dubius* Audinet-Serville, 1830: 90
= *flavomaculatus* Curtis, 1826: 99
= *flavoscutellatus* Latreille, 1804: 162
= *kunstleri* Peytoureau, 1894: xlii
= *perplexus* Lacordaire, 1835: 303
dauricus dauricus Gebler, 1832: 39 **A:** CH (HEI JIL XIN) JA MG RU (ES FE) **NAR**
= *amurensis* J.Balfour-Browne, 1944: 356 [RN]
= *confluens* Say, 1830: 27 [HN]
= *confluens* Say, 1834: 440 [HN]
= *confluentus* LeConte, 1850: 212 [RN]
= *diffinis* LeConte, 1850: 212

= *franklinii* Kirby, 1837: 77
= *frontalis* Motschulsky, 1860: 101 [HN]
= *obscurus* Gschwendtner, 1922: 93
= *strigifrons* Motschulsky, 1860: 101
= *ventralis* Motschulsky, 1855: 79
= *vexatus* Sharp, 1882: 643
dauricus zaitzevi Nakane, 1990: 28 **A:** JA
delictus Zaitzev, 1906: 28 (*Macrodytes*) **A:** CH (HEI) RU (FE)
dimidiatus Bergsträsser, 1778: 33 **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT
LA LT LU MC NL PL RO RU (CT NT ST) SK SL SV SZ UK YU **A:** IN SY TR
distantus Feng, 1936: 14 **A:** CH ("Manchuria")
lapponicus disjunctus Camerano, 1880: 120 **E:** IT
lapponicus lapponicus Gyllenhal, 1808: 468 **E:** BE BY CZ DE EN FI FR GB GE GG IR LA LT NL NR PL RU
(CT NT) SK SV **A:** KZ RU (WS)
= *borealis* Motschulsky, 1860: 101
= *septentrionalis* Gyllenhal, 1827: 373
latissimus Linnaeus, 1758: 411 **E:** AU BE BY CR CZ DE EN FI FR GE HU IT LA LT LU NL NR PL RO RU (CT
NT ST) SK SV SZ UK **A:** RU (WS)
= *amplissimus* O.F. Müller, 1776: 69
= *anastomozans* Well, 1781: 386
latro Sharp, 1882: 644 **A:** CH (HEI) MG RU (ES FE WS)
= *piceatus* Sharp, 1882: 644
= *stadleri* Gschwendtner, 1922: 93
marginalis czerskii Zaitzev, 1953: 328 **A:** CH (HEB HEI HEN) JA NC RU (ES FE)
marginalis marginalis Linnaeus, 1758: 411 **E:** AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR
HU IR IT LA LS LT LU MC NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK YU **A:** KZ RU (ES WS)
TR
= *circumductus* Audinet-Serville, 1830: 90
= *conformis* Kunze, 1818: 58
= *semicostatus* Reineck, 1921: 117
= *semistriatus* Linnaeus, 1758: 412
= *submarginatus* Stephens, 1828: 90
= *totomarginalis* DeGeer, 1774: 391
mutinensis Branden, 1885: 97 **E:** CR GR IT
= *mutinensis* Pederzani, 1971: 220 [HN]
persicus Wehncke, 1876: 52 **E:** AR GG RU (ST) UK **A:** AF IN TR UZ
pisanus Laporte, 1835: 98 **E:** AN CR FR GR IT PT SP **N:** AG MO TU
= *ibericus* Rosenhauer, 1856: 47
= *nonsulcatus* Zimmermann, 1919: 233
semisulcatus O.F. Müller, 1776: 70 **E:** AL AU BE BU CR CZ DE EN FR GB GE GG GR IR IT LA LT LU NL NR
PL PT SL SP SV SZ UK YU (Crna Gora) **N:** AG MO TU **A:** KZ RU (ES) TR **AUR**
= *expectatus* Peyerimhoff, 1905: 229
= *frischii* Bergsträsser, 1778: 43
= *laevis* Engert, 1911: 19
= *maurus* Schaufuss, 1883: clxxiii
= *porcatus* Thunberg, 1794: 74
= *punctatus* Olivier, 1795: 12 [HN]
= *punctulatus* Fabricius, 1777: 238 [HN]
= *stagnalis* Geoffroy, 1785: 66
sharpi Wehncke, 1875: 500 **A:** CH (HUN SHA) JA
= *validus* Régimbart, 1899: 311
sinensis Feng, 1935: 182 **A:** CH (HEI SCH SHA)
thianschanicus Gschwendtner, 1923: 107 (*Macrodytes*) **E:** RU (ST) **A:** AF KA TD TR

tribe Eretini Crotch, 1873

genus Eretes Laporte, 1833: 397 type species *Dytiscus griseus* Fabricius, 1781 (= *Dytiscus sticticus* Linnaeus, 1767)

= *Eunectes* Erichson, 1832: 17 [HN] type species *Dytiscus sticticus* Linnaeus, 1767

= *Nogrus* Dejean, 1833: 53 type species *Dytiscus griseus* Fabricius, 1781 (= *Dytiscus sticticus* Linnaeus, 1767)

griseus Fabricius, 1781: 293 (*Dytiscus*) **E:** AB AR AZ BH BU CR FR GG GR HU IT PT RU (ST) SL SP UK YU
N: AG EG LB MO TU **A:** AF BT CH (BEI FUJ HAI HEB HEI HUB JIA LIA MAC SCH SHA SHG SHN SHX
TAI YUN ZHE) IN IQ JA HP KA KU NP OM PA RU (FE) SC SI SY TR UP YE **AFR AUR ORR**

= *moroderi* Báguena Corella, 1935: 90

= *plicipennis* Motschulsky, 1845: 29 (*Eunectes*)

= *succinctus* Klug, 1834: t.33/4 (*Eunectes*)

sticticus Linnaeus, 1767: 666 (*Dytiscus*) **E:** SP **N:** AG CI EG MO MR **A:** AF CY IN KZ QA SA TD TM TR YE
(Socotra) **AFR NAR NTR**

= *conicollis* Wollaston, 1861: 97 (*Eunectes*)

= *helvolus* Klug, 1834: t.33/3 (*Eunectes*)

= *occidentalis* Erichson, 1847: 73 (*Eunectes*)

= *punctatus* Zoubkoff, 1837: 66 (*Eunectes*)

= *subcoriaceus* Wollaston, 1861: 99 (*Eunectes*)

= *subdiaphanus* Wollaston, 1861: 100 (*Eunectes*)

tribe Hydaticini Sharp, 1882

genus Hydaticus Leach, 1817: 69 type species *Dytiscus transversalis* Pontoppidan, 1763

subgenus Hydaticus Leach, 1817: 69 type species *Dytiscus transversalis* Pontoppidan, 1763

= *Icmaleus* Gistel, 1856: 355 type species *Dytiscus transversalis* Pontoppidan, 1763

aruspex Clark, 1864: 212 **E:** BY CZ DE EN FI FR GE HU LA NR PL RU (CT NT) SV UK **A:** CH (HEI JIL LIA)
JA RU (ES FE WS) **NAR**

= *americanus* Sharp, 1882: 651

= *laevipennis* Thomson, 1867: 88

= *laeviusculus* Poppius, 1906: 58

= *modestus* Sharp, 1882: 650

= *rugosus* Poppius, 1905: 23

continentalis J. Balfour-Browne, 1944: 355 [RN] **E:** AU BE BH BY CR CZ DE EN FR GE HU IT LA LT PL RU
(CT ST) SK SV SZ UK **A:** RU (WS)

= *stagnalis* Fabricius, 1787: 191 [HN] (*Dytiscus*)

schelkovnikovi Zaitzev, 1913: 197 **E:** AB AR GG RU (ST) **A:** IN

= *litoralis* Zaitzev, 1913: 198

seminiger DeGeer, 1774: 401 (*Dytiscus*) **E:** AU BE BH BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU
NL NR PL RU (CT NT ST) SK SL SP SV SZ UK YU **A:** RU (ES WS)

= *cinctus* O.F. Müller, 1776: 669 [HN] (*Dytiscus*)

= *danicus* Gmelin, 1790: 1955 (*Dytiscus*)

= *hybneri* Fabricius, 1787: 190 (*Dytiscus*)

= *parapleurus* Marsham, 1802: 427 (*Dytiscus*)

= *sexpunctatus* Drapiez, 1819: 48 (*Dytiscus*)

transversalis laevisculptus Zaitzev, 1910: 223 **A:** IN TR

transversalis transversalis Pontoppidan, 1763: 677 (*Dytiscus*) **E:** AL AU BE BH BU BY CR CZ DE EN FI FR GB
GE GG GR HU IT KZ LA LT LU MC NL NR PL RO RU (CT NT ST) SK SL SV SZ UK YU **A:** IS RU (WS)

= *degeneratus* Westhoff, 1882: 305

= *inderiensis* Zaitzev, 1915: 277

= *interruptemaculatus* Gerhardt, 1899: 217

= *punctipennis* Thomson, 1867: 87

= *sahlbergi* Zaitzev, 1905: 226

subgenus Prodaticus Sharp, 1882: 647 type species *Prodaticus pictus* Sharp, 1882

= *Guignotites* Brinck, 1943: 8 [RN] type species *Dytiscus vittatus* Fabricius, 1775
= *Hydaticinus* Guignot, 1950: 104 type species *Hydaticus rectus* Sharp, 1882 (= *Dytiscus xanthomelas* Brullé, 1838)
= *Isonotus* Guignot, 1936: 53 [HN] type species *Dytiscus vittatus* Fabricius, 1775
= *Pleurodytes* Régimbart, 1899: 331 type species *Hydaticus dineutoides* Sharp, 1882

africanus Rocchi, 1976: 289 (*Prodaticus*) **A: SA AFR**
agaboides Sharp, 1882: 663 **A: CH (HAI YUN) ORR**
arabicus Guignot, 1951: 21 **A: OM YE**
bivittatus Laporte, 1835: 98 **N: EG AFR**
= *sharpi* Peschet, 1917: 45
bowringii Clark, 1864: 214 **A: CH (ANH BEI HEB HUB JIA JIX LIA SCH SHA SHN TAI YUN ZHE) JA NC SC ORR**
conspersus conspersus Régimbart, 1899: 315 **A: JA SC**
conspersus sakishimanus Nakane, 1990: 29 **A: JA**
decorus Klug, 1834: t.33/5 **N: EG A: SA SI YE AFR**
dorsiger Aubé, 1838: 193 **A: SA AFR**
dregei Aubé, 1838: 172 **A: SA YE AFR**
= *jucundus* Reiche, 1850: 278
= *nigromarmoratus* Clark, 1864: 220
fabricii W.S. MacLeay, 1825: 31 [RN] (*Colymbetes*) **A: CH (YUN) AUR ORR**
= *fabriciusi* Ball, 1932: 19 [RN]
= *rufulus* Aubé, 1838: 199
= *varius* Fabricius, 1801: 267 [HN] (*Dytiscus*)
flavolineatus Boheman, 1848: 237 **A: SA AFR**
grammicus Germar, 1827: t.1 (*Dytiscus*) **E: AB AR AU BH BU CR FR GE GG HU IT MC PL RU (ST) SK SL SZ UK YU A: AF CH (BEI HAI HEB HEI HUB JIA JIL LIA SCH YUN) IN JA KZ NC TM UZ**
= *lineolatus* Ménétriés, 1832: 140 (*Dytiscus*)
= *nigrovittatus* Clark, 1864: 222
histrion Clark, 1864: 221 **A: AF HP IN IQ KA OM PA SA UP YE ORR**
= *rectangulus* Sharp, 1882: 669
incertus Régimbart, 1888: 617 **A: BT CH (YUN) HP NP ORR**
= *martensi* Wewalka, 1972: 115
leander Rossi, 1790: 202 (*Dytiscus*) **E: AB AL FR GR IT PT SP YU N: AG EG LB MO TU A: IN IQ IS JO SI SY TM TR AFR**
= *debarrosmachadoi* Franciscolo, 1968: 51
= *fusciventris* Reiche & Saulcy, 1855: 639
= *nauzieli* Fairmaire, 1859: lii
litigiosus Régimbart, 1880: 210 **A: CH (HAI) ORR**
= *nubilus* Régimbart, 1899: 318
= *planatus* Régimbart, 1899: 317
luczonicus Aubé, 1838: 179 **A: UP ORR**
major Régimbart, 1899: 328 **A: CH (YUN) ORR**
pacificus Aubé, 1838: 177 **A: CH (SHN TAI YUN) ORR**
= *banksii* Crotch, 1872: 205 [RN]
= *ceylonicus* Guignot, 1935: 130
= *discindens* Walker, 1858: 204
= *latihamatus* Régimbart, 1899: 315
= *lunatus* Régimbart, 1899: 316
= *ruficollis* Fabricius, 1787: 189 [HN] (*Dytiscus*)
pictus Sharp, 1882: 648 (*Prodaticus*) **A: AF IN IQ OM PA SA SY TD TM UZ**
ponticus Sharp, 1882: 662 **N: EG LB A: IN IQ PA SA SI SY TD TM TR ORR**
rhantoides Sharp, 1882: 664 **A: CH (FUJ GUA GUI HAI HEI HUB HKG HUN JIA SCH SHG TAI YUN ZHE) JA ORR**
= *fengi* Falkenström, 1936: 236
ricinus Wewalka, 1979: 128 **A: AF NP PA ORR**
satoi dhofarensis Pederzani, 2003: 18 **A: OM**

satoi satoi Wewalka, 1975: 91 **A:** BT CH (FUJ HEB LIA NO SCH TAI) JA SD **ORR**
servillianus Aubé, 1838: 197 **A:** OM YE **AFR**
= *discoidalis* Hope, 1843: 364
= *flavomarginatus* Zimmermann, 1920: 228
thermonectoides Sharp, 1884: 447 **A:** CH (JIA YUN ZHE) JA SC
vittatus Fabricius, 1775: 825 (*Dytiscus*) **A:** CH (FUJ GUA HAI HKG HUB JIA JIX MAC SCH SHN SHX TAI ZHE) HP JA NP SD UP **ORR**
= *lenzi* Schönfeldt, 1890: 170 (*Graphoderus*)
= *nepalensis* Satô, 1961: 60
= *sesquivittatus* Fairmaire, 1880: 164

subfamily **Hydroporinae** Aubé, 1836
tribe Bidessini Sharp, 1882

genus Allodessus Guignot, 1953: 110 type species *Hydroporus bistrigatus* Clark, 1862

megacephalus Gschwendtner, 1931: 21 (*Bidessus*) **A:** CH (FUJ TAI) JA
= *maculosus* Gschwendtner, 1931: 462 (*Bidessus*)
= *tokunagai* Kamiya, 1932: 5 (*Bidessus*)

genus Bidessus Sharp, 1882: 336 type species *Dytiscus unistriatus* Schrank, 1781

alienus Zimmermann, 1919: 140 **E:** AB CR MC MD RU (ST) **A:** IN KZ RU (WS) TM
anatolicus anatolicus Wewalka, 1972: 72 **A:** TR
anatolicus kadmos Wewalka, 1989: 147 **A:** IS
anatolicus phoenix Wewalka, 1989: 146 **A:** IS
calabricus Guignot, 1957: 91 **E:** BU CR GR IT MC SL **A:** CY IN IQ IS LE SY TR
complicatus Sharp, 1904: 4 **N:** EG **AFR**
= *brevistriga* Régimbart, 1906: 245
= *ghesquieri* Guignot, 1948: 1
coxalis Sharp, 1882: 351 **E:** FR PT SP **N:** AG MO TU
= *ibericus* Falkenström, 1939: 9
cretensis Fery, 1992: 79 **E:** GR (Kriti)
delicatulus Schaum, 1844: 198 (*Hydroporus*) **E:** AL AU BH BU CR CZ FR GE GR IT MC PL SK SL SZ YU **A:** TR
exornatus Reiche & Saulcy, 1855: 644 (*Hydroporus*) **E:** CR GR YU **A:** SY TR
goudotii Laporte, 1835: 105 (*Hydroporus*) **E:** AL FR GR IT PT SP **N:** AG MO TU
grossepunctatus Vorbringer, 1907: 418 **E:** AU BE BY CZ DE EN FI FR GE HU IT LA LT NL NR PL RU (CT NT ST) SL SV SZ UK **A:** RU (**ES** WS)
minutissimus Germar, 1824: 31 (*Hydroporus*) **E:** AU FR GB GE IR IT LU PT SP SZ **N:** AG CI MO TU
= *circumflexus* Breit, 1908: 59
= *interruptefasciatus* Breit, 1908: 59
= *lepineyi* Kocher, 1957: 367
= *trifasciatus* Wollaston, 1846: 453 (*Hydroporus*)
muelleri Zimmermann, 1927: 34 **E:** GR IT YU
= *tiragalloi* Sanfilippo, 1978: 129
nasutus Sharp, 1887: 170 **E:** AB AR AU BH BU CR CZ HU MD RU (ST) SK UK **A:** IS KZ RU (WS) TM TR
ovoideus Régimbart, 1895: 81 **N:** EG **AFR**
pumilus Aubé, 1838: 342 (*Hydroporus*) **E:** BH CR FR IT PT SP **N:** AG
saucius Desbrochers des Loges, 1871: 338 (*Hydroporus*) **E:** FR (Corse) IT
= *baderi* Krausse, 1910: 146
= *bigoti* Guignot, 1957: 91
sharpi Régimbart, 1895: 77 **N:** TU **AFR**
= *fictor* Omer-Cooper, 1959: 124
= *granulum* Régimbart, 1895: 79

= *nigeriensis* Omer-Cooper, 1974: 306
= *sedilloti* Régimbart, 1895: 78
= *sudanensis* Omer-Cooper, 1974: 306
unistriatus Goeze, 1777: 626 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT LA LT LU MC NL NR PL RU (CT NT ST) SK SL SV SZ UK YU **A:** CH (HEB SHA) MG RU (ES WS) TR
= *bisulcatus* Curtis, 1840: 276 (*Hygrotus*)
= *monostriatus* Geoffroy, 1785: 69 (*Dytiscus*)
= *nanus* Gmelin, 1790: 1956 (*Dytiscus*)
= *opacus* Guignot, 1932: 268
= *subrufulus* Schneider, 1898: 50
= *unistriatus* Schrank, 1781: 205 [HN] (*Dytiscus*)

genus *Clypeodytes* Régimbart, 1894: 230 type species *Hydroporus cribrosus* Schaum, 1864

bufo Sharp, 1890: 344 (*Bidessus*) **A:** CH (GUI HAI HUB) **ORR**
cribrosus Schaum, 1864: 107 (*Hydroporus*) **N:** EG **AFR**
jaechi Wewalka & Biström, 1987: 49 **A:** NP

genus *Geodessus* Brancucci, 1979: 214 type species *Geodessus besucheti* Brancucci, 1979

besucheti Brancucci, 1979: 214 **A:** HP NP SD

genus *Glareadessus* Wewalka & Biström, 1998: 59 type species *Glareadessus stocki* Wewalka & Biström, 1998

franzi Wewalka & Biström, 1998: 62 **A:** IN
stocki Wewalka & Biström, 1998: 61 **A:** AE OM

genus *Hydroglyphus* Motschulsky, 1853: 5 type species *Dytiscus geminus* Fabricius, 1792
= *Guignotus* Houlbert, 1934: 53 type species *Dytiscus geminus* Fabricius, 1792

amamiensis Satô, 1961: 7 (*Guignotus*) **A:** CH (HUB TAI) JA
angularis Klug, 1834: t.34/1 (*Hydroporus*) **N:** AG EG MO TU **A:** IN IQ OM PA SA TR YE **AFR**
= *klugii* Leprieur, 1880: xxv (*Hydroporus*)
annamita Régimbart, 1889: 153 (*Bidessus*) **A:** CH **ORR**
confusus Klug, 1834: t.34/4 (*Hydroporus*) **E:** HU **N:** EG TU **A:** IN OM SA SI SY TM TR YE **AFR**
flammulatus Sharp, 1882: 359 (*Bidessus*) **A:** CH (JIX SCH TAI) IN JA NP PA UP **ORR**
= *antennatus* Régimbart, 1892: 118 (*Bidessus*)
geminus Fabricius, 1792: 199 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT LA LS LT LU MC MD NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK YU **N:** AG CI EG LB MO TU **A:** AF BT CH (GUI GUX HEI HEN JIL LIA SCH YUN) CY HP IN IQ IS KA KI KZ LE MG NC NP PA RU (ES WS) SA SI SY TD TM TR UP UZ **ORR**
= *corsicus* O.Schneider, 1903: 51 (*Bidessus*)
= *inmaculatus* Báguena Corella, 1935: 85 (*Bidessus*)
= *monaulacus* Drapiez, 1820: 270 (*Hydroporus*)
= *nitens* Falkenström, 1939: 7 (*Bidessus*)
= *obscurus* J. Sahlberg, 1903: 16 (*Bidessus*)
= *ocellatus* Báguena Corella, 1935: 85 (*Bidessus*)
= *pectinatus* Báguena Corella, 1935: 85 (*Bidessus*)
= *pusillus* Fabricius, 1781: 297 (*Dytiscus*) [HN]
= *pygmeus* Olivier, 1795: 39 (*Dytiscus*) [HN]
= *symbolum* Kolenati, 1845: 86 (*Hydroporus*)
= *trifidus* Panzer, 1795: 26/t.2 (*Dytiscus*)
gujaratensis (Vazirani, 1973: 297) (*Guignotus*) **A:** IN OM **ORR**
hamulatus Gyllenhal, 1813: 691 (*Hyphydrus*) **E:** BY CT DE EN FI GE LA PL RU (NT) SV **A:** MG
hummeli Falkenström, 1932: 191 (*Bidessus*) **A:** CH (SCH)
inconstans Régimbart, 1892: 119 (*Bidessus*) **A:** BT CH (TAI) JA NP SD **ORR**

= *fulvescens* Zimmermann, 1923: 34 (*Bidessus*)
infirmus Boheman, 1848: 251 (*Hydroporus*) **A: OM SA YE AFR**
= *capensis* Régimbart, 1894: 234 (*Bidessus*)
japonicus Sharp, 1873: 54 (*Hydroporus*) **A: CH (BEI FUJ GUA HEI HUB JIA JIL JIX LIA ZHE) JA NC RU (FE) SC**
= *tangweii* Li, 1992: 36 (*Guignotus*)
= *vernalis* Guignot, 1954: 197 (*Guignotus*)
= *yingkouensis* Li, 1992: 36 (*Guignotus*)
= *yoshimurai* Kamiya, 1932: 4 (*Bidessus*)
kifunei Nakane, 1987: 172 (*Guignotus*) **A: JA**
licenti Feng, 1936: 3 (*Bidessus*) **A: CH (BEI GAN GUA GUI GUX HEI HUN JIX SCH SHA TIA XIN ZHE) MG**
major Sharp, 1882: 354 (*Bidessus*) **N: AG EG LB A: IN IS OM SA SI YE AFR**
= *sellatus* Peyerimhoff, 1931: 20 (*Bidessus*)
orientalis Clark, 1863: 427 (*Hydroporus*) **A: CH (FUJ GUI GUX HAI HUB HUN YUN ZHE) AUR ORR**
pendjabensis Guignot, 1954: 221 (*Guignotus*) **A: NP PA ORR**
pentagrammus Schaum, 1864: 108 (*Hydroporus*) **N: EG AFR**
regimbarti Gschwendtner, 1936: 367 (*Bidessus*) **A: CH (GUX GUI SCH SHA YUN) ORR**
signatellus Klug, 1834: t.34/3 (*Hydroporus*) **E: AB AR BH CR FR GG GR IT RU (ST) SP YU N: AG EG LB MO TU A: AF CY IN IQ IS JO KI KU KZ OM PA SA SI SY TD TM TR UZ YE AFR**
= *razzautii* Doderò, 1922: 46 (*Bidessus*)
= *tetragrammus* Hochhuth, 1846: 223 (*Hydroporus*)
= *thermalis* Germar, 1838: xx (*Hydroporus*)
sinuspersicus Hájek & Wewalka, 2009: 94 **A: AE IN OM**
socotraensis Wewalka, 2004: 466 **A: YE (Socotra)**
trassaerti Feng, 1936: 4 (*Bidessus*) **A: CH (FUJ GUA GUI GUX HEB HEI HUB HUN JIA JIX SHA SCH TIA YUN ZHE)**

genus *Leiodytes* Guignot, 1936: 20 type species *Hydroporus evanescens* Boheman, 1848
= *Leiodytes* Guignot, 1950: 97 [HN] type species *Hydroporus evanescens* Boheman, 1848

frontalis Sharp, 1884: 440 (*Bidessus*) **A: JA SC**
gracilis Gschwendtner, 1933: 162 (*Clypeodytes*) **A: CH (HUB)**
indicus Régimbart, 1892: 117 (*Bidessus*) **A: UP ORR**
kyushuensis Nakane, 1990: 62 (*Clypeodytes*) **A: JA**
lanyuensis Wang, Satô & Yang, 1998: 161 **A: CH (TAI)**
miyamotoi Nakane, 1990: 63 (*Clypeodytes*) **A: JA**
nicobaricus Redtenbacher, 1867: 21 (*Hydroporus*) **A: CH (MAC) JA ORR**
orissaensis Vazirani, 1969: 328 (*Clypeodytes*) **A: PA ORR**
perforatus Sharp, 1882: 363 (*Bidessus*) **A: CH (GUA GUI GUX HAI HUN JIX SCH YUN) ORR**

genus *Limbodessus* Guignot, 1939: 52 type species *Bidessus neoguineensis* Régimbart, 1892 (= *Hydroporus compactus* Clark, 1862)

compactus Clark, 1862: 421 (*Hydroporus*) **A: JA AUR ORR**
= *neoguineensis* Régimbart, 1892: 990 (*Bidessus*)
= *tokarensis* Satô, 1972: 53 (*Uvarus*)

genus *Pseuduvarus* Biström, 1988: 10 type species *Hydroporus vitticollis* Boheman, 1848

vitticollis Boheman, 1848: 256 (*Hydroporus*) **N: MO A: CH (TAI) NP PA AFR ORR**
= *caligosus* Guignot, 1946: 257 (*Amarodytes*)
= *gentilis* Sharp, 1890: 344 (*Bidessus*)
= *monticola* Guignot, 1957: 98 (*Uvarus*)
= *octoguttatus* Régimbart, 1895: 94 (*Bidessus*)
= *ornatipennis* Régimbart, 1900: 372 (*Bidessus*)

genus *Sinodytes* Spangler, 1996: 243 type species *Sinodytes hubbardi* Spangler, 1996

hubbardi Spangler, 1996: 244 **A:** CH (GUX)

genus *Uvarus* Guignot, 1959: 53 type species *Hydroporus lacustris* Say, 1823

occultus Sharp, 1882: 363 (*Bidessus*) **A:** SA

genus *Yola* Gozis, 1886: 8 type species *Dytiscus bicarinata* Latreille, 1804

= *Yolula* Guignot, 1950: 100 type species *Bidessus dohrni* Sharp, 1882

alluaudi Peschet, 1926: 299 **N:** AG LB MO **AFR**

bicarinata bicarinata Latreille, 1804: 179 (*Dytiscus*) **E:** BE CZ FR IT NL PT SL SP SZ **N:** AG MO TU

= *bicarinata* Drapiez, 1819: 290 [HN] (*Dytiscus*)

= *bipunctatus* Ragusa, 1887: 224 (*Bidessus*)

= *costatus* Gyllenhal, 1808: 31 (*Hyphydrus*)

= *crispatus* Germar, 1817: t.1 (*Hydroporus*)

= *cristatus* Lacordaire, 1835: 335 (*Hydroporus*)

= *interrupta* Báguena Corella, 1935: 84

bicarinata obscurior Desbrochers des Loges, 1871: 337 (*Hydroporus*) **E:** FR (Corse) IT (Elba, Sardegna) **N:** TU

bicristata Sharp, 1882: 347 (*Bidessus*) **A:** SA YE

buettikeri Brancucci, 1985: 230 **A:** SA

consanguinea Régimbart, 1892: 118 (*Bidessus*) **A:** NP **ORR**

darfurensis J.Balfour-Browne, 1947: 136 **A:** YE **AFR**

= *decorata* Guignot, 1956: 251

enigmatica Omer-Cooper, 1954: 212 **N:** EG **A:** SA SI **AFR**

nigrosignata Régimbart, 1895: 71 **N:** AG **AFR**

= *pescheti* Peyerimhoff, 1929: 168

porcata Klug, 1834: t.34/5 (*Hydroporus*) **N:** EG **A:** SA **AFR**

wraniki Wewalka, 2004: 468 **A:** YE (Socotra)

genus *Yolina* Guignot, 1936: 25 type species *Hydroporus elegantulus* Boheman, 1848

insignis Sharp, 1882: 348 (*Bidessus*) **N:** EG **A:** SA YE **AFR**

tribe Hydroporini Aubé, 1836

genus *Boreonectes* Angus, 2010: 124 type species *Dytiscus griseostriatus* De Geer, 1774

alpestris Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** IT SZ

emmerichi Falkenström, 1936: 88 (*Deronectes*) **A:** CH (QIN SCH XIZ)

griseostriatus DeGeer, 1774: 403 (*Dytiscus*) **E:** AR AU BH BU EN FI FR GE GG GR IT NR RU (NT) SL SV SZ

YU **A:** KA MG PA TR **NAR**

= *maritimus* Helliesen, 1890: 20 (*Deronectes*)

= *nigrescens* Favre, 1890: 52 (*Hydroporus*)

= *obscurus* Della Beffa, 1931: 179 [HN] (*Hydroporus*)

= *palaestinus* Baudi di Selve, 1894: 3 (*Deronectes*)

= *piochardi* Régimbart, 1878: 350 (*Hydroporus*)

= *strandii* Brinck, 1943: 141 (*Deronectes*)

ibericus Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** FR IT PT SP **N:** MO

inexpectatus Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** FR

macedonicus Guéorguiev, 1959: 193 (*Potamonectes*) **E:** GR (Crete) MC

= *creticus* Dutton & Angus, 2007: 12 (*Stictotarsus*)

multilineatus Falkenström, 1922: 16 (*Potamodytes*) **E:** FA FI **FR** GB IR NR NT SV **A:** RU (ES FE WS)

riberae Dutton & Angus, 2007: 12 (*Stictotarsus*) **E:** BU **A:** TR

genus *Deronectes* Sharp, 1882: 390 type species *Hydroporus latus* Stephens, 1829
= *Bartheus* Houlbert, 1934: 64 type species *Hydroporus latus* Stephens, 1829

abnormicollis Semenov, 1900: 682 **A:** AF CH (XIN) KI KZ TD UZ
= *microthorax* Semenov, 1900: 683
afghanicus Wewalka, 1971: 139 **A:** AF PA
algibensis Fery & Fresneda, 1988: 337 **E:** SP
angelinii Fery & Brancucci, 1997: 228 **E:** IT
angulipennis Peyron, 1858: 398 (*Hydroporus*) **A:** TR
angusi Fery & Brancucci, 1990: 431 **E:** SP
aubei aubei Mulsant, 1843: 276 (*Hydroporus*) **E:** AU FR GE IT SZ
aubei sanfilippoi Fery & Brancucci, 1997: 234 **E:** FR SP
balkei Fery & Hosseinie, 1998: 252 **A:** IN
bameuli Fery & Hosseinie, 1998: 243 **A:** PA
bicostatus Schaum, 1864: 111 (*Hydroporus*) **E:** PT SP
biltoni Fery & Hosseinie, 1998: 245 **A:** IN
brancuccii Fery & Hosseinie, 1998: 250 **A:** IN
brannanii Schaufuss, 1869: 9 (*Hydroporus*) **E:** SP (Islas Baleares)
costipennis costipennis Brancucci, 1983: 138 **E:** PT SP
costipennis gignouxi Fery & Brancucci, 1989: 303 **E:** SP
= *gignouxorum* Nilsson, 2007: 49
danielssoni Fery & Hosseinie, 1998: 242 **A:** AF
delarouzei Jacquelin du Val, 1857: 34 (*Hydroporus*) **E:** FR SP
depressicollis Rosenhauer, 1856: 50 (*Hydroporus*) **E:** SP
doriae Sharp, 1882: 421 **E:** "Caucasus" **A:** AR TR
elburs Fery, Erman & Hosseinie, 2001: 346 **A:** IN
elmii Fery & Hosseinie, 1998: 254 **A:** IN
evelynae Fery & Hosseinie, 1998: 254 **A:** TR
fairmairei Leprieur, 1876: cxxi [RN] (*Hydroporus*) **E:** FR IT PT SP **N:** AG MO TU
= *bombycinus* Leprieur, 1876: cxxii (*Hydroporus*)
= *sublaevis* Rey, 1887: 2 (*Hydroporus*)
= *vestitus* Fairmaire, 1859: 27 [HN] (*Hydroporus*)
ferrugineus Fery & Brancucci, 1987: 70 **E:** PT SP
fosteri Aguilera & Ribera, 1996: 39 **E:** SP
hakkariensis Wewalka, 1989: 96 **A:** TR
hebaueri Fery & Hosseinie, 1998: 256 **A:** TR
= *hebauerorum* Nilsson, 2007: 49
hendrichi Fery & Hosseinie, 1998: 253 **A:** IN
hispanicus Rosenhauer, 1856: 49 (*Hydroporus*) **E:** FR SP **N:** MO
= *septensis* Lagar, 1968: 61
jaechi Wewalka, 1989: 94 **A:** TR
kinzelbachi Fery & Hosseinie, 1998: 262 **A:** SY TR
lareynii Fairmaire, 1858: 455 (*Hydroporus*) **E:** FR (Corse)
= *coarcticolis* Reiche, 1862: 293 (*Hydroporus*)
latus Stephens, 1829: 192 (*Hydroporus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT LA LT LU
NL NR PL RU (CT NT) SK SL SV SZ UK YU
= *castaneus* Heer, 1837: 54 (*Hydroporus*)
= *latus* Curtis, 1831: 343 [HN] (*Hydroporus*)
= *ovatus* Sturm, 1835: 40 (*Hydroporus*)
= *pyrenaicus* Schaefer, 1930: 104 [HN] (*Hydroporus*)
longipes Sharp, 1882: 420 **A:** IN
moestus inconspectus Leprieur, 1876: cxxii (*Hydroporus*) **E:** AL BU CR FR GR IT MC PT SP SZ YU **N:** MO
moestus moestus Fairmaire, 1858: 455 (*Hydroporus*) **E:** FR (Corse) IT (Sardegna)
nilssoni Fery & Wewalka, 1992: 22 **A:** IN TM
opatrinus Germar, 1824: 31 [NP] (*Hydroporus*) **E:** FR PT SP SZ
= *silphoides* Ponzani, 1805: 82 [NO] (*Dytiscus*)

palaestinensis Fery & Hosseinie, 1999: 271 [RN] **A:** SY
= *palaestinus* Fery & Hosseinie, 1998: 229 [HN]
parvicollis Schaum, 1864: 112 (*Hydroporus*) **E:** AR BU GG GR MC RO YU **A:** IN TR
= *planicollis* Sharp, 1882: 420
perrinae Fery & Brancucci, 1997: 260 **N:** AG TU
persicus Peschet, 1914: 227 **A:** IN
peyerimhoffi Régimbart, 1906: 204 (*Hydroporus*) **N:** AG
platynotus mazzoldii Fery & Brancucci, 1997: 242 **E:** GR
platynotus platynotus Germar, 1834: pl. 3 (*Hydroporus*) **E:** AL AU BE BH BU CZ GE LU MC NL PL RO SK YU
= *murinus* Sturm, 1835: 42 (*Hydroporus*)
= *platynotus* Lacordaire, 1835: 330 [HN] (*Hydroporus*)
riberai Fery & Hosseinie, 1998: 255 **A:** IQ TR
roberti Fery & Hosseinie, 1998: 242 **A:** AF
sahlbergi Zimmermann, 1932: 106 **E:** GR TR **A:** TR
schuberti Wewalka, 1971: 138 **A:** TR
semirufus Germar, 1845: pl.3 (*Hydroporus*) **E:** FR IT
syriacus Wewalka, 1971: 141 **A:** TR
theryi Peyerimhoff, 1925: 356 (*Hydroporus*) **N:** MO
toledo Fery, Erman & Hosseinie, 2001:342 **A:** TR
vestitus Gebler, 1848: 76 (*Hydroporus*) **A:** AF KZ RU (WS) TD UZ
wewalkai Fery & Fresneda, 1988: 241 **E:** SP
wittmeri Wewalka, 1971: 130 **A:** TR
witzgalli Fery & Brancucci, 1997: 278 **A:** TR
youngi Fery & Hosseinie, 1998: 240 **A:** IN

genus *Graptodytes* Seidlitz, 1887: 57 type species *Dytiscus granularis* Linnaeus, 1767

aequalis Zimmermann, 1918: 69 [NP] (*Hydroporus*) **E:** PT SP **N:** MO
= *octolineatus* Schaufuss, 1882:559 [NO] (*Hydroporus*)
atlantis Théry, 1933: 129 (*Hydroporus*) **N:** MO
aurasius Jeannel, 1907: 18 (*Hydroporus*) **N:** AG TU
bilineatus Sturm, 1835: 68 (*Hydroporus*) **E:** AL AU BE BH BU BY CR CZ DE FI FR GB GE GG GR HU IR IT
LU MC NL PL RU (CT NT ST) SK SL SP SV SZ UK YU **A:** KZ RU (ES WS) TR
= *dalmatinus* Zimmermann, 1932: 81
= *hopffgarteni* Schilsky, 1892: 193 (*Hydroporus*)
= *narentinus* Zimmermann, 1915: 220 (*Hydroporus*)
= *nigritarsis* Sharp, 1882: 453 (*Hydroporus*)
= *pervasus* Gozis, 1914: 120 (*Hydroporus*)
bremondi Guignot, 1934: 217 **N:** MO
bussleri Fery, 1994: 399 **A:** IS SY
castilianus Fery, 1995: 40 **E:** SP
delectus Wollaston, 1864: 76 (*Hydroporus*) **N:** CI
eremitus Ribera & Faille, 2010: 6 N: MO
flavipes Olivier, 1795: 38 [NP] (*Dytiscus*) **E:** BE BH BU CR FR GB GE GR IT LU NL PT SL SP SZ TR YU **N:**
AG MO TU **A:** TR
= *cebennicus* Guignot, 1932: 410
= *concinus* Stephens, 1835: 392 (*Hydroporus*)
= *manducus* Schaufuss, 1882: 559 (*Hydroporus*)
= *marmoratus* Stephens, 1835: 438 (*Hydroporus*)
= *portalegrensis* Schaufuss, 1882: 559 (*Hydroporus*)
fractus Sharp, 1882: 454 (*Hydroporus*) **E:** BU FR GR IT PT SP **N:** AG TU
= *exsanguis* Bedel, 1925: 364 (*Hydroporus*)
granularis Linnaeus, 1767: 667 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IR IT LA
LS LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK
= *funestus* Schilsky, 1888: 183 (*Hydroporus*)
= *istrus* J.Müller, 1926: 290

= *pseudopictus* Zaitzev, 1928: 12
= *rhodanensis* Schaefer, 1952: 35
= *suturalis* P.W.J.Müller, 1821: 225 (*Hyphydrus*)
= *unilineatus* Schrank, 1781: 204 (*Dytiscus*)
ignotus Mulsant & Rey, 1861: 307 (*Hydroporus*) **E:** CR FR GR IT PT SP **N:** AG MO
= *bihamatus* Chevrolat, 1861: 149 (*Hydroporus*)
= *fallaciosus* Guignot, 1932: 402
= *ypsilon* Reiche, 1863: 127 (*Hydroporus*)
kuchtai Breit, 1908: 59 (*Hydroporus*) **E:** SP (Islas Baleares)
parisii Gridelli, 1939: 408 **N:** AG
pictus Fabricius, 1787: 194 (*Dytiscus*) **E:** AU BE BH BU BY CR DE EN FI FR GB GE HU IR IT LA LS LT LU
MC NL NR RU (CT NT ST) SK SL SZ UK YU
= *arcuatus* Panzer, 1795: 75 (*Dytiscus*)
= *cruciatus* Schilsky, 1890: 182 (*Hydroporus*)
= *flexuosus* Marsham, 1802: 425 (*Dytiscus*)
= *fortiterpunctatus* Guignot, 1932: 396
pietrii Normand, 1933: 297 **N:** AG TU
sedilloti phrygius Guignot, 1942: 18 **E:** GR MC TR **A:** TR
= *pseudophrygius* Guéorguiev, 1965: 494
sedilloti sedilloti Régimbart, 1878: 352 (*Hydroporus*) **A:** CY IS SY
siculus Fery, 1995: 41 **E:** IT
snizeki Hendrich, 1993: 392 **A:** UZ
varius Aubé, 1838: 334 (*Hydroporus*) **E:** AU BU FR GE GR IT MA PT SP YU **N:** AG MO TU
= *laeticulus* Sharp, 1882: 453 (*Hydroporus*)
= *pauper* O.Schneider, 1903: 51 (*Hydroporus*)
veterator behningi Zaitzev, 1927: 11 **A:** TR
veterator veterator Zimmermann, 1918: 67 [NP] (*Hydroporus*) **E:** BU CR GR IT MC YU
= *montenegrinus* Schaufuss, 1882: 559 (*Hydroporus*)

genus *Hydrocolus* Roughley & Larson, 2000: 407 type species *Hydroporus paugus* Fall, 1923

sahlbergi Nilsson, 2001: 9 [RN] **E:** FI NR RU (NT) SV **A:** RU (ES)
= *picicornis* J. Sahlberg, 1874: xiii [HN] (*Hydroporus*)
= *picicornis* J. Sahlberg, 1875: 152 [HN] (*Hydroporus*)

genus *Hydroporus* Clairville, 1806: 182 type species *Dytiscus fusculus* Schrank, 1781 (= *Dytiscus planus* Fabricius, 1781)

= *Hydatoporus* Gistel, 1856: 355 type species *Dytiscus palustris* Linnaeus, 1761
= *Hydrocoptus* Motschulsky, 1853: 5 type species *Dytiscus tristis* Paykull, 1798
= *Hydroporidius* Guignot, 1949: 9 type species *Hydroporus melanarius* Sturm, 1835
= *Hydroporinus* Guignot, 1945: 22 type species *Hydroporus neglectus* Schaum, 1845
= *Hydrotarsus* Falkenström, 1938: 4 type species *Hydrotarsus lundbladi* Falkenström, 1938
= *Schizoporus* Ádám, 1996: 20 type species *Hydroporus angustatus* Sturm, 1835
= *Sternoporus* Falkenström, 1930: 24 type species *Hydroporus longicornis* Sharp, 1871

acutangulus Thomson, 1856: 202 **E:** FI NR RU (NT) SV **A:** MG RU (ES WS)
= *aenescens* J. Sahlberg, 1880: 50
= *pectoralis* J. Sahlberg, 1880: 51 [HN]
= *punctatulus* J. Sahlberg, 1889: 221
= *sumakovi* Poppius, 1912: 107
= *zaitzevi* Jacobson, 1908: 425 [RN]
amguemensis Shaverdo, 2003:59 **A:** RU (FE)
ampliatus ampliatus Zaitzev, 1927: 13 **E:** RU (ST) **A:** AR IN
ampliatus colchicus Bilyashiwsky, 2004:47 **E:** GG
analisis Aubé, 1838: 294 **E:** IT (Sardegna) **N:** AG TU
anatolicus **anatolicus** J.Balfour-Browne, 1963: 2 **A:** TR

anatolicus koksali Hájek & Fikáček, 2010:1635 **A: TR**

angusi Nilsson, 1990: 33 **A: CH (JIL) JA MG RU (ES FE)**

angustatus Sturm, 1835: 53 **E: AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU MC MD NL NR PL RU (CT NT ST) SK SL SV SZ UK A: KZ RU (ES WS) TR**

= *acuminatus* Sturm, 1835: 74

artvinensis Fery & Erman, 2009: 9 **A: TR**

askalensis Wewalka, 1992: 56 **A: TR**

basinotatus Reiche, 1864: 234 **E: SP N: MO**

= *venator* Sharp, 1882: 465

bergmani Nilsson, 1995: 23 **A: RU (FE)**

bodemeyeri **bodemeyeri** Ganglbauer, 1900: 139 **E: GR A: TR**

= *bulgaricus* Hlisnikovský, 1955: 100

= *collarti* Guignot, 1949: 7

bodemeyeri cariaensis Hájek & Fikáček, 2010:1642 **E: GR (Rhodes) A: TR**

bodemeyeri guignoti Gschwendtner, 1935: 205 **E: AL BU GR**

brancoi brancoi Rocchi, 1981: 150 **E: PT SP**

brancoi gredensis Fery, 1999: 234 **E: PT SP**

brancuccii Fery, 1987: 65 **E: PT SP**

brevis R.F. Sahlberg, 1834: 3 **E: BY DE EN FI GE LA NR PL RU (CT NT) SV A: RU (ES WS)**

brevisculus Poppius, 1905: 14 **A: CH (JIL) RU (ES FE)**

brucki Wehncke, 1875: 234 **E: GR A: CY LE TR**

cagrankaya Fery & Erman, 2009: 3 **A: TR**

cantabricus Sharp, 1882: 457 **E: SP**

carli Wewalka, 1992: 52 **A: YE**

compunctus Wollaston, 1865: 65 **N: CI**

constantini Hernando & Fresneda, 1996: 155 **E: SP**

crinitisternus Shaverdo & Fery, 2001:34 **A: KZ MG**

cuprescens K.W. Miller & Fery, 1995: 405 **A: CY**

decipiens Sharp, 1878: 113 **E: PT SP**

discretus discretus Fairmaire & Brisout, 1859: 28 [CN] **E: AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LU MC NL NR PL PT RU (CT NT ST) SK SL SP SV SZ UK YU N: MO A: AF CH (XIN) CY IN KA NP PA RU (ES) TR**

= *alpestris* Falkenström, 1939: 15

= *corsicus* Wehncke, 1872: 163

= *cyprius* Régimbart, 1878: 352

= *lundbladi* Falkenström, 1939: 12

= *maurus* Sharp, 1882: 463

= *neuter* Fairmaire & Laboulbène, 1855: 205 [SN]

= *pescheti* Guignot, 1930: 191

= *sublaevis* Falkenström, 1922: 184 [HN]

discretus tatricus Kinel, 1949: 396 **E: PL**

distinguendus Desbrochers des Loges, 1871: 338 **E: FR IT N: AG**

= *avunculus* Fairmaire, 1872: lxxii

= *gridellii* Focarile, 1960: 68

dobrogeanus Ienișteea, 1962: 424 **E: AU BH BU GR HU IT RO SK UK YU (Crna Gora) A: CY TR**

elongatulus Sturm, 1835: 52 **E: AU BE BY CZ DE EN FI FR GB GE LT NL NR PL RU (CT NT) SK SV UK A: MG RU (ES WS)**

= *eugeniae* Zaitzev, 1909: 63

= *lenensis* Poppius, 1905: 15

errans Sharp, 1882: 462 **N: CI**

erythrocephalus Linnaeus, 1758: 412 (*Dytiscus*) **E: AB AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GG HU IR IT LA LT LU NL NR PL RU (CT NT) SK SL SV SZ UK A: KZ RU (ES WS) TR**

= *deplanatus* Gyllenhal, 1826: 178 (*Hyphydrus*)

= *derelictus* Clark, 1862: 471

= *faroensis* Mjöberg, 1917: 10

= *sericeus* Eschscholtz, 1818: 459 (*Dytiscus*)

= *subcostatus* Gerhardt, 1909: 2
erzurumensis Erman & Fery, 2000:172 **A:** TR
ferrugineus Stephens, 1829: 193 **E:** AU BE BU CR CZ FR GB GE HU IT LU PL SK SL SZ UK YU
 = *victor* Aubé, 1838: 300
feryi Wewalka, 1992: 54 **N:** AG TU
foveolatus Heer, 1839: 157 **E:** AU BH FR GE HU IT PL SP SZ
 = *apfelbecki* Ganglbauer, 1891: 475
 = *atropos* Mulsant & Godart, 1860: 179
 = *nivalis* Heer, 1839: 157
fuscipennis Schaum, 1868: 64 [RN] **E:** AU BY DE EN FI GE HU LA LT MC NR PL RU (CT NT ST) SK SV UK
A: JA KZ MG RU (ES FE WS) TM **NAR**
 = *criniticoxis* Larson, 1975: 301
 = *flavipennis* Munster, 1932: 84
 = *piceus* Sturm, 1835: 66 [HN]
 = *puberulus* Mannerheim, 1853: 163 [HN]
geniculatus Thomson, 1856: 200 **E:** FI NR RU (NT) SV **A:** MG RU (ES WS) **NAR**
 = *opacus* Wehncke, 1872: 163
 = *pilipes* J. Sahlberg, 1921: 3
 = *subseriatus* J. Sahlberg, 1910: 171
georgicus Bilyashiwsky, 2004:44 **E:** GG
glabriusculus Aubé, 1838: 312 **E:** BY DE FI GB GE IR LA LT NL NR PL RU (NT) SV **A:** RU (ES WS)
glasunovi dolini Fery & 2010:1012 **A:** KI KZ UZ
glasunovi glasunovi Zaitzev, 1905: 26 **A:** AF CH (XIN) KI TD **UZ**
 = *macrocephalus* Gschwendtner, 1923: 100
goldschmidti Gschwendtner, 1923: 101 **A:** CH (XIN) KI UZ
 = *recidivus* Gschwendtner, 1923: 103
gueorguievi Wewalka, 1975: 91 **E:** BU
guernei Régimbart, 1891: 202 **E:** AZ
gyllenhalii Schiødte, 1841: 434 **E:** AU BE BU BY CR CZ DE FI FR GB GE IR IT LU NL NR PL PT RU (NT) SK
 SP SV
hajeki Fery, 2009: 546 **A:** IN
hebaueri Hendrich, 1990: 244 **E:** AL BH BU GR HU SK TR YU (Crna Gora)
hellenicus Mazzoldi & Toledo, 1992: 183 **E:** GR
holzschuhi Fery, 2009: 540 **A:** TR
humilis Klug, 1834: t.33/11 **N:** EG **A:** IS SI
 = *sinaicus* Wewalka, 1984: 133
hygrotoides Fery, 2000: 1248 [RN] **A:** CH (JIX BEI)
 = *discedens* Sharp, 1882: 396 [HN] (*Coelambus*)
ijimai Nilsson & Nakane, 1993: 424 **A:** JA
incognitus Sharp, 1869: 84 **E:** AU BE BY CZ DE EN FI FR GB GE HU IR IT LA LU NL NR PL PT RO RU (CT
 NT ST) SK SL SP SV SZ UK **A:** RU (ES WS)
 = *discedens* Régimbart, 1877: cxxxix
 = *ellyphiticus* Pétri, 1912: 44
 = *seidlitzii* Gerhardt, 1899: 5
incommodus Fery, 2006: 24 **E:** SK
ineptus Sharp, 1882: 462 **A:** SY
inscitus Sharp, 1882: 463 **A:** IQ KU OM YE
jacobsonii Zaitzev, 1927: 17 **E:** GG RU (ST)
jelineki Fery, 2009: 535 **A:** IN
jonicus caucasicus Zaitzev, 1927: 12 **E:** AR GG **A:** TR
jonicus jonicus L.Miller, 1862: 276 **E:** AL BH BU CR GR IT MC SL YU (Crna Gora)
jurjurensis Régimbart, 1895: 29 **N:** AG
kabakovi Fery & Petrov, 2006:88 **A:** MG RU (ES)
kasyi Wewalka, 1984: 132 **A:** CY SY TR
kozlovskii Zaitzev, 1927: 15 **E:** AR BU GG MC RO RU (ST) **A:** IN LE TR
kraatzii Schaum, 1868: 384 **E:** AU BH BU CZ EN FR GE IT PL SK SZ UK

- = *hedwigi* Reitter, 1897: 45
kryshkali Bilyashivsky, 1993: 15 **E:** UK
kurdistanicus Hájek & Fikáček, 2010:1646 **A:** TR
lapponum Gyllenhal, 1808: 532 (*Hyphydrus*) **E:** FI NR RU (NT) SV **A:** RU (ES WS) **NAR**
= *kolstromi* J. Sahlberg, 1875: 145
= *labradorensis* Fall, 1923: 71
= *obtusipennis* J. Sahlberg, 1875: 146
laticollis Zimmermann, 1922: 20 **A:** RU (FE)
lenkoranensis Fery, 1999: 255 **E:** AB GG
libanus Régimbart, 1901: 101 **A:** LE TR
limbatus Aubé, 1838: 292 **E:** FR IT PT SP **N:** AG LB MO TU
lluci Fery, 1999: 244 **E:** SP (Islas Baleares)
longicornis Sharp, 1871: 205 [RN] **E:** AU BE BU BY CZ DE FI FR GB GE HU IR IT LA LT LU NR PL RU (CT NT) SV SZ UK **A:** RU (WS)
= *parallelus* Sharp, 1869: 84 [HN]
longulus Mulsant & Rey, 1861: 305 **E:** AU BE FR GB GE IR IT LU NL SP SZ **N:** MO
= *celatus* Clark, 1862: 473
lucasi Reiche, 1866: 19 [RN] [NP] **E:** BH FR IT GR PT SP **N:** AG CI LB MO TU
= *basiclarior* Gozis, 1914: 164 [RN]
= *bonnairii* Fairmaire, 1872: lxxii
= *confusus* Lucas, 1846: 96 [HN]
= *lucasi* Reiche, 1872:24 [RN] [HN]
= *nigriceps* Schaum, 1864: 110 [HN]
= *perplexus* Schaum, 1847: 39 [RN]
lundbergi Fery & Erman, 2009: 8 **A:** TR
lundbladi Falkenström, 1938: 4 (*Hydrotarsus*) **N:** MR
macedonicus Fery & Pesic, 2006: 596 **E:** MC
marginatus Duftschmid, 1805: 269 (*Dytiscus*) **E:** AL AR AU BE BH BU CR CZ FR GB GE GG GR HU IT MC NL PL RU (ST) SK SL SP SZ TR UK YU **N:** AG MO **A:** IN IS KZ TR
= *bosnicus* Apfelbeck, 1909: 496
= *pallens* Zimmermann, 1915: 222 [HN]
mariannae Wewalka, 1974: 106 **A:** IS
martensi Brancucci, 1981: 180 **A:** KA
melanarius Sturm, 1835: 59 **E:** AU BE BH BY CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK YU **A:** RU (WS)
= *montanus* Helliesen, 1890: 23
= *monticola* Sharp, 1869: 84
= *munsterii* Helliesen, 1890: 22
= *obscuricornis* J. Sahlberg, 1921: 3
= *ruficornis* Zetterstedt, 1838: 139
memmonius Nicolai, 1822: 33 **E:** AB AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GR HU IR IT LA LS LT LU NL NR PL RU (CT NT ST) SK SL SP SV SZ UK **N:** AG EG MO TU
= *castaneus* Aubé, 1838: 302 [HN]
= *incertus* Aubé, 1838: 306
= *insularis* Sharp, 1882: 457
= *jugularis* Babington, 1832: 328
= *niger* Sturm, 1835: 44 [HN]
= *revelierei* Sharp, 1882: 458
= *subelongatus* Stephens, 1835: 392
morio Aubé, 1838: 307 **E:** AU BE BY CZ DE EN FI FR GB GE IR LA LT NL NR PL RU (CT NT) SK SV **A:** JA MG RU (ES FE WS) **NAR**
= *atriceps* Crotch, 1870: 96 [RN]
= *caliginosus* LeConte, 1850: 215
= *caminarius* Motschulsky, 1860: 100
= *lugubris* Motschulsky, 1845: 353 [HN]
= *melancholicus* Motschulsky, 1860: 100 [RN]

- = *scaphiformis* Sharp, 1871: 205
 = *valliger* Hellén, 1929: 36
 = *watanabei* Takizawa, 1933: 174
multiguttatus Régimbart, 1878: 351 **A:** IS JO SY
 = *ortali* Wewalka, 1984: 136
nanpingensis Toledo & Mazzoldi, 1996: 241 **A:** CH (SCH)
neclae Erman & Fery, 2006: 41 **A:** TR
necopinatus necopinatus Fery, 1999: 248 **E:** PT SP
necopinatus robertorum Fery, 1999: 250 **E:** FR GB (Channel Isles)
necopinatus roni Fery, 1999: 253 **E:** GB
neglectus Schaum, 1845: 409 **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT LU NL NR PL RU (CT NT)
 SK SV SZ UK **A:** RU (WS)
 = *incrassatus* C. G. Thomson, 1871: 366
nevadensis Sharp, 1882: 481 **E:** PT SP
nigellus Mannerheim, 1853: 163 **E:** AN AR AU BU DE FI FR GE GG IT NR PL RU (CT) SP SV SZ **A:** IN KZ
 MG RU (FE WS) TR **NAR**
 = *bungei* Zaitzev, 1910: 31
 = *mtiula* Zaitzev, 1927: 14
 = *obscuripes* Motschulsky, 1860: 100
 = *pyrenaicus* Wehncke, 1872: 163
 = *sieversi* J. Sahlberg, 1910: 173
 = *tungus* Zaitzev, 1910: 32
nigrita Fabricius, 1792: 201 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FA FI FR GB GE HU IC IR IT LA
 LT LU MC NL NR PL PT RU (CT NT ST) SK SL SP SV SZ UK **A:** KZ RU (ES WS)
 = *bisbiguttatus* J. Sahlberg, 1921: 1
 = *convexior* Seidlitz, 1887: 67
 = *glabellus* Thomson, 1867: 80
 = *melaenus* Nicolai, 1822: 34
 = *monilicornis* J. Sahlberg, 1875: 154
 = *obovatus* J. Sahlberg, 1880: 52
 = *subalpinus* C. G. Thomson, 1871: 365
 = *trivialis* Stephens, 1828: 59
normandi alhambrae Fery, 1999: 242 **E:** SP
normandi ifnii Fery, 1999: 241 **N:** MO
normandi ifranensis Fery, 1999: 239 **N:** MO
normandi normandi Régimbart, 1903: 254 **E:** FR PT SP
notabilis LeConte, 1850: 216 **E:** FI NR RU (CT NT) SV **A:** MG RU (ES FE WS) **NAR**
 = *arcticus* Thomson, 1856: 197
 = *fennicus* Seidlitz, 1887: 66
 = *tomentosus* Poppius, 1905: 12
notatus Sturm, 1835: 62 **E:** BY CZ DE EN FI FR GE HU LA LT NL PL RU (CT NT) SV UK **A:** RU (ES WS)
 = *sacha* Zaitzev, 1910: 30
oasis Wewalka, 1992: 53 **N:** EG
obscurus Sturm, 1835: 65 **E:** AU BE BY CR CZ DE EN FI FR GB GE IR LA LT LU NL NR PL RU (CT NT ST)
 SK SV SZ UK **A:** RU (WS) **NAR**
 = *hockingi* Larson, 1975: 296
obsoletus Aubé, 1838: 298 **E:** CR DE FR GB GE GR IR IT NR PT SP SV **N:** AG LB MO MR TU **A:** SY TR
paganettianus Scholz, 1923: 183 **E:** PT SP
palustris Linnaeus, 1761: 216 (*Dytiscus*) **E:** AB AN AR AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GG
 GR HU IR IT LA LS LT LU MC NL NR PL RU (CT NT ST) SK SL SP SV SZ UK YU **A:** IN MG RU (ES WS)
 TR
 = *apicalis* Schilsky, 1888: 183
 = *buressi* Mařan, 1938: 95
 = *cambriensis* Curtis, 1831: 343
 = *crisatomarginatus* Goeze, 1777: 625 (*Dytiscus*)
 = *fimbriatus* Gmelin, 1790: 1957 [HN] (*Dytiscus*)

= *fuscatorufus* Munster, 1927: 160
= *lituratus* Fabricius, 1781: 296 (*Dytiscus*)
= *proximus* Stephens, 1828: 55
= *sexpustulatus* Fabricius, 1777: 239 (*Dytiscus*)
= *styriacus* Seidlitz, 1887: 70
= *tinctus* Clark, 1862: 326
= *variegatus* Geoffroy, 1785: 68 (*Dytiscus*)
pfefferi Wewalka, 1974: 107 [RN] **E:** GR
= *orientalis* Hlisnikovský, 1955: 87 [HN]
pilosus Guignot, 1949: 5 (*Hydrotarsus*) **N:** CI
planus Fabricius, 1781: 501 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MC NL NR PL PT RU (CT NT ST) SK SL SP SV SZ TR UK YU **N:** AG MO **A:** IN IQ KZ LE RU (WS) TM TR
= *flavipes* Dalla Torre, 1879: 40
= *frisius* Verhoeff, 1891: 23
= *fuscatus* Stephens, 1828: 62
= *fusculus* Schrank, 1781: 203 (*Dytiscus*)
= *holosericeus* Marsham, 1802: 427 (*Dytiscus*)
= *humeralis* Marsham, 1802: 422 (*Dytiscus*)
= *lividus* Geoffroy, 1785: 68 (*Dytiscus*)
= *nigricans* Schrank, 1781: 205 (*Dytiscus*)
= *nigriceps* Preller, 1862: 23
= *pallescens* Seidlitz, 1887: 72
= *sordidus* Herbst, 1784: 126 (*Dytiscus*)
productus Fairmaire, 1880: 248 **N:** AG TU
= *occultus* Sharp, 1882: 456
pseudopubescens Zimmermann, 1919: 166 **A:** RU (ES WS)
= *punctatissimus* Poppius, 1905: 14 [HN]
puberulus LeConte, 1850: 215 **E:** FI NR RU (NT) SV **NAR**
= *levanderi* J. Sahlberg, 1889: 221
pubescens Gyllenhal, 1808: 536 (*Hyphydrus*) **E:** AB AL AU BE BH BU CR CZ DE EN FA FI FR GB GE GG GR IR IT LA LT LU MC NL NR PL PT RU (CT NT ST) SK SL SP SV SZ TR UK YU **N:** AG LB MO TU **A:** CY IN IS JO LE SY TR
= *antidotus* Sharp, 1882: 462
= *caliginosus* Stephens, 1839: 69
= *estrellensis* Schaufuss, 1882: 559
= *fulvipennis* Munster, 1932: 84
= *roseni* Zimmermann, 1919: 175
= *scaphula* Sturm, 1835: 58
= *scopularis* Schiödte, 1841: 439
punctipennis J. Sahlberg, 1880: 50 **A:** RU (ES WS)
regularis Sharp, 1882: 482 **E:** FR (Corse) IT (Sardegna)
rufifrons O.F. Müller, 1776: 73 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IT LA LT NL NR PL RU (CT NT ST) SK SL SV SZ UK **A:** RU (ES WS)
= *duftschmidti* Rye, 1872: 47 [RN]
= *intermedius* J. Sahlberg, 1880: 49
= *piceus* Stephens, 1828: 62
= *ruficeps* Nicolai, 1822: 33
= *rufifrons* Duftschmid, 1805: 270 [HN] (*Dytiscus*)
sabaudus sabaudus Fauvel, 1865: 276 **E:** AU BU CZ FR GE IT MC PL SK SL SP SZ UK
= *alticola* Sharp, 1882: 468
= *scholzi* W.Kolbe, 1899: 24
sabaudus sierranevadensis Shaverdo, 2004: 24 **E:** SP
saghaliensis Takizawa, 1933: 173 **A:** JA RU (FE)
sanfilippoi Ghidini, 1958: 13 **E:** IT
sardomontanus Pederzani, Rocchi & Schizzerotto, 2004: 129 **E:** IT (Sardegna)

scalesianus Stephens, 1828: 57 **E:** AU BY CZ DE EN FI FR GB GE HU IR LA NL NR PL RU (CT NT) SV UK **A:** RU (WS)
= *pygmaeus* Sturm, 1835: 73 [HN]
semenowi Jakovlev, 1897: 41 **E:** FI NR RU (CT NT) SV
= *afflatus* Scholz, 1917: 250
= *longitarsis* J. Sahlberg, 1910: 168
shaverdoae Fery, 2009: 547 **E:** AR
sibiricus J. Sahlberg, 1880: 49 **A:** MG RU (ES FE WS) **NAR**
= *boreus* Gordon, 1981: 106
= *sibiricus* Sharp, 1882: 466 [HN]
sivrikaya Fery & Erman, 2009: 6 **A:** TR
springeri J. Müller, 1924: 72 **E:** IT SL
striola Gyllenhal, 1826: 181 (*Hyphydrus*) **E:** AU BE BH BY CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RU (CT NT ST) SV UK **A:** KZ RU (ES WS) **NAR**
= *ambiguus* Aubé, 1838: 287
= *subtonsus* LeConte, 1855: 297
= *vittula* Erichson, 1837: 178
submuticus Thomson, 1874: 537 **E:** FI NR RU (CT NT) SV **A:** CH (JIL) JA MG RU (ES FE WS)
= *konoï* Nakane, 1963: 25
= *penitus* Guignot, 1945: 20
= *rubripes* J. Sahlberg, 1875: 151
= *rufipes* J. Sahlberg, 1874: xiii [HN]
talyschensis Bilyashiwsky, 2004:45 **E:** AB
tatiana Fery & Petrov, 2006:83 **A:** RU (WS)
teres Sharp, 1882: 458 **A:** JO SY
tessellatus Drapiez, 1819: 43 [NP] (*Dytiscus*) **E:** AB AL BE BH BU CR FR GB GG GR IR IT MA MC NL PT RU (ST) SP YU **N:** AG EG MO TU **A:** CY IN IQ IS LE SY TR
= *chrysostomus* Gozis, 1914: 161
= *habelmanni* Wehncke, 1876: 76
= *nigricollis* Desbrochers des Loges, 1871: 339
= *nigricollis* Fairmaire, 1872: lxxii [HN]
= *pueli* Barthe, 1916: 245
= *xanthopus* Stephens, 1835: 393
thracicus Guéorguiev, 1966: 71 **E:** AR BU GG GR RU (ST) **A:** TR
tibetanus Zaitzev, 1953: 169 **A:** CH (SCH XIZ)
tokui Satô, 1985: 51 **A:** JA
toledo Fery & Erman, 2009: 8 **A:** TR
transgrediens Gschwendtner, 1923: 109 **E:** AB AR GG RU (ST) UK **A:** IN TM TR
= *ponticus* Zaitzev, 1927: 16
tristis Paykull, 1798: 232 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT KZ LA LS LT LU MC NL NR PL RU (CT NT) SK SL SV SZ UK **A:** JA RU (ES FE WS) **NAR**
= *ampliceps* J. Sahlberg, 1921: 2
= *ruficapillus* Mannerheim, 1852: 304
= *varians* LeConte, 1850: 215
tuvaensis Pederzani, 2001:234 **A:** RU (ES)
uenoi Nakane, 1963: 25 **A:** CH (HEI JIL QIN) JA MG RU (ES FE)
umbrosus Gyllenhal, 1808: 538 (*Hyphydrus*) **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT LU NL NR PL RU (CT NT ST) SV SZ UK **A:** RU (ES FE WS)
= *minutus* Stephens, 1828: 59
vagepictus Fairmaire & Laboulbène, 1855: 208 **E:** FR PT SP
vespertinus Fery & Hendrich, 1988: 145 **E:** PT SP
yakutiae Nilsson, 1990: 34 **A:** RU (FE)
zimmermanni J. Müller, 1926: 288 **E:** BH CR SL YU
= *bicolor* J. Müller, 1933: 202

genus *Iberoporus* Castro & Delgado, 2001:34 type species *Iberoporus cermenius* Castro & Delgado, 2001

cermenius Castro & Delgado, 2001:35 **E:** SP

genus *Metaporus* Guignot, 1945: 6 type species *Hydroporus meridionalis* Aubé, 1838

meridionalis Aubé, 1838: 327 (*Hydroporus*) **E:** FR IT PT SP **N:** AG MO TU

= *lusitanicus* Scholz, 1916: 172 (*Hydroporus*)

= *scriptus* Régimbart, 1895: 24 (*Hydroporus*)

orientalis Toledo & Hosseinie, 2003: 59 **A:** IN

genus *Nebrioporus* Régimbart, 1906: 237 type species *Hydroporus kilimandjarensis* Régimbart, 1906

= *Bistictus* Guignot, 1941: 59 type species *Hydroporus dubius* Aubé, 1838

= *Potamodytes* Zimmermann, 1919: 184 [HN] type species *Dytiscus elegans* Panzer, 1794

= *Potamonectes* Zimmermann, 1921: 87 [RN] type species *Dytiscus elegans* Panzer, 1794

= *Rhabdonectes* Houlbert, 1934: 68 type species *Hydroporus carinatus* Aubé, 1836

= *Zimmermannius* Guignot, 1941: 59 type species *Hydroporus canariensis* Bedel, 1881

acuminatellus Fairmaire, 1876: 49 (*Hydroporus*) **N:** AG

airumulus Kolenati, 1845: 85 (*Hydroporus*) **E:** AB AR GG PL RU (ST) UK **A:** AF CH (BEI GAN GUI HEB HEI HEN JIA LIA NMO SCH SHA SHN SHX XIN YUN) HP IN IS KA KI KZ MG PA RU (ES) TD TM TR UZ

= *amurensis* Sharp, 1882: 427 (*Deronectes*)

= *kashmirensis* Régimbart, 1899: 195 (*Hydroporus*)

= *rybinskii* Kinel, 1936: 199 (*Deronectes*)

= *sulphuricola* Zaitzev, 1951: 58 (*Deronectes*)

amicorum Toledo, 2009: 62 **E:** GR (Crete)

anchoralis Sharp, 1884: 442 (*Deronectes*) **A:** JA

assimilis Paykull, 1798: 236 (*Dytiscus*) **E:** AU BY CR DE EN FI FR GB GE IR LA NR RU (CT NT) PL SV SZ YU **A:** RU (ES WS)

= *affinis* Sturm, 1835: 17 (*Hydroporus*)

= *frater* Kunze, 1818: 62 (*Hyphydrus*)

= *hyperboreus* Gyllenhal, 1826: 175 (*Hyphydrus*)

baeticus Schaum, 1864: 109 (*Hydroporus*) **E:** SP

= *mariae* Millán & Rocchi, 1991: 83 (*Potamonectes*)

balli Vazirani, 1970: 127 (*Potamonectes*) **A:** HP PA UP

banajai Brancucci, 1980: 106 (*Potamonectes*) **A:** SA

brownei Guignot, 1949: 44 (*Potamonectes*) **A:** CH (GUI HUN SCH)

bucheti bucheti Régimbart, 1898: 89 (*Hydroporus*) **E:** FR IT

bucheti cazorlensis Lagar, Fresneda & Hernando, 1987: 93 (*Potamonectes*) **E:** SP

canaliculatus Lacordaire, 1835: 328 (*Hydroporus*) **E:** AU BE CZ DE FR GB GE GR HU IT LU NL PL PT SK SP SV SZ

= *pantherinus* Reclaire & van der Wiel, 1948: 222 (*Deronectes*)

canariensis Bedel, 1881: 265 [RN] (*Hydroporus*) **N:** CI

= *gomerensis* Guignot, 1949: 6 (*Potamonectes*)

= *tesselatus* Aubé, 1838: 516 [HN] (*Hydroporus*)

carinatus Aubé, 1838: 238 (*Hydroporus*) **E:** PT SP

ceresyi Aubé, 1838: 260 (*Hydroporus*) **E:** BU CR FR GR IT MA PT SP UK **N:** AG CI EG LB MO MR TU **A:** CY IN IQ IS SI SY TM TR

= *lyellii* Wollaston, 1857: 26 (*Hydroporus*)

= *salinus* Joly, 1840: 42 (*Hydroporus*)

= *undecimlineellus* Fairmaire, 1877: 141 (*Hydroporus*)

clarkii Wollaston, 1862: 438 (*Hydroporus*) **E:** IT PT SP **N:** AG CI MO TU **A:** TR

= *andalusiae* Clark, 1862: 469 (*Hydroporus*)

= *subtruncatus* Fairmaire, 1876: 49 (*Hydroporus*)

= *unilineatus* Báguena Corella, 1935: 88 (*Hydroporus*)

croceus Angus, Fresneda & Fery, 1993: 298 **E**: SP
crotchi Preudhomme de Borre, 1871: xiii (*Hydroporus*) **N**: EG **A**: IS SA SI
 = *moestus* Walker, 1871: 10 [HN] (*Hydroporus*)
 = *schweinfurthi* Zimmermann, 1921: 87 (*Deronectes*)
 = *walkeri* Branden, 1885: 49 [RN] (*Deronectes*)
depressus Fabricius, 1775: 233 (*Dytiscus*) **E**: BY DE EN FI GB GE HU IR LA LT NR PL RU (CT NT ST) SL SV
UK A: MG RU (ES WS) **NAR**
 = *boristhenicus* Hochhuth, 1871: 233 (*Hydroporus*)
 = *intermedius* Franck, 1935: 239 (*Deronectes*)
 = *lutescens* Falkenström, 1932: 185 (*Deronectes*)
 = *neuhoffii* Cederhielm, 1798: 32 (*Dytiscus*)
 = *pallidus* Heer, 1837: 54 (*Hydroporus*)
dubius Aubé, 1838: 517 (*Hydroporus*) **N**: MR
 = *vigilans* Wollaston, 1854: 86 (*Hydroporus*)
elegans Panzer, 1794: 24/t.5 (*Dytiscus*) **E**: AU BE BH CR CZ FR GB GE HU IT LS LU NL PT SK SL SP SZ
 = *brevis* Sturm, 1835: 9 [HN] (*Hydroporus*)
 = *marginicollis* Aubé, 1838: 229 (*Hydroporus*)
fabressei Régimbart, 1901: 324 (*Hydroporus*) **E**: FR PT SP
fenestratus Germar, 1836: t.3 (*Hydroporus*) **E**: IT
 = *schaumei* Aubé, 1842: 229 (*Hydroporus*)
formaster formaster Zaitzev, 1908: 269 (*Hydroporus*) **A**: CH (XIN) MG RU (ES WS)
formaster jaechi Toledo, 1998: 77 **A**: CH (XIZ)
hostilis Sharp, 1884: 448 (*Deronectes*) **A**: CH (JIL LIA SCH TAI) JA NC RU (FE) SC
indicus Sharp, 1882: 431 (*Deronectes*) **A**: AF AP CH (XIZ) HP KA NP PA UP
 = *manii* Vazirani, 1970: 124 (*Potamonectes*)
insignis Klug, 1834: t.33/10 (*Hydroporus*) **N**: EG **A**: SA SI YE
 = *princeps* Sharp, 1882: 428 (*Deronectes*)
 = *semiclusus* Walker, 1871: 10 (*Hydroporus*)
kiliani Peyerimhoff, 1929: 169 (*Hydroporus*) **N**: AG **AFR**
laeviventris Reiche & Saulcy, 1855: 642 (*Hydroporus*) **A**: CY LE SY TR
 = *scutellaris* Sharp, 1882: 426 (*Deronectes*)
lanceolatus Walker, 1871: 11 (*Hydroporus*) **N**: EG **A**: IN IQ IS JO KU SA SI SY
 = *arabicus* Sharp, 1882: 429 (*Deronectes*)
 = *islamiticus* Sharp, 1882: 430 (*Deronectes*)
laticollis Zimmermann, 1933: 163 (*Deronectes*) **A**: CH (SHN)
luctuosus Aubé, 1838: 235 (*Hydroporus*) **E**: BH CR FR GR IT SL SP YU **A**: TR
 = *flavopunctatus* Pic, 1895: 10 (*Deronectes*)
 = *lugubris* Ragusa, 1887: 227 [HN] (*Hydroporus*)
 = *sericeus* Costa, 1847: 99 [HN] (*Hydroporus*)
martinii martinii Fairmaire, 1858: 455 (*Hydroporus*) **E**: FR (Corse)
martinii sardus Gemminger & Harold, 1868: 440 [RN] (*Hydroporus*) **E**: GR IT
 = *affinis* Aubé, 1838: 232 [HN] (*Hydroporus*)
 = *genei* A. Villa & G.B. Villa, 1838: 62 [HN] (*Hydroporus*)
mascatensis Régimbart, 1897: 206 (*Hydroporus*) **A**: AF IN OM PA
melanogrammus Régimbart, 1899: 199 (*Hydroporus*) **A**: BT CH (YUN) HP NP UP
 = *satie* Vazirani, 1980: 28 (*Potamonectes*)
millingeni J.Balfour-Browne, 1951: 188 (*Potamonectes*) **A**: YE
nemethi Guignot, 1950: 153 (*Potamonectes*) **N**: MO
nipponicus Takizawa, 1933: 177 (*Deronectes*) **A**: JA
ressli Wewalka, 1974: 108 (*Potamonectes*) **A**: AF IN TD TM UZ
sagartus Toledo, 2009: 71 **A**: IN
sansii Aubé, 1838: 230 (*Hydroporus*) **E**: FR IT SP
schoedli Fery, Fresneda & Millán, 1996: 324 **N**: AG TU
seriatus Sharp, 1882: 429 (*Deronectes*) **A**: SA YE
sichuanensis Hendrich & Mazzoldi, 1995: 4 **A**: CH (SCH)
simplicipes Sharp, 1884: 442 (*Deronectes*) **A**: JA RU (FE)

stearinus stearinus Kolenati, 1845: 84 (*Hydroporus*) **E:** AB AR **N:** EG **A:** AF IN IS LE SY TR
= *rufino* J. Sahlberg, 1913: 43 (*Deronectes*)
= *turca* Seidlitz, 1887: 55 (*Deronectes*)
= *variegatus* Aubé, 1838: 236 [HN] (*Hydroporus*)
stearinus suavis Sharp, 1882: 430 (*Deronectes*) **E:** AL BH BU CR GR MC YU **A:** TR
= *infuscatus* J. Sahlberg, 1913: 42 (*Deronectes*)
steppensis Motschulsky, 1860: 516 (*Hydroporus*) **E:** KZ RU (ST)
= *scythus* Schaum, 1864: 110 (*Hydroporus*)

genus *Oreodytes* Seidlitz, 1887: 57 type species *Hyphydrus borealis* Gyllenhal, 1826 (= *Dytiscus alpinus* Paykull, 1798)

= *Deuteronectes* Guignot, 1945: 7 type species *Hydroporus picturatus* Horn, 1883
= *Nectorporus* Guignot, 1950: 26 type species *Hydroporus abbreviatus* Fall, 1923
= *Neonectes* J.Balfour-Browne, 1944: 189 type species *Hydroporus natrix* Sharp, 1884

alpinus Paykull, 1798: 226 (*Dytiscus*) **E:** FI NR RU (CT NT) SV **A:** RU (FE WS)
= *bidentatus* Gyllenhal, 1808: 525 (*Hyphydrus*)
= *borealis* Gyllenhal, 1826: 174 (*Hyphydrus*)
babai Satô, 1990: 102 **A:** CH (TAI)
dauricus Motschulsky, 1860: 100 (*Hydrocoptus*) **A:** RU (ES FE)
davisii davisii Curtis, 1831: 343 (*Hydroporus*) **E:** AL AR AU BH BU CR CZ FR GB GE GG GR IR IT PL SK SL SZ UK YU (Crna Gora) **A:** TR
= *montanus* Zimmermann, 1915: 218 [HN] (*Hydroporus*)
davisii rhianae R. Carr, 2001:183 **E:** SP
jakovlevi Zaitzev, 1905: 25 (*Hydroporus*) **A:** RU (ES)
= *nobilis* Poppius, 1905: 10 (*Hydroporus*)
kanoi Kamiya, 1938: 23 (*Deronectes*) **A:** JA
meridionalis Binaghi & Sanfilippo, 1971: 216 **E:** IT
mongolicus Brinck, 1943: 155 (*Deronectes*) **A:** MG
natrix Sharp, 1884: 443 (*Hydroporus*) **A:** CH (JIL LIA) JA **NC** RU (FE)
okulovi Lafer, 1988: 52 **A:** RU (FE)
sanmarkii alienus Sharp, 1873: 261 (*Hydroporus*) **E:** PT SP
sanmarkii sanmarkii C.R.Sahlberg, 1826: 172 (*Hyphydrus*) **E:** AN AU BE BH BU BY CZ DE FI FR GB GE IC IR IT LT LU MC NL NR PL RU (CT NT) SK SL SP SV SZ UK YU **A:** CH (JIL) JA MG RU (FE WS) **NAR**
= *fluviatilis* Stephens, 1828: 46 (*Hygrotus*)
= *rivalis* Gyllenhal, 1827: 384 (*Hyphydrus*)
= *stephensii* Stephens, 1835: 391 (*Hygrotus*)
septentrionalis Gyllenhal, 1826: 173 (*Hyphydrus*) **E:** AU CZ FI FR GB GE IR IT NR PL PT RU (NT) SL SP SV SZ **A:** MG RU (ES WS) TR
= *devillei* Régimbart, 1901: 326 (*Hydroporus*)
= *fluviatilis* Sturm, 1835: 23 [HN] (*Hydroporus*)
= *helveticus* Régimbart, 1901: 326 (*Hydroporus*)
shorti Shaverdo & Fery, 2006: 37 **A:** MG

genus *Peschetius* Guignot, 1942: 21 type species *Hydroporus nodieri* Régimbart, 1895

quadricostatus Aubé, 1838: 487 (*Hydroporus*) **A:** IN NP UP **ORR**

genus *Porhydrus* Guignot, 1945: 6 type species *Dytiscus lineatus* Fabricius, 1775

geni Aubé, 1838: 328 (*Hydroporus*) **E:** BH CR FR GR IT **N:** AG MO
lineatus Fabricius, 1775: 234 (*Dytiscus*) **E:** AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MC MD NL NR PL RU (CT NT ST) SK SL SV SZ TR UK YU **A:** IN RU (WS)
= *ovalis* Marsham, 1802: 425 [HN] (*Dytiscus*)
= *parvulus* Herbst, 1784: 127 [HN] (*Dytiscus*)
= *pygmaeus* Fabricius, 1792: 200 (*Dytiscus*)

= *quadrilineatus* Drapiez, 1819: 198 [HN] (*Dytiscus*)
= *thoreii* Clark, 1862: 409 (*Hydroporus*)
= *velox* O.F. Müller, 1776: 73 (*Dytiscus*)
obliquesignatus Bielz, 1852: 16 (*Hydroporus*) **E:** AU BH BU BY CR HU IT RO RU (ST) SK SL UK YU **A:** KZ
RU (WS)
vicinus Aubé, 1838: 627 (*Hydroporus*) **E:** PT **N:** MO

genus *Rhithrodytes* Bameul, 1989: 482 type species *Dytiscus crux* Fabricius, 1792

agnus agnus Foster, 1992: 249 **E:** PT
agnus argaensis Bilton & Fery, 1996: 919 **E:** PT
bimaculatus Dufour, 1852: 319 (*Hydroporus*) **E:** FR SP
= *jucundus* Perris, 1869: 7 (*Hydroporus*)
crux Fabricius, 1792: 199 (*Dytiscus*) **E:** FR IT SZ
= *fasciatus* Aubé, 1838: 347 [HN] (*Hydroporus*)
dorsoplagiatus Fairmaire, 1880: 247 (*Hydroporus*) **N:** AG
numidicus Bedel, 1889: 286 (*Hydroporus*) **N:** AG TU
sexguttatus Aubé, 1838: 330 (*Hydroporus*) **E:** FR (Corse) IT

genus *Scarodytes* Gozis, 1914: 110 type species *Dytiscus halensis* Fabricius, 1787
= *Rhiacodytes* Ádám, 1996: 19 type species *Dytiscus halensis* Fabricius, 1787

antoni Fery & Štátný, 2007: 880 **E:** CR IT
halensis fuscitarsis Aubé, 1838: 255 (*Hydroporus*) **E:** IT (Sardegna)
halensis halensis Fabricius, 1787: 192 (*Dytiscus*) **E:** AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG
GR HU IT LA LT LU MC MD NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK YU **N:** AG EG MO TU
A: IN IS LE SI SY TR
= *amoenus* J. Sahlberg, 1908: 22 [HN] (*Hydroporus*)
= *areolatus* Duftschmid, 1805: 274 (*Dytiscus*)
= *areolatus* Gravenhorst, 1807: 105 [HN] (*Dytiscus*)
= *ibericus* Régimbart, 1901: 326 (*Hydroporus*)
= *nubilus* Gmelin, 1790: 1957 (*Dytiscus*)
= *reticulosus* Falkenström, 1939: 18
kaszonensis Csiki, 1946: 631 **E:** RO
malickyi Wewalka, 1977: 139 **E:** GR **A:** TR
margaliti Wewalka, 1977: 142 **A:** IS SY TR
nigriventris Zimmermann, 1919: 192 (*Deronectes*) **E:** FR (Corse)
pederzanii Angelini, 1973: 51 **E:** GR IT
ruffoi Franciscolo, 1961: 159 **E:** IT
savinensis cercyrae Fery & Štátný, 2007: 887 **E:** GR (Corfu)
savinensis savinensis Zimmermann, 1933: 189 (*Deronectes*) **E:** AL CR GR YU

genus *Siettitia* Abeille de Perrin, 1904: 226 type species *Siettitia balsetensis* Abeille de Perrin, 1904

avenionensis Guignot, 1925: 23 **E:** FR
balsetensis Abeille de Perrin, 1904: 227 **E:** FR

genus *Stictonectes* Brinck, 1943: 6 [RN] type species *Dytiscus lepidus* Olivier, 1795
= *Stictonotus* Zimmermann, 1930: 62 [HN] type species *Dytiscus lepidus* Olivier, 1795

azruensis Théry, 1933: 130 (*Hydroporus*) **N:** MO
canariensis Machado, 1987: 42 **N:** CI (Gran Canaria)
epipleuricus Seidlitz, 1887: 59 (*Hydroporus*) **E:** FR PT SP
escheri Aubé, 1838: 354 (*Hydroporus*) **E:** IT PT SP **N:** AG MO TU
= *bicruciatu*s Germar, 1838: 20 (*Hydroporus*)
= *gallicus* Seidlitz, 1887: 60 (*Hydroporus*)

= *lepieurii* Reiche, 1864: 235 (*Hydroporus*)
formosus Aubé, 1838: 353 (*Hydroporus*) **E:** PT SP **N:** AG MO TU
lepidus Olivier, 1795: 32 (*Dytiscus*) **E:** FR GB GE IR IT PT SL SP SZ **N:** MO
= *bifoveolatus* Zimmermann, 1918: 61 (*Hydroporus*)
= *fauconneti* Pic, 1930: 13 (*Deronectes*)
= *scitulus* Stephens, 1828: 49 (*Hygrotus*)
occidentalis Fresneda & Fery, 1990: 73 **E:** PT SP
optatus Seidlitz, 1887: 60 (*Hydroporus*) **E:** FR IT PT SP **N:** AG MO
= *densatus* Peyerimhoff, 1931: 23
rufulus Aubé, 1838: 349 (*Hydroporus*) **E:** FR IT
= *ramburi* Reiche, 1862: 293 (*Hydroporus*)
samai Schizzerotto, 1988: 539 **N:** AG TU

genus *Stictotarsus* Zimmermann, 1919: 184 type species *Dytiscus duodecimpustulatus* Fabricius, 1792

bertrandi Legros, 1956: 134 (*Deronectes*) **E:** PT SP
duodecimpustulatus Fabricius, 1792: 197 (*Dytiscus*) **E:** AU BE CZ DE FR GB GE IR IT LU NL NR PT SP SV SZ
= *fluminum* Munster, 1932: 85
= *heeri* Jacquet, 1925: 41 (*Hydroporus*)
maghrebinus Mazzoldi & Toledo, 1998: 212 **N:** AG MO
procerus Aubé, 1838: 505 (*Hydroporus*) **E:** FR (Corse) IT (Sardegna) **N:** AG MO TU
= *duodecimmaculatus* Régimbart, 1877: cxxxiii (*Hydroporus*)

genus *Suphrodytes* Gozis, 1914: 110 type species *Dytiscus dorsalis* Fabricius, 1787

dorsalis Fabricius, 1787: 192 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU MD NL NR PL RU (CT NT ST) SK SL SV SZ UK YU **A:** RU (ES WS)
= *dubius* Melsheimer, 1844: 29 [HN] (*Hydroporus*)
= *eljasi* Wirén, 1968: 114 (*Hydroporus*)
= *figuratus* Gyllenhal in C.R.Sahlberg, 1826: 175 (*Hyphydrus*)
= *maeklini* Zaitzev, 1910: 29 [RN] (*Hydroporus*)
= *marginalis* Schilsky, 1889: 346 (*Hydroporus*)
= *punctatus* O.F. Müller, 1776: 73 [HN] (*Dytiscus*)
= *quadricolor* Gmelin, 1790: 1956 (*Dytiscus*)
= *rufifrons* Fabricius, 1792: 198 [HN] (*Dytiscus*)
= *sibiricus* Mäklin, 1881: 22 [HN] (*Hydroporus*)

genus *Trichonectes* Guignot, 1941: 58 type species *Potamonectes otini* Guignot, 1941

otini Guignot, 1941: 57 (*Potamonectes*) **E:** SP **N:** MO

tribe Hydrovatini Sharp, 1882

genus *Hydrovatus* Motschulsky, 1853: 4 type species *Hyphydrus cuspidatus* Kunze, 1818
= *Hydatonychus* H.J.Kolbe, 1883: 402 type species *Hydatonychus crassicornis* H.J.Kolbe, 1883
= *Oxynoptilus* Schaum in Schaum & Kiesenwetter, 1868: 28 type species *Hyphydrus cuspidatus* Kunze, 1818
= *Pseudhydrovatus* Peschet, 1924: 140 type species *Pseudhydrovatus antennatus* Pechet, 1924 (= *Hydrovatus occidentalis* Guignot, 1949)
= *Vathydrus* Guignot, 1954: 197 type species *Hydrovatus sordidus* Sharp, 1882

acuminatus Motschulsky, 1859: 42 **N:** EG LB **A:** CH (FUJ GUA GUX HAI HUB HUN JIA JIX SHA TAI YUN) IN IQ IS JA NP OM PA SA SY TR **AFR AUR ORR**
= *affinis* Régimbart, 1895: 108
= *badius* Clark, 1863: 424 (*Hydroporus*)
= *consanguineus* Régimbart, 1880: 212
= *ferrugineus* Zimmermann, 1919: 127 [RN]

= *furvus* Guignot, 1950: 25
= *humilis* Sharp, 1882: 327
= *malaccae* Clark, 1863: 425 (*Hydroporus*)
= *obscurus* Motschulsky, 1859: 43
= *obscurus* Régimbart, 1895: 108 [HN]
= *sordidus* Sharp, 1882: 327
aristidis Leprieur, 1879: lxxxii **N: EG A: IS SA AFR**
bonvouloiri Sharp, 1882: 335 **A: AF CH (FUJ TAI YUN) JA PA ORR**
= *loochooensis* Kamiya, 1938: 10
clypealis Sharp, 1876: 61 **E: CR FR GB IR IT PT SP YU N: AG EG MO TU**
compactus Sharp, 1882: 333 **N: EG AFR**
confertus Sharp, 1882: 329 **A: BT CH (FUJ GUX HAI HUN SHG YUN) NP PA UP ORR**
cuspidatus Kunze, 1818: 68 (*Hyphydrus*) **E: AB AL AR AU BE BU CR CZ DE FR GE GG GR HU IT MC MD NL PL PT RO RU (ST) SK SL SP SV SZ UK YU N: AG EG LB MO TU A: CY IN IQ IS SI SY TM TR UZ AFR**
= *maculatus* Sharp, 1882: 322 [HN]
= *maculosus* Zimmermann, 1919: 126 [RN]
= *simplex* Sharp, 1882: 322
deserticola joyceae Nilsson, 2001: 10 [RN] **N: EG AFR**
= *badius* Omer-Cooper, 1931: 760 [HN]
irakensis Abdul-Karim & Ali, 1986: 280 **A: IQ**
japonicus Takizawa, 1933: 166 **A: JA**
longicornis Sharp, 1882: 323 **N: EG AFR**
= *berdoa* Bruneau de Miré & Legros, 1963: 850
meridionalis Abdul-Karim & Ali, 1986: 281 **A: IQ**
obtus Motschulsky, 1855: 82 **A: CH (FUJ HAI HUB ZHE) ORR**
= *acutus* Sharp, 1882: 330
pinguis Régimbart, 1892: 114 **A: CH (YUN) NP ORR**
pumilus Sharp, 1882: 331 **A: JA ORR**
rufoniger rufoniger Clark, 1863: 423 (*Hyphydrus*) **A: MAC "China" ORR**
= *atricolor* Régimbart, 1880: 212
seminarius Motschulsky, 1859: 42 **A: BT CH (JIX TAI) JA NP PA ORR**
= *fuscus* Sharp, 1882: 326
= *matsuii* Nakane, 1990: 198
= *tinctus* Sharp, 1882: 328
subrotundatus Motschulsky, 1859: 41 **A: CH (FUJ GUX HUN YUN) NP ORR**
= *carbonarius* Clark, 1863: 423 (*Hydroporus*)
= *elevatus* Sharp, 1882: 328
= *ferrugatus* Régimbart, 1877: lxxix
= *fuscobrunneus* Clark, 1863: 424 (*Hydroporus*)
= *javanus* Csiki, 1938: 126
= *orientalis* Sharp, 1882: 805
subtilis Sharp, 1882: 329 **A: CH (MAC TAI) JA SC ORR**
= *adachii* Kamiya, 1932: 4
villiersi Guignot, 1955: 860 **N: EG A: IS SI AFR**
= *albertianus* Guignot, 1959: 165
= *browneanus* Guignot, 1959: 140
= *uncus* Guignot, 1959: 164
yagii Kitayama, Mori & Matsui, 1993: 1 **A: JA**

tribe Hygrotini Portevin, 1929

genus *Herophydrus* Sharp, 1882: 389 type species *Hyphydrus guineensis* Aubé, 1838
= *Dryephorus* Guignot, 1950: 150 type species *Coelambus nodieri* Régimbart, 1895

cleopatraelae Peyron, 1858: 398 (*Hydroporus*) **A: IS TR**
= *galileae* Wewalka, 1984: 131

= *gouini* Guignot, 1953: 115 (*Hygrotus*)
guineensis Aubé, 1838: 455 (*Hyphydrus*) **E:** FR IT MA **N:** AG EG LB **A:** IS SA YE **AFR**
= *barbarus* Schaum in White, 1847: 34 [RN] (*Hydroporus*)
= *ferrugineus* Lucas, 1846: 98 [HN] (*Hydroporus*)
= *hyphroides* Perris, 1864: 277 (*Hydroporus*)
= *inflatus* Reiche, 1872: 24 [RN] (*Hydroporus*)
= *mutatus* Gemminger & Harold, 1868: 437 [RN] (*Hydroporus*)
= *ruficeps* Boheman, 1848: 253 [HN] (*Hydroporus*)
= *turgidus* Erichson, 1843: 220 (*Hyphydrus*)
= *umbrosus* Zimmermann, 1926: 29
musicus Klug, 1834: t.33/12 (*Hydroporus*) **E:** AB AR GG GR IT MA RU (ST) SP UK **N:** AG CI EG LB MO TU
A: AF CH (XIN) IN IQ IS JO KU NP PA SA SI SY TD TR UP UZ YE **ORR**
= *alei* Abdul-Karim & Ali, 1986: 276 (*Hygrotus*)
= *fractilinea* Solsky, 1874: 134 (*Hydroporus*)
= *interruptus* Sharp, 1882: 398 (*Coelambus*)
rufus Clark, 1863: 423 (*Hyphydrus*) **A:** CH (FUJ GUA GUX HAI HUB TAI) JA
= *rotundatus* Gschwendtner, 1931: 21 (*Hyphoporus*)
vazirani Nilsson, 1999: 19 [RN] (*Hygrotus*) **A:** KA
= *kashmirensis* Vazirani, 1970: 118 [HN] (*Hydroporus*)

genus *Hygrotus* Stephens, 1828: 38 type species *Dytiscus inaequalis* Fabricius, 1777

subgenus *Coelambus* Thomson, 1860: 13 type species *Dytiscus confluens* Fabricius, 1787

ahmeti Hájek, Fery & Erman, 2005: 262 **A:** TR
armeniacus Zaitzev, 1927: 5 (*Coelambus*) **E:** AR GG **A:** TR
caspius Wehncke, 1875: 234 (*Hydroporus*) **E:** KZ RU (CT ST) **A:** CH (GAN HEB NMO QIN SHA XIN) KZ MG
RU (ES WS) TM
= *reitteri* Zaitzev, 1908: 268 (*Coelambus*)
= *trilineatus* Feng, 1936: 6 (*Coelambus*)
chinensis Sharp, 1882: 398 (*Coelambus*) **A:** CH (BEI HEB HEI JIL JIX LIA NMO SCH SHA TAI XIN ZHE) JA
MG NC RU (FE) SC
= *vittatus* Sharp, 1884: 441 (*Coelambus*)
confluens Fabricius, 1787: 193 (*Dytiscus*) **E:** AB AR AU AZ BE BH BU BY CR CZ DE EN FR GB GE GG GR
HU IR IT LS LU MA MC MD NL NR PL PT RU (ST) SK SL SP SV SZ UK YU **N:** AG CI EG LB MO MR TU **A:**
AF CY HP IN IQ IS JO KA KZ KU PA SA SI SY TM TR UZ YE **AFR**
corpulentus Schaum, 1864: 109 (*Hydroporus*) **E:** RU (ST) UK **A:** KZ UZ
= *leonhardi* Scholz, 1916: 168 (*Coelambus*)
curvilobus Fery, Sadeghi & Hosseinie, 2005: 31 **A:** IN
enneagrammus Ahrens, 1833: 645 (*Hydroporus*) **E:** AB BU GE GG KZ PL RO RU (ST) UK **A:** AF CH (XIN) IN
KU KZ MG PA RU (WS) SY TD TM TR UZ
= *blandus* Germar, 1834: t.4 (*Hydroporus*)
= *puncticeps* Seidlitz, 1887: 43 (*Coelambus*)
= *tauricus* Motschulsky, 1860: 303 (*Hydroporus*)
flaviventris Motschulsky, 1860: 303 (*Hydroporus*) **E:** AB AR GE GG PL RU (ST) **A:** CH (QIN XIN) KA KZ MG
PA RU (WS)
fresnedai Fery, 1992: 347 (*Coelambus*) **E:** SP
impressopunctatus Schaller, 1783: 313 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG
HU IR IT LA LS LT LU MC MD NL NR PL RU (CT NT ST) SK SL SP SV SZ UK YU **A:** AF CH (HEI LIA HEB
NMO QIN SCH SHA XIN) IN JA KA KZ MG RU (ES FE WS) TM TR UZ **NAR**
= *alternans* Gravenhorst, 1807: 104 (*Dytiscus*)
= *decemlineatus* Mannerheim, 1853: 161 (*Hydroporus*)
= *flavicans* Gmelin, 1790: 1957 (*Dytiscus*)
= *hiurai* Satô, 1972: 54 (*Coelambus*)
= *lineatus* O.F. Müller, 1776: 74 [HN] (*Dytiscus*)
= *lineellus* Gyllenhal, 1808: 529 (*Hyphydrus*)

- = *opacus* Falkenström, 1932: 192 (*Coelambus*)
 = *ovalis* Thunberg, 1784: 19 [HN] (*Dytiscus*)
 = *picipes* Fabricius, 1787: 192 (*Dytiscus*)
 = *punctatus* Marsham, 1802: 426 [HN] (*Dytiscus*)
 = *roborovskii* Zaitzev, 1953: 135 (*Coelambus*)
 = *similis* Kirby, 1837: 38 (*Hydroporus*)
inscriptus Sharp, 1882: 404 (*Coelambus*) **N:** EG **A:** IN IQ KU SA SY TM UZ
 = *uzbekorum* Zaitzev, 1953: 140 (*Coelambus*)
lagari Fery, 1992: 115 (*Coelambus*) **E:** IT PT SP **N:** AG MO TU
lernaeus Schaum, 1857: 153 (*Hydroporus*) **E:** BU GG GR MC RO **N:** EG **A:** AF IS SY TR UZ
marklini Gyllenhal, 1813: 689 (*Hyphydrus*) **E:** AR BY DE EN FI FR GG LA NR PL RU (CT NT ST) SP SV UK **A:**
 CH (GAN QIN XIZ) KZ MG RU (ES FE WS) TR UZ **NAR**
 = *astur* Sharp, 1882: 468 (*Hydroporus*)
 = *awajewi* Jakovlev, 1899: 508 (*Coelambus*)
 = *canadensis* Fall, 1919: 11 (*Coelambus*)
 = *lutzi* Reitter, 1908: 215 (*Hydroporus*)
 = *mistellus* Marseul, 1882: 98 (*Hydroporus*)
 = *mixtus* Motschulsky, 1860: 515 (*Hydrocoptus*)
 = *pallens* Aubé, 1838: 358 (*Hydroporus*)
 = *steppensis* Branden, 1885: 63 [RN] [HN] (*Hydroporus*)
 = *virgo* Fall, 1919: 12 (*Coelambus*)
nigrolineatus Steven, 1808: 33 (*Hyphydrus*) **E:** AU BE BY CZ DE FI FR GB GE NL PL RU (ST) SV UK **A:** KZ
 MG RU (WS)
 = *lautus* Schaum, 1843: 187 (*Hydroporus*)
novemlineatus Stephens, 1829: 192 (*Hydroporus*) **E:** BE BU DE EN FI GB GE IR NL NR RU (NT) SV **A:** RU (FE
 WS) **NAR**
 = *hudsonicus* Fall, 1919: 18 (*Coelambus*)
 = *parallellus* Aubé, 1838: 268 [HN] (*Hydroporus*)
 = *schoenherri* Aubé, 1838: 267 (*Hydroporus*)
orthogrammus Sharp, 1882: 405 (*Coelambus*) **A:** IN IQ KU SA
pallidulus Aubé, 1850: 300 (*Hydroporus*) **E:** AB AU BU FR GG GR HU IT RO SP UK **N:** AG EG LB MO TU **A:**
 IN SI SY TM TR
 = *fulviventris* Costa, 1883: 85 (*Hydroporus*)
parallelogrammus Ahrens, 1812: 11 (*Dytiscus*) **E:** AB AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU
 IR IT LA MD NL NR PL RO RU (CT ST) SK SL SP SV SZ UK YU **A:** AF CH (BEI) ES IQ KI KZ MG RU (ES
 WS) TM TR UZ
 = *consobrinus* Kunze, 1818: 61 (*Hyphydrus*)
 = *distinctus* Feng, 1936: 7 (*Coelambus*)
 = *kaszabi* Guéorguiev, 1970: 253 (*Coelambus*)
 = *punctum* Gebler, 1829: 67 (*Hydroporus*)
pectoralis Motschulsky, 1860: 303 (*Hydroporus*) **A:** KZ RU (ES WS)
polonicus polonicus Aubé, 1842: 230 (*Hydroporus*) **E:** AB BY FI PL RU (CT NT ST) UK **A:** KZ RU (WS)
polonicus sahlbergi Sharp, 1882: 402 [RN] (*Coelambus*) **A:** RU (ES)
 = *unguicularis* J. Sahlberg, 1880: 47 [HN] (*Coelambus*)
saginatatus Schaum, 1857: 154 (*Hydroporus*) **E:** BU CR GR IT KZ MC MD RU (ST) UK **N:** EG **A:** CY IN IS KZ
 LE SY TM TR
 = *elevatus* Sharp, 1882: 403 (*Coelambus*)
 = *mulsantis* Peyron, 1858: 400 (*Hydroporus*)
sanfilippo Fery, 1992: 116 (*Coelambus*) **E:** IT (Sardegna)
semenowi Jakovlev, 1899: 504 (*Coelambus*) **A:** CH (GAN)
stefanschoedli Fery, Sadeghi & Hosseinie, 2005: 34 **A:** IN
unguicularis Crotch, 1874: 73 (*Hydroporus*) **E:** RU (NT) **A:** CH (NMO) MG RU (ES FE WS) **NAR**
 = *mongolicus* Jakovlev, 1899: 506 (*Coelambus*)
urgensis Jakovlev, 1899: 507 (*Coelambus*) **A:** CH (GAN) KZ MG RU (ES) UZ
zigetangco Fery, 2003: 156 **A:** CH (SCH XIZ) PA

subgenus *Hygrotus* Stephens, 1828: 38 type species *Dytiscus inaequalis* Fabricius, 1777

aequalis Falkenström, 1932: 192 **A:** CH (SCH)

decoratus Gyllenhal, 1810: xvi (*Hyphydrus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK **A:** KZ RU (ES WS)

= *unicolor* Schilsky, 1888: 183

inaequalis Fabricius, 1777: 239 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC MD NL NR PL PT RU (CT NT ST) SK SL SP SV SZ UK YU **N:** AG MO **A:** CH (HEI JIL LIA NMO SHA) IN IS JA KZ MG RU (ES FE WS) SY TR

= *dalmatinus* Zimmermann, 1915: 218

= *hokkaidensis* Satô, 1972: 54

= *minor* Costa, 1847: 97 (*Hydroporus*)

= *parvulus* Fabricius, 1792: 201 [HN] (*Dytiscus*)

= *uhagonii* Seidlitz, 1887: 39

quinclineatus Zetterstedt, 1828: 234 (*Hyphydrus*) **E:** AU BY DE FI FR GB GE IR NR RU (CT NT ST) SV SZ **A:** CH (NMO) KZ MG RU (ES FE WS) TD

= *conjunctus* Munster, 1930: 339

= *disjunctus* Munster, 1932: 83

versicolor Schaller, 1783: 313 (*Dytiscus*) **E:** AB AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK YU **A:** RU (WS)

= *affinis* Stephens, 1828: 48

= *collaris* Panzer, 1795: 79 (*Dytiscus*)

= *confluens* Munster, 1932: 83 [HN]

= *recurvus* Marsham, 1802: 424 (*Dytiscus*)

= *reticulatus* Fabricius, 1792: 200 (*Dytiscus*)

= *semilineatus* Zimmermann, 1915: 218

genus *Hyphoporus* Sharp, 1882: 389 type species *Hydroporus solieri* Aubé, 1838

anita Vazirani, 1969: 221 **A:** PA UP

aper Sharp, 1882: 390 **A:** IN PA UP **ORR**

bertrandi Vazirani, 1969: 218 **A:** PA

dehraduni Vazirani, 1969: 211 **A:** UP

elevatus Sharp, 1882: 390 **A:** PA UP **ORR**

kempi Gschwendtner, 1936: 368 **A:** CH (YUN) **ORR**

nilghiricus Régimbart, 1903: 331 **A:** PA **ORR**

pacistanus Guignot, 1959: 10 **A:** AF PA

severini Régimbart, 1892: 115 **A:** AF PA UP **ORR**

solieri Aubé, 1838: 554 (*Hydroporus*) **N:** EG **A:** KU SA SI

= *innesi* Reitter, 1909: 31

= *letourneuxi* Pic, 1896: 141

= *posticalis* J. Sahlberg, 1913: 41

tribe Hyphydrini Sharp, 1882

genus *Agnoshydrus* Biström, Nilsson & Wewalka, 1997: 72 type species *Hydrovatus laccophiloides* Régimbart, 1888

taiwanus Wewalka & L.J.Wang, 2007:4 **A:** CH (TAI)

genus *Allopachria* Zimmermann, 1924: 194 type species *Allopachria quadripustulata* Zimmermann, 1924

= *Nipponhydrus* Guignot, 1954: 196 type species *Hyphydrus flavomaculatus* Kamiya, 1938

***bianae* Wewalka, 2010: 31 **A:** CH (GUA)**

bimaculata Satô, 1972: 51 (*Microdytes*) **A:** JA (Ryukyu Islands)

dieterlei Wewalka, 2000:117 **A:** CH (GUX HUN JIX)

= *dieterlorum* Nilsson, 2007: 49
dudgeoni Wewalka, 2000:117 **A:** CH (GUX HKG **JIX**)
flavomaculata Kamiya, 1838: 12 (*Hyphydrus*) **A:** CH (GUX) JA
friedrichi Wewalka, 2000:113 **A:** CH (HUN)
froehlichii Wewalka, 2000: 105 **A:** CH (HKG)
grandis Bian & Ji, 2010: 61 **A:** CH (JIX)
guangdongensis Wewalka, 2010: 30 **A:** CH (GUA)
hajeki Wewalka, 2010: 32 **A:** CH (YUN)
hautmanni Wewalka, 2000: 108 **A:** CH (ANH)
= *hautmannorum* Nilsson, 2007: 49
jaechi Wewalka, 2000: 124 **A:** CH (HAI)
jendeki Wewalka, 2000: 116 **A:** CH (YUN)
jilanzhui Wewalka, 2000: 109 **A:** CH (GUX HUN)
komareki Wewalka, 2010: 33 **A:** CH (GUA)
liselotteae Wewalka, 2000: 113 **A:** CH (GUX)
manfredi Wewalka, 2010: 34 **A:** CH (GUA)
miaowangi Wewalka, 2010: 29 **A:** CH (JIX)
quadrimaculata Satô, 1981: 70 (*Nipponhydrus*) **A:** NP
schillhammeri Wewalka, 2000: 108 **A:** CH (HUN)
schoenmanni Wewalka, 2000: 113 **A:** CH (ANH)
scholzi Wewalka, 2000: 116 **A:** CH (YUN)
= *scholzorum* Nilsson, 2007: 49
taiwana Satô, 1990: 101 (*Microdytes*) **A:** CH (TAI)
wangi Wewalka & Nilsson, 1994: 991 **A:** CH (TAI)
weinbergeri Wewalka, 2000: 112 **A:** CH (FUJ)
= *weinbergerorum* Nilsson, 2007: 49
wuzhifengensis Bian & Ji, 2010: 60 **A:** CH (JIX)

genus *Dimitshydrus* Uéno, 1996: 36 type species *Dimitshydrus typhlops* Uéno, 1996

typhlops Uéno, 1996: 42 **A:** JA

genus *Heterhydrus* Fairmaire, 1869: 186 type species *Heterhydrus agaboides* Fairmaire, 1869

senegalensis Laporte, 1835: 106 (*Hyphydrus*) **N:** EG SI **AFR**

genus *Hyphydrus* Illiger, 1802: 299 type species *Dytiscus gibbus* Fabricius, 1777 (= *Dytiscus ovatus* Linnaeus, 1761)

= *Actobaena* Gistel, 1856: 355 type species *Hyphydrus fabricii* Cristofori, 1832 (= *Dytiscus ovatus* Linnaeus, 1761)
= *Allophydrus* Zimmermann, 1930: 65 type species *Hyphydrus major* Sharp, 1882 (= *Hyphydrus grandis* Laporte, 1835)

= *Apriophorus* Guignot, 1936: 12 type species *Hyphydrus lyratus* Swartz, 1808

= *Aulacodytes* Guignot, 1936: 12 type species *Hyphydrus impressus* Klug, 1832

= *Pachytes* Montrouzier, 1860: 244 type species *Pachytes elegans* Montrouzier, 1860

anatolicus Guignot, 1957: 91 **E:** BH CR GR HU IT MC RU (ST) **A:** TR

= *carrarai* Sanfilippo, 1963: 77

aubei Ganglbauer, 1891: 448 [RN] **E:** AU BH BU CR FR GB GR IT MA PT SL SP SZ YU **N:** AG LB MO TU

= *variegatus* Aubé, 1838: 372 [HN]

birmanicus Régimbart, 1888: 614 **A:** BT CH (YUN) **ORR**

cycloides Régimbart, 1889: 56 **N:** EG **AFR**

= *circularis* Régimbart, 1895: 53

= *lamottei* Legros, 1958: 212

= *malawiensis* Omer-Cooper, 1971: 279

= *nigeriensis* Omer-Cooper, 1971: 282

= *pelates* Guignot, 1953: 1

detectus Falkenström, 1936: 87 **A:** CH (FUJ GUI HEI HUB JIA JIX LIA SCH SHN ZHE) "Manchuria"
= *chinensis* Hlisnikovský, 1955: 85
= *pieli* Guignot, 1936: 133
= *reductus* Hlisnikovský, 1955: 86
dongba Štastný, 2000:298 **A:** CH (YUN)
excoffieri Régimbart, 1899: 210 **A:** CH (GAN HUB YUN) **ORR**
falkenströmi Gschwendtner, 1939: 25 **A:** CH (BEI FUJ HEI JIA JIL LIA NMO SHN TIA) RU (FE)
= *brincki* Guignot, 1946: 72
fangensis Biström & Satô, 1988: 47 **A:** CH (HAI) **ORR**
grandis Laporte, 1835: 107 **N:** EG SI **AFR**
= *major* Sharp, 1882: 375
gschwendtneri Guignot, 1942: 17 [RN] **A:** AF HP PA SD
= *indicus* Gschwendtner, 1936: 367 [HN]
= *lindemanna* Guignot, 1959: 8
= *nalinie* Vazirani, 1969: 311 [RN]
holmeni Biström, 1983: 107 **A:** BT NP
japonicus japonicus Sharp, 1873: 54 **A:** JA RU (FE) SC
= *frontalis* Sharp, 1882: 381
= *paromoeus* Guignot, 1954: 40
japonicus vagus Brinck, 1943: 4 **A:** CH (GUI GUX HEB HUN SHG LIA SCH SHA TAI YUN) NC
laeviventris laeviventris Sharp, 1882: 381 **A:** JA
laeviventris tsugaru Nakane, 1993: 2 **A:** JA
lyratus flavicans Régimbart, 1892: 115 **A:** PA UP **ORR**
lyratus lyratus Swartz in Schönherr, 1808: 29 **A:** CH (FUJ GUA GUI GUX HAI HKG HUB MAC TAI YUN) JA
AUR ORR
= *bisulcatus* Clark, 1863: 422
= *fossilipennis* W.J. MacLeay, 1871: 122 (*Hydroporus*)
= *nigronotatus* Clark, 1863: 421
maculatus Babington, 1841: 12 **N:** AG CI EG LB **AFR**
= *africanus* Sharp, 1882: 376
= *crassus* Wollaston, 1867: 33
orientalis Clark, 1863: 419 **A:** CH (BEI FUJ GAN GUA GUI GUX HAI HEB HKG HUB JIA JIX SCH SHG SHN
TAI YUN XIN XIZ ZHE) JA **ORR**
= *eximius* Clark, 1863: 421
ovatus Linnaeus, 1761: 547 (*Dytiscus*) **E:** AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT
LA LS LT LU MC NL NR PL RU (CT NT ST) SK SL SV SZ UK YU **A:** KZ RU (ES WS) TR
= *fabricii* Cristofori, 1832: 14
= *ferrugineus* Linnaeus, 1767: 666 (*Dytiscus*)
= *gibbus* Fabricius, 1777: 238 (*Dytiscus*)
= *grossus* O.F. Müller, 1776: 72 (*Dytiscus*)
= *ovalis* Illiger, 1798: 271 [HN] (*Dytiscus*)
= *sphaericus* DeGeer, 1774: 402 (*Dytiscus*)
= *variegatus* Stephens, 1828: 45
pictus Klug, 1834: t.33/9 **N:** EG LB **A:** IN IS OM SA SI YE **AFR**
= *lugubris* Preudhomme de Borre, 1871: x
pulchellus Clark, 1863: 420 **A:** CH (FUJ GUA GUX HAI HUN JIX LIA TAI) JA **ORR**
= *jeanneli* Guignot, 1935: 269
= *orbicularis* Régimbart, 1899: 212
= *wui* Gschwendtner, 1933: 161
renardi Severin, 1890: cxc **A:** BT HP NP SD UP **ORR**
sanctus Sharp, 1882: 380 **A:** IS JO SY
sumatrae Régimbart, 1880: 211 **A:** CH (YUN) **ORR**
= *assamensis* Vazirani, 1969: 309

genus *Microdytes* J.Balfour-Browne, 1946: 106 type species *Microdytes belli* J.Balfour-Browne, 1946

bistroemi Wewalka, 1997: 20 **A**: CH (JIX)
championi J.Balfour-Browne, 1946: 107 **A**: NP **SD** UP
elgae Hendrich, Balke & Wewalka, 1995: 42 **A**: **AP** BT **ORR**
hainanensis Wewalka, 1997: 25 **A**: CH (HAI)
lotteae Wewalka, 1998: 64 **A**: CH (FUJ)
nilssoni Wewalka, 1997: 30 **A**: CH (ANH GUX HUN)
satoi Wewalka, 1997: 33 **A**: CH (GUX)
schoenmanni Wewalka, 1997: 34 **A**: NP SD **ORR**
sinensis Wewalka, 1997: 38 **A**: CH (ANH JIX)
tomokunii Satô, 1981: 68 **A**: NP
trontelji Wewalka, Ribera & Balke, 2007:61 **A**: CH (HAI)
uenoi Satô, 1972: 49 **A**: CH (ANH FUJ HUN TAI) JA
wewalkai Bian & Ji, 2009: 37 **A**: CH (HAI)

tribe Laccornini Wolfe & Roughley, 1990

genus Laccornis Gozis, 1914: 111 type species *Hydroporus oblongus* Stephens, 1835
= *Agaporus* Zimmermann, 1919: 147 type species *Hydroporus oblongus* Stephens, 1835

kocae Ganglbauer, 1904: 352 (*Hydroporus*) **E**: AU CR HU RU (ST) UK
= *breviusculus* Gschwendtner, 1935: 206
oblongus Stephens, 1835: 437 (*Hydroporus*) **E**: AU BE BY CZ DE EN FI FR GB GE HU IR LA NL NR PL RU
(CT NT ST) SV **A**: RU (ES WS) **NAR**
= *bohemani* Thomson, 1856: 198 (*Hydroporus*)
= *nitidus* Sturm, 1835: 38 (*Hydroporus*)

tribe Methlini Branden, 1885

genus Methles Sharp, 1882: 317 type species *Methles punctipennis* Sharp, 1882 (= *Hydroporus cribratellus* Fairmaire, 1880)

cribratellus Fairmaire, 1880: 248 (*Hydroporus*) **E**: IT PT SP **N**: AG EG **A**: SA **AFR**
= *punctipennis* Sharp, 1882: 490
= *umbrosus* Gschwendtner, 1930: 210
rectus Sharp, 1882: 490 **A**: IN IQ
spinosus Sharp, 1882: 489 **N**: EG **A**: CY IS SI SY TR **AFR**

incertae sedis (Hydroporinae)

genus Morimotoa Uéno, 1957: 260 type species *Morimotoa phreatica* Uéno, 1957

gigantea Uéno, 1996: 33 **A**: JA
morimotoi Uéno, 1996: 29 **A**: JA
phreatica miurai Uéno, 1957: 273 **A**: JA
phreatica phreatica Uéno, 1957: 268 **A**: JA

subfamily **Laccophilinae** Gistel, 1856
tribe Agabetini Branden, 1885

genus Agabetes Crotch, 1873: 398 type species *Colymbetes acuductus* Harris, 1828

svetlanae Nilsson, 1989: 36 **A**: IN

tribe Laccophilini Gistel, 1856

genus Japanolaccophilus Satô, 1972: 57 type species *Neptosternus niponensis* Kamiya, 1939

niponensis Kamiya, 1939: 32 (*Neptosternus*) **A: JA**

genus *Laccophilus* Leach, 1815: 84 type species *Dytiscus minutus* Linnaeus, 1758

anticatus anticatus Sharp, 1890: 341 **A: UP ORR**

= *wewalki* Vazirani, 1975: 487

biguttatus Kirby, 1837: 69 **E: FI MD NR RU (NT) SV A: CH (HEB NMO) MG RU (ES WS) NAR**

= *apicicornis* Reitter, 1899: 198

= *fengi* Guignot, 1942: 86 [RN]

= *inconspicuus* Fall, 1917: 164

= *pallidulus* Zimmermann, 1930: 50

= *strohmi* Thomson, 1874: 535

= *uniformis* Feng, 1936: 1 [HN]

chinensis Boheman, 1858: 21 **A: BT CH (ANH FUJ GUA GUI HAI HKG HUN JIX SCH TAI YUN) HP JA NP PA SD UP ORR**

demoflysi Normand, 1938: 343 **N: TU**

difficilis Sharp, 1873: 53 **A: CH (BEI FUJ GUA GUI HAI HEI HUB HUN JIA JIL JIX LIA SCH SHG SHN SHX ZHE YUN) JA NC RU (FE) SC**

dikinohaseus Kamite, Hikida & Satô, 2005:624 **A: JA (Honshu)**

ellipticus Régimbart, 1889: 152 **A: CH (FUJ GUA HAI) ORR**

flexuosus Aubé, 1838: 430 **A: CH (FUJ GUA GUI HAI HKG HUB JIA TAI) HP JA NP PA SD UP ORR**

= *chloroticus* Régimbart, 1887: 267

= *cognatus* Sharp, 1882: 316

= *formosanus* Takizawa, 1932: 22

= *solutus* Sharp, 1882: 315

hyalinus DeGeer, 1774: 406 (*Dytiscus*) **E: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MA MC MD NL NR PL PT RU (NT ST) SK SL SP SV SZ UK YU N: AG CI LB MO TU A: CY IN IQ IS LE RU (ES WS) SY TM TR UZ**

= *cyprioticus* Mouchamps, 1956: 3

= *hyalinus* Marsham, 1802: 420 (*Dytiscus*)

= *inflatus* Wollaston, 1864: 79

= *interruptus* Panzer, 1795: 80 (*Dytiscus*)

= *kusteri* Marseul, 1866: 19 [RN]

= *marmoratus* Geoffroy, 1785: 70 (*Dytiscus*)

= *marmoreus* Olivier, 1795: 20 (*Dytiscus*)

= *pictus* Küster, 1851: 9 [HN]

= *testaceus* Aubé, 1837: 214

indicus Gschwendtner, 1936: 366 **A: PA ORR**

= *sindensis* Vazirani, 1969: 247

inefficiens Walker, 1859: 51 (*Hydroporus*) **A: IN NP PA UP ORR**

= *basalis* Motschulsky, 1859: 45

kempi holmeni Brancucci, 1983: 276 **A: CH (YUN) ORR**

kempi kempi Gschwendtner, 1936: 366 **A: SD**

kobensis Sharp, 1873: 53 **A: CH (FUJ GUX HUN SHN TAI) JA**

lewisioides Brancucci, 1983: 272 **A: CH (HEB JIA NMO SHG) RU (FE) SC**

lewisius Sharp, 1873: 52 **A: CH (ANH BEI FUJ HEB HUN JIA JIL JIX SCH SHG SHN ZHE) JA**

maindroni maindroni Régimbart, 1897: 207 **A: OM**

maindroni persicus Brancucci, 1983: 286 **A: IN PA**

mateui Omer-Cooper, 1970: 285 **N: AG**

medialis Sharp, 1882: 309 **A: BT CH (GUA YUN) SD ORR**

= *birmanicus* Régimbart, 1891: 538

= *cingulifer* Guignot, 1956: 60

= *lucasseni* Régimbart, 1893: 106

minutus Linnaeus, 1758: 412 (*Dytiscus*) **E: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MA MC MD NL NR PL PT RU (NT ST) SK SL SP SV SZ UK YU N: AG MO TU A: AF**

CH (XIN YUN) IN IQ IS JO KA KI KZ MG PA RU (ES WS) SY TD TM TR UZ **ORR**
= *cimicoides* O.F. Müller, 1776: 72 (*Dytiscus*)
= *gibbus* Gmelin, 1790: 1957 (*Dytiscus*)
= *gilvus* O.F. Müller, 1776: 72 (*Dytiscus*)
= *melanophthalmos* Geoffroy, 1785: 68 (*Dytiscus*)
= *obscurus* Panzer, 1795: 77 (*Dytiscus*)
= *striatus* Depoli, 1930: 141
= *variolosus* Herbst, 1784: 128 (*Dytiscus*)
= *virescens* Brahm, 1791: 27 [HN] (*Dytiscus*)
nakajimai Kamite, Hikida & Satô, 2005:622 **A: JA** (Ryukyus)
pallescens Régimbart, 1903: 14 **A: YE** (Socotra) **AFR**
parvulus obtusus Sharp, 1882: 311 **A: CH** (FUJ GUA GUX HAI HUB HUN SCH YUN) **ORR**
= *derasus* Sharp, 1882: 311
= *dispersus* Sharp, 1882: 312
parvulus parvulus Aubé, 1838: 429 **A: AP BT HP NP PA UP ORR**
= *orientalis* Aubé, 1838: 431
= *proteus* Régimbart, 1877: lxxix
= *undulifer* Motschulsky, 1859: 44
pictipennis Sharp, 1882: 305 **N: EG A: SA YE AFR**
= *discretus* Sharp, 1882: 305
= *restrictus* Sharp, 1882: 315
= *wehncke* Sharp, 1882: 306
poecilus Klug, 1834: t.33/8 **E: AB AL AR AU BE BH BU CR CZ EN FR GB GE GG GR HU IT LA LS LT LU MC NL NR PL RU (ST) SK SL SP SV SZ UK YU N: AG EG MO A: AF CH (XIN) IN IQ IS KI KU KZ SA SI SY TD TM TR UZ**
= *laticus* Pic, 1896: 140
= *parumpunctatus* O.Schneider, 1903: 51
= *ponticus* Sharp, 1882: 311
= *variegatus* Germar & Kaulfuss, 1816: t. 6 [HN] (*Dytiscus*)
pulicarius Sharp, 1882: 313 **A: CH (HKG) JA ORR**
= *chibi* Satô, 1972: 56
= *mjobergi* Zimmermann, 1927: 4
= *planitarsis* Régimbart, 1891: 539
punctatissimus Brancucci, 1983: 368 **A: NP PA UP ORR**
sharpi Régimbart, 1889: 151 **A: CH** (ANH BEI FUJ GUA GUI GUX HAI HEB HKG HUB HUN JIA JIL JIX LIA SCH SHX TAI YUN ZHE) HP IN JA NP PA SA SC SD UP **AUR ORR**
= *samosir* Csiki, 1938: 125
= *similis* Régimbart, 1889: 150
siamensis siamensis Sharp, 1882: 306 **A: CH (YUN) ORR**
siamensis taiwanensis Brancucci, 1983: 302 **A: CH** (FUJ GUA GUX HAI JIX TAI YUN)
sordidus Sharp, 1882: 302 **N: EG A: SA SI YE**
sublineatus Sharp, 1882: 305 **A: SA YE**
tonkinensis Brancucci, 1983: 258 **A: CH (HAI) ORR**
transversalis lituratus Sharp, 1882: 313 **A: CH** (FUJ GUA HAI HKG YUN) **ORR**
transversalis transversalis Régimbart, 1877: lxxix **AUR ORR**
= *unifasciatus* Sharp, 1882: 303
uniformis Motschulsky, 1859: 46 **A: CH** (FUJ GUA HUB) **ORR**
= *rufulus* Régimbart, 1888: 611
= *weyersi* Régimbart, 1900: 147
vagelineatus Zimmermann, 1922: 19 **A: CH** (ANH FUJ HUB JIA JIX YUN ZHE) JA RU (FE) SC
wittmeri Brancucci, 1983: 260 **A: CH** (GUA YUN) **ORR**

genus *Laccoporus* J.Balfour-Browne, 1939: 103 type species *Laccoporus viator* J.Balfour-Browne, 1939

nigritulus Gschwendtner, 1936: 367 (*Laccophilus*) **A: CH (XIZ)**
viator J.Balfour-Browne, 1939: 104 **A: CH (XIZ)**

genus *Neptosternus* Sharp, 1882: 286 type species *Neptosternus ornatus* Sharp, 1882

circumductus Régimbart, 1899: 268 **A: IN UP ORR**

coomani Peschet, 1923: 175 **A: CH (GUA HAI HKG) ORR**

hydaticoides Régimbart, 1877: lxxix (*Laccophilus*) **A: CH (GUX HAI HKG TAI) ORR**

= *tenasserimus* Guignot, 1956: 452

pocsi Satô, 1972: 149 **A: CH (GUA) ORR**

rotroui Pic, 1924: 21 (*Laccophilus*) **N: AG**

taiwanensis Hendrich & Balke, 1997: 65 **A: CH (TAI)**

yanbini Bian & Ji, 2009: 36 **A: CH (HAI)**

genus *Philodytes* J.Balfour-Browne, 1939: 479 type species *Laccophilus umbrinus* Motschulsky, 1855

umbrinus Motschulsky, 1855: 83 (*Laccophilus*) **N: AG EG A: SI AFR**

= *luridus* Schaum, 1864: 107 (*Laccophilus*)