

Catalogue of Palearctic Dytiscidae (Coleoptera)

created by **Anders N. Nilsson**, University of Umeå, Sweden; updated by **Jiří Hájek**, National Museum Prague, Czech Republic

being an update of a chapter in the Catalogue of Palaeartic Coleoptera:

Nilsson A.N. 2003: Family Dytiscidae Leach, 1815, pp. 35-78. In: Löbl I. & Smetana A. (eds.): *Catalogue of Palaeartic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga*. Stenstrup: Apollo Books, 819 pp.

Update distributed as a PDF file via Internet; version 2015-01-01.

Available from: http://www2.emg.umu.se/projects/biginst/andersn/Cat_main.htm

[Changes relative to former version marked in yellow. The following abbreviations are used: (CN) conserved name, (HN) homonym, (NO) nomen oblitum, (NP) nomen protectum, (RN) replacement name, (SN) suppressed name, and (UE) unjustified emendation.]

GEOGRAPHICAL SYMBOLS

E Europe

AB	Azerbaijan	LS	Liechtenstein
AL	Albania	LT	Lithuania
AN	Andorra	LU	Luxembourg
AR	Armenia	MA	Malta
AU	Austria	MC	Macedonia
AZ	Azores	MD	Moldavia
BE	Belgium	ME	Montenegro
BH	Bosnia Herzegovina	NL	The Netherlands
BU	Bulgaria	NR	Norway
BY	Belarus	PL	Poland
CR	Croatia	PT	Portugal
CZ	Czech Republic	RO	Romania
DE	Denmark	RU	Russia
EN	Estonia	CT	Russia: Central European Territory
FA	Faeroe Islands	NT	Russia: North European Territory
FI	Finland	ST	Russia: South European Territory
FR	France (incl. Corsica, Monaco)	SB	Serbia
GB	Great Britain (incl. Channel Islands)	SK	Slovakia
GE	Germany	SL	Slovenia
GG	Georgia	SP	Spain (incl. Gibraltar)
GR	Greece (incl. Crete)	SV	Sweden
HU	Hungary	SZ	Switzerland
IC	Iceland	TR	Turkey
IR	Ireland	UK	Ukraine
IT	Italy (incl. Sardinia, Sicily, San Marino)	YU	former Yugoslavia (without precise information)
KZ	Kazakhstan		
LA	Latvia		

N North Africa

AG	Algeria	MO	Morocco (incl. Western Sahara)
CI	Canary Islands	MR	Madeira Archipelago
EG	Egypt	TU	Tunisia
LB	Libya		

A Asia

AE	United Arab Emirates	XIZ	Xizang (Tibet)
AF	Afghanistan	YUN	Yunnan
AP	India: Arunachal Pradesh	ZHE	Zhejiang (Chekiang)
BA	Bahrain	CY	Cyprus
BT	Bhutan	HP	India: Himachal Pradesh
CH	China	IN	Iran
ANH	Anhui (Anhwei)	IQ	Iraq
BEI	Beijing (Peking or Peiping)	IS	Israel
CHQ	Chongqing	JA	Japan
FUJ	Fujian (Fukien)	JO	Jordan
GAN	Gansu (Kansu)	KA	Kashmir
GUA	Guandong (Kwantung)	KI	Kyrgyzstan
GUI	Guizhou (Kweichow)	KU	Kuwait
GUX	Guangxi (Kwangsi)	KZ	Kazakhstan
HAI	Hainan	LE	Lebanon
HEB	Hebei (Hopeh)	MG	Mongolia
HEI	Heilongjiang (Heilungkiang)	NC	North Korea
HEN	Henan (Honana)	NP	Nepal
HKG	Hong Kong	OM	Oman
HUB	Hubei (Hupeh)	PA	Pakistan
HUN	Hunan	QA	Qatar
JIA	Jiangsu (Kiangsu)	RU	Russia
JIL	Jilin (Kirin)	ES	Russia: East Siberia
JIX	Jiangxi (Kiangsi)	FE	Russia: Far East
LIA	Liaoning	WS	Russia: West Siberia
MAC	Macao	SA	Saudi Arabia
NIN	Ningxia (Ningsia)	SC	South Korea
NMO	Nei Mongol (Inner Mongolia)	SD	India: Sikkim, Darjeeling District
QIN	Qinghai (Tsinghai)	SI	Egypt: Sinai
SCH	Sichuan (Szechwan)	SY	Syria
SHA	Shaanxi (Shensi)	TD	Tajikistan
SHG	Shanghai	TM	Turkmenistan
SHN	Shandong (Shantung)	TR	Turkey
SHX	Shanxi (Shansi)	UP	India: Uttarakhand (= Uttaranchal), Uttar Pradesh
TAI	Taiwan (Formosa)	UZ	Uzbekistan
TIA	Tianjin (Tsiensin)	YE	Yemen (incl. Socotra)
XIN	Xinjiang (Sinkiang)		

World Zoogeographical Regions

AFR	Afrotropical Region
AUR	Australian Region
NAR	Nearctic Region
NTR	Neotropical Region
ORR	Oriental Region

family **DYTISCIDAE** Leach, 1815
subfamily **Agabinae** Thomson, 1867
tribe Agabini Thomson, 1867

genus Agabus Leach, 1817: 69 type species *Agabus paykullii* Leach, 1817 (= *Dytiscus serricornis* Paykull, 1799)

subgenus Acatodes Thomson, 1859: 13 type species *Dytiscus fuscipennis* Paykull, 1798

- = *Allonychus* Zaitzev, 1905: 39 [RN] type species *Agabus coxalis* Sharp, 1882
- = *Arctodytes* Thomson, 1874: 541 type species *Dytiscus elongatus* Gyllenhal in C.R. Sahlberg, 1826
- = *Badynectus* Seidlitz, 1872:57 type species *Dytiscus fuscipennis* Paykull, 1798
- = *Heteronychus* Seidlitz, 1887: 81 [HN] type species *Agabus coxalis* Sharp, 1882
- = *Mesogabus* Guéorguiev, 1969: 61 type species *Agabus insignis* Guéorguiev, 1969 (= *Dytiscus arcticus* Paykull, 1798)
- = *Scytodytes* Seidlitz, 1887: 81 type species *Dytiscus sturmii* Gyllenhal, 1808

aequabilis Gschwendtner, 1923: 105 (*Gaurodytes*) **A:** CH (SCH XIN) KI UZ

aequalis Sharp, 1882: 501 **A:** CH (GAN JIL SCH) MG RU (ES FE)

amoenus amoenus Solsky, 1874: 142 **E:** GG RU (ST) UK **A:** KZ UZ

amoenus sinuaticollis Régimbart, 1899: 278 **A:** AP CH (GAN GUX SCH YUN XIN XIZ) HP NP UP

angusi Nilsson, 1994: 172 **A:** CH (HEI) MG RU (ES)

arcticus alpinus Motschulsky, 1860: 102 (*Colymbetes*) **A:** MG RU (ES WS)

- = *insignis* Guéorguiev, 1969: 62
- = *punctipennis* J. Sahlberg, 1880: 56 (*Gaurodytes*)
- = *sibiricus* J. Sahlberg, 1880: 56 (*Gaurodytes*)

arcticus arcticus Paykull, 1798: 201 (*Dytiscus*) **E:** FI GB IR NR RU (NT) SV **NAR**

= *reticulatus* Kirby, 1837: 71 (*Colymbetes*)

arcticus ochoticus Poppius, 1908: 54 **A:** RU (FE)

bergi Zaitzev, 1913: 195 **E:** AR GG **A:** TR

browni Kamiya, 1934: 181 **A:** CH (BEI) JA SC

- = *brunneus* Kamiya, 1935: 8 [HN]
- = *orientalis* Kamiya, 1938: 36 [RN]

clypealis Thomson, 1867: 107 (*Gaurodytes*) **E:** BY DE FI GE LA PL RU (CT NT) SV UK **A:** RU (ES FE WS) **NAR**

= *scholzi* W. Kolbe, 1916: 253

confinis Gyllenhal, 1808: 511 (*Dytiscus*) **E:** FI LA NR RU (NT) SV **A:** MG RU (ES FE WS) **NAR**

- = *longulus* LeConte, 1878: 596 (*Gaurodytes*)
- = *ovoideus* Crotch, 1873: 418 (*Gaurodytes*)

congener Thunberg, 1794: 75 (*Dytiscus*) **E:** AN AR AU BE BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT MC NL NR RU (CT NT ST) PL SK SV SZ UK **A:** CH (JIL QIN) JA KZ MG RU (ES FE WS) TR

- = *congener* Paykull, 1798: 214 (*Dytiscus*) [HN]
- = *daisetsuzanus* Kamiya, 1938: 34
- = *foveolatus* Mulsant & Godart, 1860: 177
- = *funkii* Seidlitz, 1887: 92
- = *venturii* Bertolini, 1870: 242

conspicuus Sharp, 1873: 48 **A:** JA RU (FE) SC

- = *deplanatus* Guignot, 1952: 18
- = *procerus* Régimbart, 1899: 281 (*Platynectes*)

costulatus Motschulsky, 1859: 541 (*Colymbetes*) **A:** KI KZ MG RU (ES FE WS)

= *tunkunensis* Zimmermann, 1928: 178 (*Gaurodytes*)

coxalis coxalis Sharp, 1882: 535 **A:** KZ MG RU (ES WS)

= *splichali* Reitter, 1899: 196

coxalis ermaki Zaitzev, 1953: 259 (*Gaurodytes*) **E:** RU (NT) **A:** RU (ES FE WS) **NAR**

coxalis schmidti Zaitzev, 1913: 197 **E:** AR GG RU (ST) TR

discolor Harris, 1828: 164 (*Colymbetes*) **E:** FI NR RU (NT) SV **A:** RU (ES FE) **NAR**

= *levanderi* Hellén, 1929: 40

elongatus Gyllenhal in C.R. Sahlberg, 1826: 169 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (ES WS) **NAR**

= *bryanti* F.S. Carr, 1930: 278

fulvipennis Régimbart, 1899: 277 **A:** CH (HEB HUB JIX SCH SHN SHX TAI)

= *chinensis* Zimmermann, 1919: 211 (*Gaurodytes*)

fuscipennis Paykull, 1798: 209 (*Dytiscus*) **E:** AU BY CZ DE EN FI GE HU LA LT NR PL RU (CT NT ST) SK SV UK **A:** KZ RU (ES FE WS) **NAR**

- = *eversmanni* Ballion, 1855: 237
- = *fossarum* Germar, 1824: 29 (*Dytiscus*)
- = *obscurior* J. Sahlberg, 1875: 170 (*Acatodes*)

- granulatus* Falkenström, 1936: 95 (*Gaurodytes*) **A:** CH (SCH)
hummeli Falkenström, 1936: 2 (*Gaurodytes*) **A:** CH (SCH TAI)
inexpectatus Nilsson, 1990: 157 **A:** RU (ES WS) **NAR**
infuscatus Aubé, 1838: 330 **E:** FI NR RU (NT) **A:** MG RU (ES FE WS) **NAR**
 = *dubiosus* Poppius, 1905: 20
 = *gelidus* U. Sahlberg, 1906: 15
japonicus continentalis Guéorguiev, 1970: 259 [RN] **A:** CH (FUJ GUX HEB HUB JIA JIX LIA SCH TAI YUN) RU (FE) SC **ORR**
 = *falkenstromi* Zaitzev, 1953: 254 [HN] (*Gaurodytes*)
japonicus ezo Nakane, 1989: 23 **A:** CH (TAI) JA RU (FE)
japonicus japonicus Sharp, 1873: 50 **A:** JA
japonicus shiroumanus Nakane, 1959: 98 (*Gaurodytes*) **A:** JA
joachimschmidti Brancucci & Hendrich, 2008:52 **A:** CH (XIZ)
kaszabi Guéorguiev, 1972: 37 **A:** MG
kokoosson Feng, 1936: 8 **A:** CH (SHX)
lapponicus Thomson, 1867: 108 (*Gaurodytes*) **E:** FI FR IT NR RU (NT) SP SV SZ **A:** MG RU (ES FE WS) TR
 = *obovatus* J. Sahlberg, 1875: 176 (*Gaurodytes*)
 = *obscuripennis* J. Sahlberg, 1875: 177 (*Gaurodytes*)
matsumotoi Satô & Nilsson, 1990: 193 **A:** JA RU (FE)
moestus Curtis, 1835: lx (*Colymbetes*) **E:** FI RU (NT) **A:** RU (ES FE WS) **NAR**
 = *borealis* Sharp, 1882: 513
 = *nigripalpis* J. Sahlberg, 1880: 56
mucronatus Falkenström, 1936: 89 (*Gaurodytes*) **A:** CH (SCH SHA)
pseudoclypealis Scholz, 1933: 74 **E:** BY FI LA PL RU (CT NT ST) **A:** RU (WS)
 = *haraldi* Håkan Lindberg, 1933: 121
puetzi Fery, 2011: 93 **A:** CH (SCH)
regimbarti Zaitzev, 1906: 174 **A:** CH (BEI GAN GUI HEB HEI JIX LIA SCH SHA SHN SHX XIZ YUN) NC
rufipennis Gschwendtner, 1933: 163 (*Gaurodytes*) **A:** CH (FUJ)
setulosus J. Sahlberg, 1895: 39 (*Gaurodytes*) **E:** FI LA NR RU (CT NT ST) SV UK
slovzovi J. Sahlberg, 1880: 59 (*Gaurodytes*) **E:** KZ **A:** RU (ES WS)
sturmii Gyllenhal in Schönherr, 1808: 18 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GG IR IT LA LT LU ME NL NR PL RU (CT NT ST) SK SL SP SV SZ UK **A:** KZ RU (ES WS) TR
 = *fallax* Munster, 1932: 85
 = *goedelii* A. Villa & G.B. Villa, 1833: 33 (*Colymbetes*)
suoduogangi Štátný & Nilsson, 2003: 212 **A:** CH (YUN)
thomsoni J. Sahlberg, 1871: 407 (*Gaurodytes*) **E:** FI NR RU (NT) SV **A:** RU (ES FE WS) **NAR**
 = *coriaceus* J. Sahlberg, 1875: 174 (*Gaurodytes*)
tibetanus Zaitzev, 1908: 425 **A:** CH (QIN)
turcmenus Guignot, 1957: 93 **A:** KI CH (XIN)
zetterstedti Thomson, 1856: 216 **E:** FI NR RU (NT) SV **A:** RU (ES FE WS) **NAR**
 = *browni* Leech, 1938: 126 [HN]
- subgenus** *Agabus* Leach, 1817: 69 type species *Agabus paykullii* Leach, 1817 (= *Dytiscus serricornis* Paykull, 1799)
 = *Apator* Semenov, 1899: 512 type species *Agabus kessleri* Hochhuth, 1871 (= *Colymbetes bifarius* Kirby, 1837)
 = *Carrhydrus* Fall, 1922: 35 type species *Carrhydrus crassipes* Fall, 1922
 = *Eriglenus* Thomson, 1859: 14 type species *Dytiscus abbreviatus* Fabricius, 1787 (= *Dytiscus undulatus* Schrank, 1776)
 = *Neonecticus* Guignot, 1951: 84 type species *Agabus disintegratus* Crotch, 1873
- annicola* J. Sahlberg, 1880: 58 (*Gaurodytes*) **A:** RU (ES) **NAR**
 = *triton* Fall, 1922: 17
bifarius Kirby, 1837: 71 (*Colymbetes*) **E:** BY RU (CT NT ST) UK **A:** RU (Siberia) **NAR**
 = *kessleri* Hochhuth, 1871: 238
clavicornis Sharp, 1882: 536 **A:** CH (HEI) MG RU (ES FE) **NAR**
 = *verus* Brown, 1931: 115
fulvaster Zaitzev, 1906: 26 **E:** KZ RU (ST) **A:** KZ MG RU (ES WS)
jacobsoni Zaitzev, 1905: 225 **E:** RU (NT) **A:** RU (FE)
labiatus Brahm, 1790: 27 (*Dytiscus*) **E:** AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT MC MD ME NL NR PL PT RU (CT NT ST) SB SK SL SP SV SZ UK **A:** KI KZ RU (ES WS) TR
 = *assimilis* Sturm, 1834: 112 (*Colymbetes*)
 = *femoralis* Paykull, 1798: 215 (*Dytiscus*)

- = *femoralis* Gravenhorst, 1807: 102 (*Dytiscus*)
 = *hochhuti* Zaitzev, 1908: clx
 = *impressus* Zoubkoff, 1833: 317 (*Colymbetes*)
 = *transcaucasicus* Zaitzev, 1927: 28
lineatus Gebler, 1848: 75 **E:** KZ MD RU (CT ST) UK **A:** KZ MG RU (ES WS) TR
 = *desertorum* Morawitz, 1863: 169
luteaster Zaitzev, 1906: 27 **E:** RU (NT) **A:** RU (ES FE WS)
mandsuricus Guignot, 1956: 396 (*Ilybius*) **A:** CH (HEI) RU (FE)
 = *charini* Lafer, 1988: 54 (*Eriglenus*)
pallens Poppius, 1905: 22 **E:** RU (NT) **A:** KZ MG RU (ES FE WS) **NAR**
 = *hudsonicus* Leech, 1938: 123
 = *mongolicus* Guéorguiev, 1968: 27
 = *zaitzewi* Poppius, 1909: 12
poppiusi Nilsson, 2003: 97 **A:** RU (ES)
serricornis Paykull, 1799: 49 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (ES WS)
 = *clavatus* Latreille, 1804: 166 (*Dytiscus*)
 = *minor* J. Sahlberg, 1875: 170
 = *paykullii* Leach, 1817: 72 [RN]
uliginosus Linnaeus, 1761: 216 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IC IT LA LT LU NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK
 = *aeratus* Stephens, 1828: 79 (*Colymbetes*)
 = *dispar* Bold, 1849: xxiv
 = *reichei* Aubé, 1837: 138
 = *uliginosus* O.F. Müller, 1776:71 (*Dytiscus*) [HN]
undulatus Schrank, 1776: 70 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FR GB GE GG HU IT LA LT LU NL NR PL RO RU (CT ST) SK SL SV SZ UK **A:** IN KI
 = *abbreviatus* Fabricius, 1787: 191 (*Dytiscus*)
 = *imperfectus* Meier, 1899: 98
 = *interruptus* Schilsky, 1888: 183
 = *pictus* Meier, 1899: 98
 = *ruficeps* Ménétrés, 1832: 141 (*Colymbetes*)
uralensis Nilsson & Petrov, 2006: 162 **E:** RU (CT) **A:** KZ RU (ES)
vereschaginae Angus, 1984: 193 **A:** RU (ES WS)
zimmermanni Scholz, 1920: 15 **E:** BU GR RO RU (ST) UK **A:** TR
- subgenus *Gaurodytes* Thomson, 1859: 14 type species *Dytiscus bipustulatus* Linnaeus, 1767**
 = *Agabinectes* Guignot, 1932: 525 type species *Dytiscus brunneus* Fabricius, 1798
 = *Dichodytes* Thomson, 1886: x type species *Gaurodytes angusticollis* J. Sahlberg, 1871 (= *Agabus adpressus* Aubé, 1837)
 = *Dichonectes* Guignot, 1945: 21 type species *Dytiscus biguttatus* Olivier, 1795
 = *Gabinectes* Guignot, 1931: 202 type species *Dytiscus brunneus* Fabricius, 1798
 = *Metronectes* Sharp, 1882: 491 type species *Agabus aubei* Perris, 1869
 = *Necticus* Hope, 1838: 131 [HN] type species *Dytiscus bipustulatus* Linnaeus, 1767
 = *Xanthodytes* Seidlitz, 1887: 81 type species *Dytiscus nebulosus* Forster, 1771
- adpressus* Aubé, 1837: 169 **E:** FI NR RU (NT) SV **A:** KZ MG RU (ES WS) **NAR**
 = *angusticollis* J. Sahlberg, 1871: 408 (*Gaurodytes*)
 = *haeffneri* Aubé, 1837: 170
 = *sahlbergi* Sharp, 1882: 517
 = *solus* Leech, 1949: 248
 = *subquadratus* Motschulsky, 1860: 102 (*Colymbetes*)
adustus Guignot, 1954: 223 **A:** IN KA
affinis Paykull, 1798: 211 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RO RU (CT NT) SK SV SZ UK **A:** JA (Hokkaido) RU (ES FE WS)
 = *branchiatus* Babington, 1832: 329 (*Colymbetes*)
 = *guttulus* Schönherr, 1808: 19 (*Dytiscus*)
africanus Pederzani & Schizzerotto, 1998: 88 **N:** TU
alexandrae Ribera, Hernando & Aguilera, 2001:256 **N:** MO
alinae Lafer, 1988: 58 (*Gaurodytes*) **A:** RU (FE)
aubei Perris, 1869: 6 **E:** FR (Corse) IT (Elba)
 = *paralleipennis* Desbrochers des Loges, 1871: 337
basalis Gebler, 1829: 65 (*Colymbetes*) **A:** CH (XIN) KI KZ MG RU (WS) TD UZ
 = *abnormicollis* Ballion, 1871: 329
 = *pallidipennis* Jakovlev, 1897: 40 [HN]
 = *songoricus* Gebler, 1859: 450 [RN] (*Colymbetes*)

biguttatus Olivier, 1795: 26 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ FR GB GE GG GR HU IR IT LS LU MC ME NL PL PT RO RU (CT ST) SB SK SL SP SZ UK **N:** AG CI EG LB MO TU **A:** AF CH (SCH XIN) CY HP IN IQ IS JO KA KI LE PA RU (WS) SA SI SY TM TR UZ **YE**

- = *alligator* Normand, 1933: 299
- = *annulatus* Zoubkoff, 1833: 318 (*Colymbetes*)
- = *concii* Franciscolo, 1942: 137
- = *consanguineus* Wollaston, 1864: 81
- = *fontinalis* Stephens, 1828: 66 (*Colymbetes*)
- = *impressus* Guignot, 1932:540 [HN]
- = *indicus* Régimbart, 1899: 272
- = *melas* Aubé, 1837: 168
- = *nigricollis* Zoubkoff, 1833: 317 (*Colymbetes*)
- = *nitidus* Fabricius, 1801: 265 (*Dytiscus*)
- = *nubiensis* Régimbart, 1895: 154
- = *olivieri* Zaitzev, 1908: 121 [RN]
- = *pauper* Schilsky, 1888: 184
- = *pivicornis* Stephens, 1828: 66 (*Colymbetes*)
- = *silesiacus* Letzner, 1844: 170
- = *subaquilus* Gozis, 1912: 60

biguttulus Thomson, 1867: 110 (*Gaurodytes*) **E:** BY EN FI GE LA NR PL RU (CT NT) SV UK **A:** KI MG RU (ES WS)

- = *boreellus* J. Sahlberg, 1871: 409 (*Gaurodytes*)
- = *ovalis* J. Sahlberg, 1875: 178 (*Gaurodytes*)

binotatus Aubé, 1837: 161 **E:** FR (Corse) IT

bipustulatus Linnaeus, 1767: 667 (*Dytiscus*) **E:** AB AL AN AR AU AZ BE BH BU BY CR CZ DE EN FA FI FR GB GE GG GR HU IC IR IT LA LS LT LU MC ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ TR UK **N:** AG LB MO TU **A:** AF CH (XIN) CY IN IS KI KZ LE RU (WS) SY TD TR UZ "Manchuria" **AFR**

- = *abdominalis* Costa, 1847: 134 (*Colymbetes*)
- = *aceductus* Marsham, 1802: 416 (*Dytiscus*)
- = *alpestris* Heer, 1837: 53
- = *alpicola* Zaitzev, 1927: 24
- = *alticola* Bruneau de Miré & Legros, 1963: 875
- = *bipustulatus* O.F. Müller, 1776:71 (*Dytiscus*) [HN]
- = *callosus* Thomson, 1884: 1031 (*Gaurodytes*)
- = *carbonarius* Fabricius, 1801: 263 [HN] (*Dytiscus*)
- = *dolomitanus* Scholz, 1935: 37
- = *falcozi* Guignot, 1932: 557
- = *immaculatus* Schrank, 1781: 201 (*Dytiscus*)
- = *kiesenwetterii* Seidlitz, 1887: 88
- = *latus* Gebler, 1841: 371 (*Colymbetes*)
- = *luctuosus* Geoffroy, 1785: 67 (*Dytiscus*)
- = *maurus* Zimmermann, 1919: 209 (*Gaurodytes*)
- = *peyerimhoffi* Bruneau de Miré & Legros, 1963: 875
- = *picipennis* J. Sahlberg, 1903: 5
- = *pyrenaicus* Fresneda & Hernando, 1989: 35
- = *regalis* Pétri, 1903: 49
- = *remotus* J. Sahlberg, 1913: 45
- = *sexualis* Reiche, 1857: ix
- = *snowdonius* Newman, 1833: 55 (*Colymbetes*)
- = *solieri* Aubé, 1837: 183

blatta Jakovlev, 1897: 39 **A:** CH (QIN XIN) KI

- = *piceus* Jakovlev, 1897: 40

brandti Harold, 1880: 148 **A:** CH (BEI HEB JIL LIA QIN SCH YUN) MG RU (FE)

- = *jeholensis* Kamiya, 1935: 8

brunneus Fabricius, 1798: 64 (*Dytiscus*) **E:** BE FR GB GE GR IT PT SP SZ **N:** AG LB MO TU **A:** SY

- = *castaneus* Gyllenhal in Schönherr, 1808: 21 (*Dytiscus*)
- = *ferrugineus* Stephens, 1828: 79 (*Colymbetes*)

caraboides Sharp, 1882: 494 **E:** BU GG MC UK **A:** IN LE SY TR

- = *merkli* Régimbart, 1884: xix

cephalotes Reiche, 1861: 202 **E:** FR (Corse)

conspersus Marsham, 1802: 427 (*Dytiscus*) **E:** AB AL AR BE BU CR DE FR GB GE GG GR HU IR IT MC ME NL PL PT RO RU (ST) SP SV UK **N:** AG CI EG LB MO TU **A:** AF CH (QIN XIN XIZ ZHE) CY HP IN IQ JO KA KI KU KZ LE PA RU (WS) SI SY TD TM TR UZ

- = *bulgaricus* Csiki, 1943: 214 (*Gaurodytes*)
- = *corsicus* Guignot, 1932: 571
- = *gougeletii* Reiche, 1863: 474

- = *luniger* Kolenati, 1845: 82
 = *nebulosus* Schiødte, 1841: 467 [HN]
 = *perlautus* Gozis, 1912: 53
 = *subnebulosus* Stephens, 1828: 72 (*Colymbetes*)
debilipes Régimbart, 1899: 273 **A:** HP KA NP PA SD UP **ORR**
 = *skarduensis* Guignot, 1958: 30
 = *subsericatus* Régimbart, 1899: 274
dichrous Sharp, 1878: 169 **A:** AF CH (SCH XIN) KI KZ MG RU (ES) "Baluchistan"
 = *dichrous* Sharp, 1890:38 [HN]
 = *lederii* Seidlitz, 1887: 94
 = *luteolus* Régimbart, 1899: 275
didymus Olivier, 1795: 26 (*Dytiscus*) **E:** AU BE BH BU BY CZ DE FR GB GE GR IT LT LU ME NL PL PT SL SP SV SZ UK **N:** AG MO TU **A:** IS LE SY TR
 = *chalybaeus* J. Sahlberg, 1903: 12
 = *vitreus* Paykull, 1798: 217 (*Dytiscus*)
dilatatus Brullé, 1832: 127 (*Colymbetes*) **E:** AL BU GG GR IT MC RU (ST) TR UK **N:** AG EG MO TU **A:** CY IN IQ IS KI LE SI SY TR UZ
 = *balcanicus* Hlissnikovský, 1955: 101
 = *castaneus* Sharp, 1882: 500 [HN]
 = *gory* Aubé, 1837: 162
faldermanni Zaitzev, 1927: 22 **E:** AB **A:** IN IS LE SY TR
 = *iranicus* Guéorguiev, 1965: 257
 = *palaestinus* Zimmermann, 1934: 164 (*Gaurodytes*)
freudei Guéorguiev, 1975: 97 **A:** KA NP UP
friedrichi Falkenström, 1936: 91 (*Gaurodytes*) **A:** CH (GAN SCH) KI
glacialis Hochhuth, 1846: 218 **E:** AB AR GG RU (ST) **A:** IN TR
 = *armeniacus* Sharp, 1882: 497
 = *inguttatus* Reitter, 1908: 223
glazunovi Zaitzev, 1953: 228 (*Gaurodytes*) **A:** AF UZ
godmanni Crotch, 1867: 385 **E:** AZ
guttatus baudii Seidlitz, 1887: 85 **E:** IT
guttatus guttatus Paykull, 1798: 211 (*Dytiscus*) **E:** AN AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** HP RU (WS) TR
 = *nigripes* Costa, 1847: 97 (*Colymbetes*)
 = *picinus* Marsham, 1802: 428 (*Dytiscus*)
 = *septemseriatus* J. Sahlberg, 1875: 180 (*Gaurodytes*)
 = *severior* Gozis, 1912: 63
 = *signatus* Grimmer, 1841: 32 (*Colymbetes*)
 = *styriacus* Sharp, 1882: 496
heydeni Wehncke, 1872: 135 **E:** PT SP **N:** MO
 = *parvulus* Fresneda & Hernando, 1989: 14
kholini Nilsson, 1994: 45 **A:** CH (JIL) MG RU (FE)
laferi Nilsson, 1994: 47 **A:** CH (HEI) MG RU (FE)
lobonyx Guignot, 1952: 17 **A:** CH (QIN SCH) SD
longissimus Régimbart, 1899: 275 **A:** BT CH (QIN SCH) SD
maderensis Wollaston, 1854: 85 **N:** MR
melanarius Aubé, 1837: 180 **E:** AU BE BH BU BY CZ DE EN FI FR GB GE HU IT LA LT LU NL NR PL RU (CT NT) SK SV SZ UK YU
 = *frigidus* Schiødte, 1841: 477
 = *kotschyi* Letzner, 1849: 95
 = *tarsatus* Zetterstedt, 1838: 132 (*Dytiscus*)
 = *tatricus* Roubal, 1938: 19
nebulosus Forster, 1771: 56 (*Dytiscus*) **E:** AB AL AR AU BE BH BU CR CZ DE EN FR GB GE GG GR HU IR IT LA LT LU MA MC ME NL NR PL PT RU (CT ST) SK SL SP SV SZ TR YU **N:** AG CI EG LB MO MR TU **A:** CY IN IS JO LE SY TM TR
 = *abdominalis* Ragusa, 1887: 7 [HN]
 = *bipunctatus* Fabricius, 1787: 190 [HN] (*Dytiscus*)
 = *immaculatus* Gschwendtner, 1927: 92 [HN] (*Gaurodytes*)
 = *mixtus* Guignot, 1949: 6
 = *naevius* Gmelin, 1790: 1957 (*Dytiscus*)
 = *nigromaculatus* Goeze, 1777: 625 (*Dytiscus*)
 = *notatus* Bergsträsser, 1778: 31 (*Dytiscus*)
 = *pratensis* Schaufuss, 1882: 620

- = *ragusai* Zaitzev, 1908: 123 [RN]
= *rugosipennis* Guignot, 1932: 568
= *tesselatus* Geoffroy, 1785: 68 (*Dytiscus*)
nevadensis Håkan Lindberg, 1939: 32 **E: SP**
ommani Zaitzev, 1908: 424 **A: CH (QIN)**
paludosus Fabricius, 1801: 266 (*Dytiscus*) **E: AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK A: RU (WS) TR**
= *marginalis* Sharp, 1882: 502
= *pallidipennis* Laporte, 1835: 103 (*Colymbetes*)
= *politus* Marsham, 1802: 419 (*Dytiscus*)
picotae Foster & Bilton, 1997: 113 **E: PT**
ramblae Millán & Ribera, 2001:109 **E: SP**
rufulus Fairmaire, 1859: 272 **E: FR (Corse) IT (Sardegna)**
= *marginicollis* Fairmaire, 1860: 631
= *rotundatus* Wehncke, 1872: 136
safei Abdul-Karim & Ali, 1986: 277 **A: IQ**
sikhotealinensis Lafer, 1988: 56 (*Gaurodytes*) **A: RU (FE)**
solskii Jakovlev, 1897: 40 **A: AF IN KA KI PA TM UZ**
striolatus Gyllenhal, 1808: 508 (*Dytiscus*) **E: AU BE BY CR CZ DE EN FI FR GB GE HU IT LA LT NL PL RU (CT NT) SK SV UK**
= *costatus* Gerhardt, 1910: 42
= *rectus* Babington, 1841: 53 (*Colymbetes*)
svenhedini Falkenström, 1932: 192 (*Gaurodytes*) **A: CH (XIN) MG**
taiwanensis Nilsson & Wewalka, 1994: 993 **A: CH (TAI)**
tristis Aubé, 1838: 356 **E: RU (NT) A: RU (ES FE WS) NAR**
= *atratus* Mannerheim, 1853: 157
= *crotchi* Zaitzev, 1905: 212
= *dubius* Mannerheim, 1843: 221
= *kurilensis* Kamiya, 1938: 35
= *piceus* Zaitzev, 1905: 212 [HN]
= *piceolus* Zaitzev, 1908: 123 [RN]
udege Nilsson, 1994: 170 **A: CH (JIL) NC RU (FE)**
unguicularis Thomson, 1867: 101 (*Eriglenus*) **E: AU BE BY CZ DE EN FI FR GB GE IR LA LT LU NL PL RU (CT NT ST) SK SV UK A: RU (ES WS)**
winkleri Gschwendtner, 1923: 104 (*Gaurodytes*) **A: AF CH (XIN) KA KI KZ TD UZ**
= *pamiricus* Guignot, 1955: 274
wollastoni Sharp, 1882: 531 **N: MR**
= *dissimilis* Falkenström, 1938: 13 [HN] (*Gaurodytes*)
= *falkenstromi* J. Balfour-Browne, 1944: 352 [RN]
yakutiae Nilsson & Larson, 1990: 229 **A: RU (ES FE)**

genus *Hydronebrius* Jakovlev, 1897: 37 type species *Agabus cordaticollis* Reitter, 1896

- ampliocollis* Toledo, 1994: 207 **A: CH (SCH YUN)**
cordaticollis Reitter, 1896: 233 (*Agabus*) **A: KI TD UZ**
kashmirensis Vazirani, 1964: 145 (*Amphizoa*) **A: KA**
= *guignoti* Vazirani, 1970: 346
mattheyi mattheyi Brancucci, 1980: 171 **A: PA**
mattheyi nepalensis Brancucci, 1980: 174 **A: NP**

genus *Ilybiosoma* Crotch, 1873: 398 type species *Ilybius regularis* LeConte, 1852
= *Nebriogabus* Guignot, 1936: 187 type species *Agabus discicollis* Ancy, 1882
= *Ranagabus* J. Balfour-Browne, 1939: 106 type species *Agabus kermanense* J. Balfour-Browne, 1939

- kermanense* J. Balfour-Browne, 1939: 107 (*Agabus*) **A: IN**
yeti Brancucci & Hendrich, 2006:132 **A: CH (XIZ)**

genus *Ilybius* Erichson, 1832: 18 type species *Dytiscus fenestratus* Fabricius, 1781
= *Agabidius* Seidlitz, 1887: 97 type species *Ilybius cinctus* Sharp, 1882: 560
= *Asternus* Guignot, 1931: 202 type species *Dytiscus chalconatus* Panzer, 1796
= *Hyobius* Gistel, 1856: 354 type species *Dytiscus fenestratus* Fabricius, 1781

- = *Idiolybius* Gozis, 1886: 8 type species *Dytiscus fenestratus* Fabricius, 1781
- = *Ilybidius* Guignot, 1948: 169 type species *Ilybius discedens* Sharp, 1882: 557
- = *Ilybius* Gemminger & Harold, 1868: 451 type species *Dytiscus fenestratus* Fabricius, 1781
- = *Parasternus* Guignot, 1936: 186 type species *Agabus subtilis* Erichson, 1837

- adygheanus* Petrov, Shapovalov & Fery, 2010: 42 **E:** RU (ST)
- aenescens* Thomson, 1870: 125 **E:** AU BE BY CZ DE EN FI FR GB GE IR IT LA LT LU NL NR PL RU (CT NT) SK SV SZ UK **A:** KZ RU (WS)
= *kiesenwetteri* Kraatz, 1872: 166
- albarracinensis* Fery, 1986: 345 (*Agabus*) **E:** FR PT SP
= *maestri* Fresneda & Hernando, 1987: 67 (*Agabus*)
= *maestroae* Fery & Nilsson, 1993: 91 (*Agabus*)
- angustior* Gyllenhal, 1808: 500 (*Dytiscus*) **E:** BY DE EN FI GE LA LT NR PL RU (NT) SV **A:** MG RU (ES FE WS) **NAR**
- anjae* Nilsson, 1999: 36 **A:** CH (HEI) JA RU (ES FE)
= *anjarum* Nilsson, 2007: 49 [UE]
- apicalis* Sharp, 1873: 51 **A:** CH (BEI GAN HEI HUB JIA JIL JIX LIA SCH SHA SHG SHN) JA RU (FE) SC
= *intermediatus* Feng, 1936: 10
- ater* DeGeer, 1774: 401 (*Dytiscus*) **E:** AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SK SL SP SV SZ UK **A:** IN RU (ES WS)
= *ater* Panzer, 1796: 38/15 [HN] (*Dytiscus*)
= *ungularis* LeConte, 1862: 521 (*Colymbetes*)
- balkei* Fery & Nilsson, 1993: 103 (*Agabus*) **A:** MG RU (ES FE WS)
- bedeli* Zaitzev, 1908: 121 [RN] (*Agabus*) **N:** AG TU
= *politus* Reiche, 1861: 369 [HN] (*Agabus*)
- chalconatus* Panzer, 1796: 38/t.17 (*Dytiscus*) **E:** AU BE BH BU CR CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD ME NL PL PT RU (ST) SK SL SP SV SZ UK YU **N:** AG MO **A:** IN IS SY TM TR
= *aterrimus* Stephens, 1828: 79 (*Colymbetes*)
= *fuscoaenescens* Régimbart, 1878: cxlviii (*Agabus*)
= *nigroaeneus* Marsham, 1802: 428 (*Dytiscus*)
- chishimanus* Kôno, 1944: 80 **A:** CH (HEI JIL) MG RU (ES FE)
= *weymarni* J. Balfour-Browne, 1947: 446
- cinctus* Sharp, 1878: 169 **E:** AB GG RU (ST) UK **A:** CH (GAN GUX HEB HEI HUB JIA JIL LIA SCH SHA TIA XIN YUN) KZ MG RU (ES) UZ
= *angustulus* Régimbart, 1899: 289
= *chinensis* Csiki, 1901: 102
= *cinctus* Sharp, 1882: 560 [HN]
= *cinctus* Sharp, 1890: 38 [HN]
- crassus* Thomson, 1856: 224 **E:** AU BE CZ DE EN FI GE LT NR PL RU (CT NT) SK SV SZ UK **A:** RU (WS)
- dettneri* Fery, 1986: 342 (*Agabus*) **E:** PT SP
- discedens* Sharp, 1882: 557 **A:** RU (FE) **NAR**
- enpalaiatheka* Fery & Hendrich, 2011: 40 **A:** TR
- erichsoni* Gemminger & Harold, 1868: 454 (*Agabus*) **E:** AB BY DE EN FI GE HU IT LA LT NR PL RU (CT NT) SV SZ **A:** IN JA KZ MG RU (ES FE WS) **NAR**
= *cincticollis* Mäklin, 1881: 22
= *lutosus* Crotch, 1873: 419 [HN] (*Gaurodytes*)
- fenestratus* Fabricius, 1781: 294 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IT LA LS LT LU ME NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK YU **A:** KI RU (ES WS)
= *aeneus* Panzer, 1796: 38/t.16 [HN] (*Dytiscus*)
= *ciliatus* Olivier, 1791: 311 (*Dytiscus*)
= *prescottii* Mannerheim, 1829: 21 (*Colymbetes*)
- fuliginosus fuliginosus* Fabricius, 1792: 191 (*Dytiscus*) **E:** AB AL AN AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC MD ME NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **N:** MO **A:** IN KI KZ MG RU (WS) TR
= *lacustris* Panzer, 1796: 38/t.14 [HN] (*Dytiscus*)
= *pirinicus* Guéorguiev, 1957: 25
- fuliginosus turcestanicus* Gschwendtner, 1934: 74 **A:** CH (XIN) KZ
- guttiger* Gyllenhal, 1808: 499 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RO RU (CT NT) SL SV SZ UK **A:** RU (WS)
= *immunis* Stephens, 1828: 81 (*Colymbetes*)
= *kiesenwetteri* Wehncke, 1872: 136 [HN]
= *quadrinotatus* Stephens, 1828: 83 (*Colymbetes*)

- hozgargantae* Burmeister, 1983: 133 (*Agabus*) **E:** SP **N:** MO
- hulae* Wewalka, 1984: 137 (*Agabus*) **A:** IS SY TR
- jaechi* Fery & Nilsson, 1993: 94 (*Agabus*) **E:** GR TR **A:** TR
- lagabrunensis* Schizzerotto & Fery, 1990: 148 (*Agabus*) **E:** IT
- lateralis* Gebler, 1832: 40 (*Colymbetes*) **A:** CH (HEI) MG RU (ES FE)
= *limbatus* Sharp, 1882: 557
- lenensis* Nilsson, 2000: 31 [RN] **A:** RU (ES WS) "Manchuria"
= *aenescens* Poppius, 1905: 18 [HN] (*Agabus*)
- lenkoranensis* Fery & Nilsson, 1993: 95 (*Agabus*) **E:** AB **A:** IN
- meridionalis* Aubé, 1837: 126 **E:** FR IT PT SP **N:** MO
= *hispanicus* Sharp, 1873: 260
- minakawai* Nilsson & Ribera, 2007: 162 **A:** RU (FE)
- montanus* Stephens, 1828: 76 (*Colymbetes*) **E:** BE DE FR GB GE IR IT LA LT LU NL PL PT RU (ST) SP **N:** AG MO
= *melanocornis* Zimmermann, 1915: 223 (*Agabus*)
- nakanei* Nilsson, 1994: 58 **A:** JA RU (FE)
- neglectus* Erichson, 1837: 158 (*Agabus*) **E:** AU BE BY CZ DE EN FR GE HU LA LT LU NL PL RU (CT NT ST) SK SV SZ UK
- obtusus* Sharp, 1882: 558 **A:** CH (SCH) MG RU (ES)
- opacus* Aubé, 1837: 173 (*Agabus*) **E:** FI NR RU (NT) SV **A:** MG RU (ES FE WS) **NAR**
= *gelidus* Fall, 1926: 142 [HN] (*Agabus*)
= *mimmi* J. Sahlberg, 1875: 182 (*Gaurodytes*) [HN]
= *mimmii* J. Sahlberg, 1874: xiv (*Gaurodytes*)
= *pseudoconfertus* Wallis, 1926: 90 (*Agabus*)
= *rufinus* Marseul, 1882: 28 (*Agabus*)
= *sachalinensis* Kamiya, 1938: 37 (*Agabus*)
= *sharpi* Jacobson, 1908: 430 [RN] (*Agabus*)
= *sibericus* Sharp, 1882: 519 [HN] (*Agabus*)
- ovalis* Gschwendtner, 1934: 74 **A:** RU (ES)
- pederzanii* Fery & Nilsson, 1993: 95 (*Agabus*) **E:** IT
- picipes* Kirby, 1837: 71 (*Colymbetes*) **E:** FI NR SV **A:** RU (WS) **NAR**
- poppiusi* Zaitzev, 1907: 208 **A:** CH (SCH) MG RU (ES)
- pseudoneglectus* Franciscolo, 1972: 84 (*Agabus*) **E:** AL BU CR GR HU IT ME RO
= *skiathos* Hinterseher, 1981: 87 (*Agabus*)
- quadriguttatus* Lacordaire, 1835: 316 (*Colymbetes*) **E:** AU BE BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** IN TR
= *obscurus* Marsham, 1802: 414 [HN] (*Dytiscus*)
= *sexdentatus* Schiødte, 1841: 487
- samokovi* Fery & Nilsson, 1993: 91 (*Agabus*) **E:** BU
- satunini* Zaitzev, 1913: 196 (*Agabus*) **E:** GG RU (ST) **A:** RU (WS) TR
- similis* Thomson, 1856: 225 **E:** BY CZ DE EN FI FR GE HU LA LT NR RU (CT NT) PL SV UK
= *ovatus* Hochhuth, 1871: 237
- subaeneus* Erichson, 1837: 156 **E:** AB AR AU BE BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT LU MD NL NR PL RO RU (CT NT ST) SK SV SZ UK **A:** KI KZ MG RU (ES WS) **NAR**
= *badenii* Wehncke, 1872: 164
= *chalybeatus* Thomson, 1860: 48
= *lapponicus* Scholz, 1917: 251
= *suffusus* Crotch, 1873: 411
= *viridiaeneus* Crotch, 1873: 411
- subtilis* Erichson, 1837: 157 (*Agabus*) **E:** AU BY CZ DE EN FI FR GE HU IT LA LT NR PL RU (CT NT) SK SV UK **A:** RU (ES WS)
= *altaicus* Gebler, 1848: 73
- thynias* Fery & Przewoźny, 2011: 60 **E:** TR
- vittiger* Gyllenhal, 1827: 379 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (WS) **NAR**
- wasastjerna* C.R. Sahlberg, 1824: 167 (*Dytiscus*) **E:** AU BY CZ DE FI GB GE LA NR PL RU (CT NT) SV UK **A:** RU (WS) **NAR**
= *kenaiensis* Fall, 1926: 141 (*Agabus*)
= *palustris* Wallis, 1926: 92 (*Agabus*)
- wewalkai* Fery & Nilsson, 1993: 85 (*Agabus*) **A:** TR
- genus *Platambus* Thomson, 1859: 14** type species *Dytiscus maculatus* Linnaeus, 1758
= *Agabinus* Crotch, 1873: 397 type species *Colymbetes glabrellus* Motschulsky, 1859

- = *Agraphis* Guignot, 1954: 199 type species *Agraphis confossa* Guignot, 1954 (= *Agabus sawadai* Kamiya, 1932)
- = *Allogabus* Guignot, 1954: 199 type species *Agabus americanus* Aubé, 1838
- = *Anagabus* Jakovlev, 1897: 38 type species *Anagabus semenowi* Jakovlev, 1897
- = *Colymbinectes* Falkenström, 1936: 97 type species *Colymbinectes ater* Falkenström, 1936
- = *Neoplatynectes* Vazirani, 1970: 305 type species *Platynectes princeps* Régimbart, 1888
- = *Paraplatynectes* Vazirani, 1970: 305 type species *Platynectes guttula* Régimbart, 1899
- = *Stictogabus* Guignot, 1948: 167 type species *Agabus angulicollis* Régimbart, 1899

- angulicollis* Régimbart, 1899: 273 (*Agabus*) **A:** CH (BEI GAN HEB NMO SCH SHA SHX XIZ YUN)
- ater* Falkenström, 1936: 97 (*Colymbinectes*) **A:** CH (GUI SCH YUN)
- balfourbrownei* Vazirani, 1965: 28 **A:** CH (YUN) NP UP **ORR**
- biswasi* Vazirani, 1965: 32 **A:** NP UP
- convexus* Okada, 2011: 32 **A:** JA
- dabieshanensis* Nilsson, 2003: 266 **A:** CH (ANH)
- denticulatus* Nilsson, 2003: 270 **A:** CH (SCH)
- elongatus* Bian & Ji, 2008: 33 **A:** CH (HAI)
- excoffieri* Régimbart, 1899: 281 **A:** CH (GAN GUI HAI HEB HUN SCH SHA SHN YUN XIZ ZHE) **ORR**
- fimbriatus* Sharp, 1884: 445 **A:** CH (JIL GAN HEB SCH) JA NC RU (FE) SC
= *kansouis* Feng, 1936: 9
- guttulus* Régimbart, 1899: 283 (*Platynectes*) **A:** CH (SHG)
- heteronychus* Nilsson, 2003: 271 **A:** CH (GUA)
- ikedai* Nilsson, 1997: 635 (*Agabus*) **A:** JA
- insolitus* Sharp, 1884: 444 (*Agabus*) **A:** JA
- kempi* Vazirani, 1970: 330 (*Agraphis*) **A:** BT NP SD
- khukri* Brancucci, 1990: 240 **A:** NP
- koreanus* Nilsson, 1997: 636 (*Agabus*) **A:** RU (FE) SC
- lindbergi* Guéorguiev, 1963: 218 **A:** AF HP PA UP **ORR**
= *guignoti* Vazirani, 1965: 27
- lineatus* Gschwendtner, 1935: 62 **A:** AP BT NP PA UP **ORR**
- lunulatus* Fischer von Waldheim, 1829: 26 (*Colymbetes*) **E:** AB AR GG GR RU (ST) TR **N:** EG **A:** IN LE TR
= *sinuatus* Aubé, 1837: 148 (*Agabus*)
- maculatus* Linnaeus, 1758: 412 (*Dytiscus*) **E:** AL AN AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** IN MG RU (WS) TR
= *biocellatus* O.F. Müller, 1776: 72 (*Dytiscus*)
= *cantalicus* Pic, 1912: 57
= *caucasicus* Zaitzev, 1927: 18
= *escalerai* Régimbart, 1900: 121
= *glacialis* Graells, 1858: 42 [HN] (*Agabus*)
= *graellsii* Gemminger & Harold, 1868: 455 [RN] (*Agabus*)
= *hebraicus* Geoffroy, 1785: 70 (*Dytiscus*)
= *inornatus* Schilsky, 1888: 183
= *ornatus* Herbst, 1784: 125 (*Dytiscus*)
= *pulchellus* Heer, 1839: 149 (*Colymbetes*)
- micropunctatus* Nilsson, 2003: 269 **A:** CH (GUA)
- nepalensis* Guéorguiev, 1968: 42 (*Stictogabus*) **A:** AP BT NP SD
= *bhutanensis* Wewalka, 1975: 157
- optatus* Sharp, 1884: 445 (*Agabus*) **A:** CH (FUJ JIX) JA
= *miyamotoi* Nakane, 1959: 95 (*Gaurodytes*)
- pictipennis* Sharp, 1873: 49 (*Agabus*) **A:** JA RU (FE) "Korea"
- princeps* Régimbart, 1888: 615 (*Platynectes*) **A:** CH (GUA HKG YUN) **ORR**
- punctatipennis* Brancucci, 1984: 153 **A:** CH (FUJ GUA JIX)
- satoi* Brancucci, 1982: 226 **A:** BT NP
- sawadai* Kamiya, 1932: 6 (*Agabus*) **A:** JA
= *confossus* Guignot, 1954: 200 (*Agraphis*)
- schaefleini* Brancucci, 1988: 188 **A:** CH (YUN) **ORR**
- schillhammeri* Wewalka & Brancucci, 1995: 99 **A:** CH (GUI HUB HUN SCH SHA)
- semenowi* Jakovlev, 1897: 38 (*Anagabus*) **A:** KI TD
- sogdianus* Jakovlev, 1897: 39 (*Anagabus*) **A:** AF KA KI NP PA TD UZ
= *holzschuhi* Wewalka, 1975: 155
= *jucundus* Guignot, 1954: 222 (*Agabus*)
= *ledouxi* Legros, 1977: 14 (*Anagabus*)

= *limbibus* Reitter, 1900: 226 (*Anagabus*)
= *vatelloides* Régimbart, 1899: 270 (*Agabus*)
striatus Zeng & Pu, 1992: 482 (*Hydronebrius*) **A:** CH (SCH YUN)
stygius Régimbart, 1899: 279 (*Agabus*) **A:** CH (BEI HEB JIL LIA SCH SHN YUN) JA SC
= *jilanzhui* Wewalka & Brancucci, 1995: 98
= *nakanei* Nilsson, 1997: 631 (*Agabus*)
ussuriensis Nilsson, 1997: 632 (*Agabus*) **A:** CH (FUJ HEB JIL LIA) NC RU (FE) SC
wangi Brancucci, 2006: 67 **A:** CH (HUB YUN)
wewalkai Brancucci, 1982: 120 **A:** KA
wittmeri Wewalka, 1975: 158 **A:** BT NP **ORR**
wulingshanensis Brancucci, 2005: 1 **A:** CH (HUB HUN)
yaanensis Nilsson, 2003: 272 **A:** CH (SCH)
yuxiae Brancucci, 2011: 10 **A:** CH (GUX)

tribe Hydrotrupini Roughley, 2000

genus *Hydrotrupes* Sharp, 1882: 491 type species *Hydrotrupes palpalis* Sharp, 1882

chinensis Nilsson, 2003: 280 **A:** CH (ANH)

genus *Platynectes* Régimbart, 1879: 454 type species *Agabus decemnotatus* Aubé, 1838

subgenus *Gueorguievtes* Vazirani, 1976: 170 type species *Agabus dissimilis* Sharp, 1873
= *Metaplatynectes* Guéorguiev, 1978: 271 type species *Dytiscus decempunctatus* Fabricius, 1775

babai Satô, 1982: 3 **A:** CH (TAI)

chujoi Satô, 1982: 1 **A:** JA (Ryukyu Islands)

deletus Régimbart, 1899: 287 **A:** JA

dissimilis Sharp, 1873: 50 (*Agabus*) **A:** CH (ANH FUJ GUA GUI HUN JIX SHA SHX ZHE)

gemellatus Šťastný, 2003: 235 **A:** CH (FUJ GUA GUI GUX HKG JIX MAC TAI)

hainanensis Nilsson, 1998: 110 **A:** CH (HAI)

kashmiranus *kashmiranus* J. Balfour-Browne, 1944: 352 [RN] **A:** AF BT CH (XIZ) HP KA NP PA SD UP **ORR**
= *lineatus* Redtenbacher, 1844: 503 [HN] (*Colymbetes*)

kashmiranus lemerki Šťastný, 2003: 230 **A:** CH (YUN)

major Nilsson, 1998: 114 **A:** CH (YUN) **ORR**

mazzoldii Šťastný, 2003: 240 **A:** CH (YUN) **ORR**

nanlingensis Šťastný, 2003: 236 **A:** CH (FUJ GUA)

rihai Šťastný, 2003: 243 **A:** CH (SHN)

wewalkai Šťastný, 2003: 224 **A:** NP

subfamily **Colymbetinae** Erichson, 1837

tribe Colymbetini Erichson, 1837

genus *Colymbetes* Clairville, 1806: 188 type species *Dytiscus striatus* Linnaeus, 1758
= *Cymatopterus* Dejean, 1833: 54 type species *Dytiscus fuscus* Linnaeus, 1758

dahuricus Aubé, 1837: 99 **A:** CH (JIL) MG RU (ES FE) **NAR**

= *obscuratus* Mannerheim, 1853: 154 (*Cymatopterus*)

= *seminiger* LeConte, 1862: 522

dolabratus Paykull, 1798: 204 (*Dytiscus*) **E:** FI IC NR RU (NT) SV **A:** KZ RU (ES FE WS) **NAR**

= *drewseni* LeConte, 1862: 523

= *groenlandicus* Aubé, 1838: 233

= *thomsoni* Sharp, 1882: 628

= *tolli* Zaitzev, 1907: 209

= *triseriatus* Kirby, 1837: 73

fuscus Linnaeus, 1758: 411 (*Dytiscus*) **E:** AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MA MC **ME** NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ TR UK YU **N:** AG EG LB MO TU **A:** AF CH (XIZ) CY IN IS KA KZ LE RU (WS) SI SY TR UZ

= *affinis* Stein, 1881: 222

= *semirufus* Zimmermann, 1921: 89
= *transversestriatus* DeGeer, 1774: 399 (*Dytiscus*)
koenigi Zaitzev, 1927: 30 **E: GG A: IN TR**
magnus Feng, 1936: 12 **A: CH (HEI TIA)**
meseopotamicus Abdul-Karim & Ali, 1986: 278 **A: IQ**
minimus Zaitzev, 1908: 420 **A: CH (QIN XIZ)**
paykulli Erichson, 1837: 149 **E: BY DE EN FI GE LA LT NL NR PL RU (CT NT) SV UK A: KZ RU (ES WS)**
piceus Klug, 1834: t.33: 6 **N: EG A: IN IQ KU SA SI YE**
= *procerus* Sharp, 1882: 631
= *simplex* Walker, 1871: 11
pseudostriatus Nilsson, 2002:191 **A: CH (HEI) JA MG RU (ES FE)**
schildknechti Dettner, 1983: 39 **E: FR IT PT SP N: AG LB MO TU**
semenowi Jakovlev, 1896: 176 (*Cymatopterus*) **E: AB GG RU (ST) UK A: AF CH (XIN XIZ) IN KI KZ TM**
= *kokujewi* Jakovlev, 1896: 180 (*Cymatopterus*)
striatus Linnaeus, 1758: 411 (*Dytiscus*) **E: BE BH BY CR CZ DE EN FI FR GE HU KZ LA LT NR PL RU (CT NT ST) SK SL SV UK A: KZ RU (ES WS)**
= *bogemanni* Gyllenhal, 1813: 687 (*Dytiscus*)
substrigatus Sharp, 1882: 630 **A: SA YE**
tschitscherini Jakovlev, 1896: 177 (*Cymatopterus*) **A: CH (XIN)**
vagans Sharp, 1882: 630 **A: IN KU**

genus *Meladema* Laporte, 1835: 98 type species *Meladema coriacea* Laporte, 1835

coriacea Laporte, 1835: 98 **E: BU FR GR IT MA PT SP N: AG CI LB MO TU A: TR**
imbricata Wollaston, 1871: 220 (*Scutopterus*) **N: CI**
lanio Fabricius, 1775: 231 (*Dytiscus*) **N: MR**
= *lowei* Gray in Griffith, 1831: 284 (*Colymbetes*)

genus *Melanodytes* Seidlitz, 1887: 24 type species *Dytiscus pustulatus* Rossi, 1792

pustulatus Rossi, 1792: 68 (*Dytiscus*) **E: AL BU CR FR GR IT TR**

genus *Rhantus* Dejean, 1833: 54 type species *Colymbetes pulverosus* Stephens, 1828 (= *Colymbetes suturalis* W.S. Macleay, 1825)

subgenus *Nartus* Zaitzev, 1907: 103 type species *Dytiscus grapii* Gyllenhal, 1808
= *Ilybiomorphus* Porta, 1923: 259 type species *Dytiscus grapii* Gyllenhal, 1808
= *Rantogiton* Gozis, 1910: 6 type species *Dytiscus grapii* Gyllenhal, 1808

grapii Gyllenhal, 1808: 505 (*Dytiscus*) **E: AU BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK**
= *niger* Lacordaire in Boisduval & Lacordaire, 1835: 314 (*Colymbetes*)

subgenus *Rhantus* Dejean, 1833: 54 type species *Colymbetes pulverosus* Stephens, 1828 (= *Colymbetes suturalis* W.S. Macleay, 1825)

= *Anisomera* Brullé, 1835: 200 [HN] type species *Anisomera bistrinata* Brullé, 1835
= *Anisomeria* Brinck, 1943: 7 [RN] type species *Anisomeria bistrinata* Brullé, 1835
= *Senilites* Brinck, 1948: 16 type species *Senilites tristanicola* Brinck, 1948

bistriatus Bergsträsser, 1778: 42 (*Dytiscus*) **E: AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT KZ LA LT NL PL SK RU (CT NT ST) SV SZ UK A: IN KZ MG RU (WS) TM**
= *aberratus* Gemminger & Harold, 1868: 448
= *nigropunctatus* Motschulsky, 1860: 302
= *pericaspius* Guignot, 1956: 398
consputus Sturm, 1834: 83 (*Colymbetes*) **E: AU BH CZ FR GE HU LT PL RO RU (CT ST) SK SL A: RU (WS)**
= *dressleri* Zimmermann, 1920: 200
= *luteicollis* Gebler, 1848: 72
erraticus Sharp, 1884: 446 **A: JA RU (FE)**
exoletus Forster, 1771: 57 (*Dytiscus*) **E: AU BE BH BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU MD NL NR PL PT RO RU (CT NT ST) SB SK SL SV SZ UK A: RU (ES WS) TM**

- = *adpersus* Panzer, 1796: 38/t.18 (*Dytiscus*)
- = *collaris* Paykull, 1798: 200 [HN] (*Dytiscus*)
- = *insolatus* Gebler, 1829: 66 (*Colymbetes*)
- = *melanopterus* Zetterstedt, 1828: 211 (*Dytiscus*)
- = *nigriventris* Newbery & Sharp, 1915 [HN]
- = *oculatus* Herbst, 1784: 125 (*Dytiscus*)
- fengi* Zhao, Jia & Balke, 2011: 63 **A: CH (XIZ)**
- fennicus* Huldén, 1982: 125 **E: BY FI RU (CT NT ST) SV**
- formosanus* Kamiya, 1938: 42 **A: CH (TAI)**
- friedrichi* Falkenström, 1936: 227 **A: RU (SCH)**
- frontalis* Marsham, 1802: 425 (*Dytiscus*) **E: AB AR AU BE BH BY CR CZ DE EN FI FR GB GE GG HU IR IT KZ LA LS LT LU MD NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK A: KZ MG RU (ES WS) TR**
- = *flavicollis* Eschscholtz, 1818: 458 (*Dytiscus*)
- = *gyllenhalii* Laporte, 1840: 162 (*Colymbetes*)
- = *punctatus* Hoppe, 1795: 32 [HN] (*Dytiscus*)
- = *semicirculatus* Schneider, 1898: 51
- = *suturalis* Lacordaire, 1835: 311 [HN]
- = *vermicularis* Fauvel, 1889:82
- = *virgulatus* Illiger, 1806: 225 (*Dytiscus*)
- gogonensis* Wewalka, 1975: 160 **A: BT**
- hispanicus* Sharp, 1882: 622 **E: FR PT SP N: AG EG MO**
- includens* Walker, 1871: 11 (*Colymbetes*) **N: EG A: IS SA SI SY YE AFR**
- = *aulicus* Omer-Cooper, 1931: 789
- = *elevatus* Sharp, 1882: 609
- = *pictiventris* Régimbart, 1905: 208
- incognitus* Scholz, 1927: 147 **E: BY DE LA LT PL RU (CT NT) SK UK**
- latitans* Sharp, 1882: 621 **E: AU BE BU BY CR CZ EN FR GE HU IT LA LT MD NL PL RO RU (CT ST) SK SL SZ UK A: KZ RU (ES WS)**
- notaticollis* Aubé, 1837: 107 (*Colymbetes*) **E: AU BY CZ DE EN FI FR GE GG IT LA LT MD NR PL RO RU (CT NT) SK SV SZ A: CH (HEI JIL) JA KZ MG RU (ES FE WS)**
- = *infuscatus* Erichson, 1837: 151 (*Colymbetes*)
- = *nigriventris* Motschulsky, 1860: 101
- = *vibicollis* Hochhuth, 1846: 216 (*Colymbetes*)
- ovalis* Gschwendtner, 1936: 371 **A: BT NP SD**
- pederzanii* Toledo & Mazzoldi, 1996: 237 **A: CH (SCH)**
- rufus* Zimmermann, 1922: 20 **A: KI RU (WS)**
- = *subparallelus* Scholz, 1927: 146
- sexualis* Zimmermann, 1919: 219 **A: CH (XIZ) HP NP SD**
- sikkimensis* Régimbart, 1899: 306 **A: BT CH (HEB SCH YUN) HP NP PA SD ORR**
- = *punjabensis* Vazirani, 1970: 355
- suturalis* W.S. Macleay, 1825: 31 (*Colymbetes*) **E: AB AL AR AU AZ BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MA MC ME NL NR PL PT RO RU (CT ST) SB SK SL SP SV SZ UK N: EG LB MO TU A: AF CH (BEI FUJ GAN GUA GUI GUX HEB HEI HUB JIA JIL LIA MAC NMO QIN SCH SHN SHX TAI XIZ YUN ZHE) CY HP IN IQ IS JA KA KI KU KZ MG NC NP PA RU (ES FE WS) SA SC SD SI TD TM TR UZ AUR ORR**
- = *annamita* Régimbart, 1899: 309
- = *australis* Aubé, 1838: 236 (*Colymbetes*)
- = *birmanicus* Vazirani, 1970: 352
- = *bramardi* Guignot, 1942: 87
- = *chinensis* Falkenström, 1936: 228
- = *dispar* Régimbart, 1899: 308
- = *flaviventris* Schilsky, 1908:600
- = *hypochlorus* Gozis, 1911: 36
- = *montrouzieri* Lucas, 1860: 243 (*Colymbetes*)
- = *morneri* Falkenström, 1937: 41
- = *neoguineensis* Guéorguiev & Rocchi, 1993: 149
- = *pulverosus* Stephens, 1828: 69 (*Colymbetes*)
- = *punctatus* Geoffroy, 1785: 70 [HN] (*Dytiscus*)
- = *regimbarti* Jakovlev, 1896: 182
- = *ruficollis* Schilsky, 1908:600
- = *rufimanus* White, 1846: 6 (*Colymbetes*)
- = *sharpi* Jakovlev, 1896: 183
- suturellus* Harris, 1828: 164 (*Colymbetes*) **E: AU BE BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU MD NL NR PL RU (CT NT) SK SV UK YU A: RU (ES FE WS) NAR**

- = *semilineatus* Fleischer, 1898: 25
- = *subopacus* Mannerheim, 1853: 157 (*Agabus*)
- = *zimmermanni* Wallis, 1933: 274

taprobanicus Sharp, 1890: 346 **A**: HP NP PA UP **ORR**
thibetanus Régimbart, 1899: 307 **A**: CH (HUB JIX SCH)
= *aequimarginatus* Falkenström, 1936: 232
= *laticollis* Régimbart, 1899: 308
vermiculatus Motschulsky, 1860: 101 **A**: CH (HEI) MG RU (ES)
yessoensis Sharp, 1891: 6 **A**: CH (FUJ HUN JIX LIA) JA SC

subfamily **Copelatinae** Branden, 1885
tribe Copelatini Branden, 1885

genus *Copelatus* Erichson, 1832: 18 type species *Dytiscus posticatus* Fabricius, 1801

antoniorum Hájek & Brancucci, 2011: 127 **A**: AE OM
atrosulcatus Régimbart, 1906: 251 **A**: YE **AFR**
bacchusi Wewalka, 1981: 66 **A**: UP
bangalorensis Vazirani, 1970: 311 **A**: CH (GUX SHG YUN) NP **ORR**
erichsonii Guérin-Méneville, 1847: 51 **N**: EG **AFR**
= *erichsonii* Guérin-Méneville, 1849: 270 [HN]
= *formosus* Wollaston, 1867: 34
filiformis Sharp, 1882: 563 **A**: "Himalaya" **ORR**
freudei Guignot, 1954: 72 **A**: BT **ORR**
gestroi Sharp, 1882: 597 (*Aglymbus*) **N**: EG **A**: IS OM SA SI **YE** **AFR**
ibrahimi Zalat, Saleh, Angus & Kaschef, 2000:15 **N**: EG
imasakai Matsui & Kitayama, 2000:95 **A**: JA (Ryukyu Islands)
indicus Sharp, 1882: 582 **A**: UP **ORR**
japonicus Sharp, 1884: 445 **A**: CH (FUJ HUB SCH TAI YUN) JA SC
= *chinensis* Régimbart, 1899: 298
= *collocallosus* Falkenström, 1932: 192
kammuriensis Tamu & Tsukamoto, 1955: 73 **A**: JA
koreanus T. Mori, 1932: 49 **A**: SC
minutissimus J. Balfour-Browne, 1939: 79 **A**: JA **ORR**
nakamurai Guéorguiev, 1970: 258 **A**: JA
= *hasegawai* Satô, 1988: 123
oblitus Sharp, 1882: 582 **A**: CH (HKG MAC TAI) JA **ORR**
= *andamanicus* Régimbart, 1899: 302
= *ryukyuensis* Satô, 1961: 8
= *subfasciatus* Zimmermann, 1919: 76
= *tokaraensis* Nakane, 1963: 25
ogasawarensis Kamiya, 1932: 6 **A**: JA
parallelus Zimmermann, 1920: 226 **A**: JA
pulchellus Klug, 1834: t.33/7 (*Agabus*) **A**: IQ SA SI **YE (Socotra)** **AFR**
= *africanus* Sharp, 1882: 583
= *basalis* Boheman, 1848: 244
= *discoideus* Sharp, 1882: 582
= *marginipennis* Laporte, 1835: 102 (*Colymbetes*)
= *obtusus* Boheman, 1848: 242
= *strigulosus* Sharp, 1882: 582
rimosus Guignot, 1952: 27 **A**: CH (YUN)
sociennus J. Balfour-Browne, 1952: 26 **A**: CH (HKG MAC TAI) NP
takakurai Satô, 1985: 63 **A**: CH JA
tenebrosus Régimbart, 1880: 210 **A**: CH (FUJ MAC TAI YUN) JA **ORR**
= *hisamatsui* Satô, 1961: 8
= *pusillus* Sharp, 1882: 580
teranishii Kamiya, 1938: 27 **A**: JA
= *multistriolatus* Guignot, 1956: 490
tomokunii Satô, 1985: 63 **A**: JA
weymarni J. Balfour-Browne, 1947: 440 **A**: CH (HEI LIA SHG) JA NC RU (FE) SC
zimmermanni Gschwendtner, 1934: 143 **A**: CH (ZHE) JA

genus *Exocelina* Broun, 1886: 938 type species *Exocelina advena* Broun, 1886 (= *Celina australis* Clark, 1863)
= *Papuadytes* Balke, 1998: 305 type species *Copelatus rivulus* Balke, 1998

shizong Balke & Bergsten, 2003: 90 (*Copelatus*) **A: CH (YUN)**

genus *Lacconectus* Motschulsky, 1855: 83 type species *Lacconectus fulvescens* Motschulsky, 1855

= *Paralacconectus* Vazirani, 1970: 304 type species *Lacconectus scholzi* Gschwendtner, 1922

arunachal Brancucci, 2006: 61 **A: AP**

basalis Sharp, 1882: 598 **A: CH (TAI YUN) ORR**

brancuccii Hájek, Zhao & Jia, 2013: 92 **A: CH (HAI)**

formosanus Kamiya, 1938: 29 (*Platynectes*) **A: CH (FUJ JIX TAI) ORR**

hainanensis Hendrich, 1998: 102 **A: CH (HAI)**

holzschuhi Brancucci, 1986: 104 **A: NP SD**

klausnitzeri Brancucci, 2006: 59 **A: AP**

kubani Brancucci, 2003: 98 **A: CH (YUN) ORR**

laccophiloides Zimmermann, 1928: 175 **A: CH (GUA) ORR**

= *kurosawai* Satô, 1979: 39

maoyangensis Brancucci, 2003: 103 **A: CH (HAI)**

menglunensis Brancucci, 2003: 100 **A: CH (YUN)**

meyeri Brancucci, 2003: 101 **A: CH (YUN) ORR**

nepalensis Brancucci, 1989: 108 **A: NP**

nicolasi Brancucci, 1986: 119 **A: AP BT NP SD ORR**

ovalis Gschwendtner, 1936: 369 **A: AP**

pseudonicolasi Brancucci, 2003: 106 **A: CH (YUN) ORR**

sikkimensis Brancucci, 1989: 109 **A: SD**

similis 1986: 109 **A: CH (YUN) ORR**

tonkinoides Brancucci, 1986: 127 **A: CH (GUA YUN) ORR**

genus *Liopterus* Dejean, 1833: 54 type species *Dytiscus oblongus* Illiger, 1801

= *Pelocatus* Zaitzev, 1908: 121 [RN] type species *Dytiscus oblongus* Illiger, 1801

atriceps Sharp, 1882: 569 (*Copelatus*) **E: FR IT PT SP N: AG MO TU**

haemorrhoidalis Fabricius, 1787: 191 (*Dytiscus*) **E: AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL PL RO RU (CT NT ST) SB SK SL SP SV SZ UK N: AG A: IN IS TD TM TR**

= *agilis* Fabricius, 1792: 194 (*Dytiscus*)

= *oblongus* Illiger, 1801: 72 (*Dytiscus*)

= *ruficollis* Schaller, 1783: 313 [HN] (*Dytiscus*)

= *schalleri* Gmelin, 1790: 1952 (*Dytiscus*)

subfamily **Cybistrinae** Sharp, 1880

tribe **Cybistrini** Sharp, 1880

genus *Cybister* Curtis, 1827: 151 type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)

subgenus *Cybister* Curtis, 1827: 151 type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)

= *Alocomerus* Brinck, 1945: 11 type species *Cybister buqueti* Aubé, 1838

= *Cybiteter* Bedel, 1881: 242 type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)

= *Gschwendtnerhydrus* Brinck, 1945: 11 type species *Dytiscus tripunctatus* Olivier, 1795

= *Megadytoides* Brinck, 1945: 11 type species *Cybister marginicollis* Boheman, 1848

= *Meganectes* Brinck, 1945: 11 type species *Cybister dejeanii* Aubé, 1838

= *Nealocomerus* Brinck, 1945: 11 type species *Dytiscus fimbriolatus* Say, 1825

= *Scaphinectes* Ádám, 1993: 81 [RN] type species *Dytiscus roeselii* Fuessli, 1775 (= *Dytiscus lateralimarginalis* DeGeer, 1774)

= *Trochalus* Dejean, 1833: 53 [HN] type species *Dytiscus roeselii* Fuessli, 1775 (= *Dytiscus lateralimarginalis* DeGeer, 1774)

= *Trogus* Leach, 1817: 70 [HN] type species *Dytiscus lateralis* Fabricius, 1798 (= *Dytiscus tripunctatus* Olivier, 1795)

- bengalensis* Aubé, 1838: 61 **A**: CH (BEI GUA FUJ HAI HEB JIX SCH YUN ZHE) **ORR**
- cardoni* Severin, 1890: cxci **A**: PA **ORR**
- cephalotes* Sharp, 1882: 737 **A**: SA YE **AFR**
= *kondensis* Gschwendtner, 1927:93
- chinensis* Motschulsky, 1854: 44 **A**: CH (BEI FUJ GUA HAI HEB HEI JIL LIA NIN SCH SHA SHN SHX TAI TIA) JA NC RU (FE) SC
= *japonicus* Sharp, 1873: 45
- cognatus* Sharp, 1882: 744 **A**: HP **ORR**
- confusus* Sharp, 1882: 739 **A**: PA **ORR**
- crassipes* Sharp, 1882: 735 **A**: SA
- fumatus* Sharp, 1882: 731 **A**: CH (SHG) **ORR**
- gracilis* Sharp, 1882: 742 **A**: SD
- guerini* Aubé, 1838: 57 **A**: CH (GUA) "Manchuria" **ORR**
- laevis* Falkenström, 1936: 243 **A**: CH (SCH)
- lateralimarginalis lateralimarginalis* DeGeer, 1774: 396 (*Dytiscus*) **E**: AB AR AU BE BH BU BY CR CZ DE EN FR GE GR HU IT KZ LA LT LU MC ME NL PL PT RO RU (CT ST) SB SK SL SP SV SZ UK **N**: AG EG LB MO TU **A**: CY IN IS JO KI KU KZ LE SY
= *dispar* Rossi, 1790: 199 [HN] (*Dytiscus*)
= *dissimilis* Rossi, 1792: 66 (*Dytiscus*)
= *glaber* Bergsträsser, 1778: 31 [HN] (*Dytiscus*)
= *herbeti* Peytoureau, 1894: xxxix (*Dytiscus*)
= *intricatus* Schaller, 1783: 311 (*Dytiscus*)
= *jordanis* Reiche & Sauley, 1855: 637
= *lepidus* Apetz, 1852: 34
= *lusitanicus* Sharp, 1882: 747
= *pallidus* Ménétrés, 1832: 140 [HN] (*Dytiscus*)
= *roeselii* Fuessli, 1775: 18 (*Dytiscus*)
= *tataricus* Gebler, 1829: 64 (*Dytiscus*)
= *vetulus* Schrank, 1798: 710 (*Dytiscus*)
= *virens* O.F. Müller, 1776: 70 (*Dytiscus*)
= *virescens* Gmelin, 1790: 1958 (*Dytiscus*)
- lateralimarginalis ponticus* Sharp, 1882: 748 **A**: IN IQ
- lateralimarginalis torquatus* Fischer von Waldheim, 1829: 25 (*Dytiscus*) **E**: GG RU (ST) **A**: AF CH (GAN NIN NMO XIN) KA TM TR
= *chaudoirii* Hochhuth, 1846: 213
= *hedini* Zaitzev, 1908: 419
= ? *kansou* Feng, 1936: 13
- lewisianus* Sharp, 1873: 46 **A**: CH (ANH BEI HEB HUB JIA JIX LIA SHG ZHE) JA **ORR**
- limbatus* Fabricius, 1775: 230 (*Dytiscus*) **A**: AF AP CH (TAI XIZ YUN) JA PA UP "Manchuria" **ORR**
= *aciculatus* Herbst, 1784: 123 (*Dytiscus*)
- reichei* Aubé, 1838: 79 **N**: EG **AFR**
- rugosus* W.S. Macleay, 1825: 32 (*Dytiscus*) **A**: CH (TAI) JA **ORR**
= *indicus* Aubé, 1838: 62
- rugulosus* Redtenbacher, 1844: 502 (*Trochalus*) **A**: KA
- senegalensis* Aubé, 1838: 72 **E**: IT **N**: AG **AFR**
= *convexusculus* H.J. Kolbe, 1883: 420
= *irroratus* H.J. Kolbe, 1883: 420
= *marginellus* Régimbart, 1895: 212
= *rufiventris* Régimbart, 1895: 214
= *seidlitzii* Ragusa, 1887: 43
- tripunctatus africanus* Laporte, 1835: 99 **E**: AL BH FR GR IT PT SP **N**: AG CI EG LB MO TU **A**: IS KU OM SA SI YE **AFR**
= *aegyptiacus* Peyron, 1856: 722
= *haagi* Wehncke, 1876: 358 (*Trogus*)
= *meridionalis* Gené, 1836: 170 (*Trochalus*)
= *punctipennis* Taschenberg, 1883: 176 (*Trogus*)
- tripunctatus lateralis* Fabricius, 1798: 64 (*Dytiscus*) **E**: AB RU (ST) **A**: AE AF BT CH (GUA FUJ HAI HEB HEI HUB HUN JIA NAC SCH TAI YUN XIZ ZHE) C^Y **HP** IN IQ JA KA KI MG NP PA RU (FE) SD SY TD TM TR UP UZ **ORR**
= *asiaticus* Sharp, 1882: 731
= *gotschii* Hochhuth, 1846: 214
= *orientalis* Gschwendtner, 1931: 99
= *similis* Régimbart, 1899: 352

= *szechwanensis* Falkenström, 1936: 238
ventralis Sharp, 1882: 742 **A:** CH (MAC SCH SHN TAI) UP **ORR**
= *crassus* Sharp, 1882: 743

subgenus *Melanectes* Brinck, 1945: 11 type species *Cybister owas* Laporte, 1835

bimaculatus Aubé, 1838: 84 **N:** AG **AFR**
= *aequatorius* Zimmermann, 1917: 100
= *regimbarti* Wilke, 1920: 257
brevis Aubé, 1838: 98 **A:** CH (LIA SCH TAI) JA SC
convexus Sharp, 1882: 718 **A:** CH (YUN) **ORR**
posticus Aubé, 1838: 87 **A:** HP NP PA UP **ORR**
sugillatus Erichson, 1834: 227 **A:** AF BT CH (BEI FUJ GUA HAI HEB HUB JIX SCH TAI XIZ ZHE) JA NP PA SD UP **ORR**
= *bisignatus* Aubé, 1838: 88
= *notasicus* Aubé, 1838: 90
= *olivaceus* Boheman, 1858: 21
vulneratus Klug, 1834: t.33/1 **E:** IT SP **N:** AG EG LB MO TU **A:** AE BA IN OM SA SI YE **AFR**
= *binotatus* Klug, 1835: 28
= *bivulnerus* Aubé, 1838: 91
= *madagascariensis* Aubé, 1838: 94

subfamily **Dytiscinae** Leach, 1815

tribe Aciliini Thomson, 1867

genus *Acilius* Leach, 1817: 69 type species *Dytiscus sulcatus* Linnaeus, 1758

subgenus *Acilius* Leach, 1817: 69 type species *Dytiscus sulcatus* Linnaeus, 1758
= *Heteroelytrus* Ádám, 1993: 81 [RN] type species *Dytiscus sulcatus* Linnaeus, 1758

canaliculatus Nicolai, 1822: 29 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RU (CT NT ST) SK SL SV SZ UK **A:** CH (JIL) KZ RU (ES FE WS)
= *caliginosus* Curtis, 1825: 63
= *dispar* Lacordaire, 1835: 306
= *kotulae* Ulanowski, 1884: 6
= *laevisulcatus* Motschulsky, 1845: 30
= *subimpressus* Motschulsky, 1845: 30
= *sulcatoaffinis* Hummel, 1822: 7 (*Dytiscus*)
= *sulcipennis* C.R. Sahlberg, 1824: 157 (*Dytiscus*)
= *xantischius* Gozis, 1911: 20
japonicus Brinck, 1939: 168 **A:** JA
kishii Nakane, 1963: 26 **A:** JA
sinensis Peschet, 1915: 288 **A:** CH (SCH YUN)
= *guerryi* Olsoufieff, 1925: 90
sulcatus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK **N:** AG **A:** IN KI KZ RU (ES FE WS) TR
= *blancki* Peyerimhoff, 1927: 79
= *brevis* Aubé, 1837: 70
= *fasciatus* DeGeer, 1774: 397 (*Dytiscus*)
= *punctatus* Scopoli, 1763: 97 (*Dytiscus*)
= *scopolii* Gmelin, 1790: 1954 (*Dytiscus*)
= *scoticus* Stephens, 1828: 93
= *tomentosus* Motschulsky, 1845: 30
= *varipes* Stephens, 1828: 93

subgenus *Homoeolytrus* Gobert, 1874: 440 type species *Acilius duvergeri* Gobert, 1874

duvergeri Gobert, 1874: 441 **E:** FR IT PT SP **N:** MO

genus *Graphoderus* Dejean, 1833: 54 type species *Dytiscus cinereus* Linnaeus, 1758
= *Derographus* Portevin, 1929: 210 type species *Hydaticus austriacus* Sturm, 1834

- = *Graphothorax* Motschulsky, 1853: 9 type species *Dytiscus cinereus* Linnaeus, 1758
- = *Prosciastes* Gistel, 1856: 355 type species *Dytiscus cinereus* Linnaeus, 1758

adamsii Clark, 1864: 211 (*Hydaticus*) **A:** CH (BEI HEB HEI HUB JIA JIL LIA SHX ZHE) JA RU (FE) SC
= *japonicus* Sharp, 1873: 48 (*Hydaticus*)

austriacus Sturm, 1834: 46 (*Hydaticus*) **E:** AB AR AU BE BH BU BY CR CZ DE FR GE HU IT KZ LA LT MD NL
PL RO RU (CT ST) SB SK SL SV SZ UK **A:** IN KI KZ MG RU (ES FE WS) TM

bieneri Zimmermann, 1921: 86 **A:** RU (FE)

bilineatus DeGeer, 1774: 400 (*Dytiscus*) **E:** AU BE BH BY CR CZ DE EN FI FR GB GE HU IT LA LT LU NL NR
PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** RU (WS)

cinereus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT
KZ LA LT LU MC NL NR PL RO RU (CT ST) SB SK SL SP SV SZ UK **A:** IN KZ MG RU (WS) TR

= *intermedius* Westhoff, 1881: 53 (*Hydaticus*)

= *simulator* Westhoff, 1882: 304 (*Hydaticus*)

= *taeniatus* Rossi, 1792: 69 (*Dytiscus*)

perplexus Sharp, 1882: 695 **A:** RU (FE) **NAR**

zonatus verrucifer C.R. Sahlberg, 1824: 159 (*Dytiscus*) **E:** EN FI IT LA NR RU (NT) SV **A:** MG RU (ES FE WS)

= *bertolinii* Seidlitz, 1887: 107

= *flavotestaceus* J. Sahlberg, 1875: 161

= *piciventris* Thomson, 1868: 351

= *rosenbergeri* Seidlitz, 1887: 107

= *sahlbergii* Seidlitz, 1887: 107

= *thomsonii* Seidlitz, 1887: 108

zonatus zonatus Hoppe, 1795: 33 (*Dytiscus*) **E:** AR AU BE BU BY CR CZ DE FR GB GE GG HU LA LT LU MD NL
PL SK SL RU (CT ST) SB SV SZ UK **A:** CH (HEI JIL) JA MG TR

= *interiectus* Westhoff, 1882: 304 (*Hydaticus*)

= *zonatus* Panzer, 1796: 38/13 [HN] (*Dytiscus*)

genus *Rhantaticus* Sharp, 1882: 672 type species *Hydaticus signatipennis* Laporte, 1835 (= *Hydaticus congestus* Klug, 1833)

congestus Klug, 1833: 48 (*Hydaticus*) **N:** EG **A:** AP CH (FUJ GUA GUX HAI HUB TAI YUN) JA NP UP **AFR**
AUR ORR

= *rochasi* Perroud & Montrouzier, 1864: 81 (*Hydaticus*)

= *signatipennis* Laporte, 1835: 95 (*Hydaticus*)

genus *Sandracottus* Sharp, 1882: 672 type species *Dytiscus fasciatus* Fabricius, 1775 (= *Hydaticus mixtus* Blanchard, 1843)

dejeanii Aubé, 1838: 165 (*Hydaticus*) **A:** AP HP IN PA UP **ORR**

festivus Illiger, 1801: 166 (*Dytiscus*) **A:** AP CH (GUA GUX HAI HUN SCH YUN) HP PA **ORR**

mixtus Blanchard, 1843: pl. 4 (*Hydaticus*) **A:** CH (FUJ HUB JIA JIX SCH SHG XIZ ZHE) JA **ORR**

= *crucialis* Régimbart, 1899: 333

= *fasciatus* Fabricius, 1775: 825 [HN] (*Dytiscus*)

= *hunteri* Crotch, 1872: 205 [RN] (*Hydaticus*)

tribe Dytiscini Leach, 1815

genus *Dytiscus* Linnaeus, 1758: 411 type species *Dytiscus marginalis* Linnaeus, 1758

= *Leionotus* Kirby, 1837: 76 type species *Dytiscus conformis* Kunze, 1818 (= *Dytiscus marginalis* Linnaeus, 1758)

= *Macrodytes* Thomson, 1859: 12 type species *Dytiscus marginalis* Linnaeus, 1758

circumcinctus Ahrens, 1811: 67(=55) **E:** AU BE BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT ME NL
NR PL RO RU (CT NT ST) SK SL SV SZ UK **A:** KZ RU (ES FE WS) TR **NAR**

= *angustatus* Curtis, 1826: 99

= *angustatus* Stephens, 1828: 88

= *anxius* Mannerheim, 1843: 218

= *circumscriptus* Lacordaire, 1835: 300 [HN]

= *confusus* Motschulsky, 1860: 101

= *dubius* Gyllenhal, 1827: 372 [HN]

= *flavocinctus* Hummel, 1823: 17

= *fuscostriatus* Motschulsky, 1859: 167

- = *ooligbukii* Kirby, 1837: 74
circumflexus Fabricius, 1801: 258 **E**: AB AR AU BE BH BU BY CR CZ DE EN FR GB GE GG GR HU IR IT LA LT LU MA MD NL PL PT RO RU (ST) SB SK SL SP SV UK **N**: AG EG LB MO TU **A**: CY IN IS ?KI ?KZ LE RU (WS) SY TR
 = *dubius* Audinet-Serville, 1830: 90
 = *flavomaculatus* Curtis, 1826: 99
 = *flavoscutellatus* Latreille, 1804: 162
 = *kunstleri* Peytoureau, 1894: xlii
 = *perplexus* Lacordaire, 1835: 303
dauricus dauricus Gebler, 1832: 39 **A**: CH (HEI JIL XIN) JA MG RU (ES FE) **NAR**
 = *amurensis* J. Balfour-Browne, 1944: 356 [RN]
 = *confluens* Say, 1830: 27 [HN]
 = *confluens* Say, 1834: 440 [HN]
 = *confluentus* LeConte, 1850: 212 [RN]
 = *diffinis* LeConte, 1850: 212
 = *franklinii* Kirby, 1837: 77
 = *frontalis* Motschulsky, 1860: 101 [HN]
 = *obscurus* Gschwendtner, 1922: 93
 = *strigifrons* Motschulsky, 1860: 101
 = *ventralis* Motschulsky, 1855: 79
 = *vexatus* Sharp, 1882: 643
dauricus zaitzevi Nakane, 1990: 28 **A**: JA
delictus Zaitzev, 1906: 28 (*Macrodytes*) **A**: CH (HEI) RU (FE)
dimidiatus Bergsträsser, 1778: 33 **E**: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT LA LT LU MC ME NL PL RO RU (CT NT ST) SK SL SV SZ UK YU **A**: IN KI SY TR
distantus Feng, 1936: 14 **A**: CH ("Manchuria")
lapponicus disjunctus Camerano, 1880: 120 **E**: IT
lapponicus lapponicus Gyllenhal, 1808: 468 **E**: BE BY CZ DE EN FI FR GB GE GG IR LA LT NL NR PL RO RU (CT NT) SK SV **A**: KZ RU (WS)
 = *borealis* Motschulsky, 1860: 101
 = *septemtrionalis* Gyllenhal, 1827: 373
latissimus Linnaeus, 1758: 411 **E**: AU BE BY CR CZ DE EN FI FR GE HU IT LA LT LU NL NR PL RO RU (CT NT ST) SK SV SZ UK **A**: KI RU (WS)
 = *amplissimus* O.F. Müller, 1776: 69
 = *anastomozans* Well, 1781: 386
latro Sharp, 1882: 644 **A**: CH (HEI) MG RU (ES FE WS)
 = *piceatus* Sharp, 1882: 644
 = *stadleri* Gschwendtner, 1922: 93
marginalis czerskii Zaitzev, 1953: 328 **A**: CH (HEB HEI HEN) JA NC RU (ES FE)
marginalis marginalis Linnaeus, 1758: 411 **E**: AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC **ME** NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK YU **A**: KI KZ RU (ES WS) TR
 = *circumductus* Audinet-Serville, 1830: 90
 = *conformis* Kunze, 1818: 58
 = *semicostatus* Reineck, 1921: 117
 = *semistriatus* Linnaeus, 1758: 412
 = *submarginatus* Stephens, 1828: 90
 = *totomarginalis* DeGeer, 1774: 391
mutinensis Branden, 1885: 97 **E**: CR GR IT
 = *mutinensis* Pederzani, 1971: 220 [HN]
persicus Wehncke, 1876: 52 **E**: AR GG RU (ST) UK **A**: AF IN TR UZ
pisanus Laporte, 1835: 98 **E**: AN CR FR GR IT PT SP **N**: AG MO TU
 = *ibericus* Rosenhauer, 1856: 47
 = *nonsulcatus* Zimmermann, 1919: 233
semisulcatus O.F. Müller, 1776: 70 **E**: AL AU BE BU CR CZ DE EN FR GB GE GG GR IR IT LA LT LU ME NL NR PL PT SL SP SV SZ UK **N**: AG MO TU **A**: KZ RU (ES) TR **AUR**
 = *expectatus* Peyerimhoff, 1905: 229
 = *frischii* Bergsträsser, 1778: 43
 = *laevis* Engert, 1911: 19
 = *maurus* Schaufuss, 1883: clxxxiii
 = *porcatus* Thunberg, 1794: 74
 = *punctatus* Olivier, 1795: 12 [HN]
 = *punctulatus* Fabricius, 1777: 238 [HN]
 = *stagnalis* Geoffroy, 1785: 66
sharpi Wehncke, 1875: 500 **A**: CH (HUN SHA) JA

= *validus* Régimbart, 1899: 311
sinensis Feng, 1935: 182 **A:** CH (HEI SCH SHA)
thianschanicus Gschwendtner, 1923: 107 (*Macrodytes*) **E:** RU (ST) **A:** AF KA TD TR

tribe Eretini Crotch, 1873

genus *Eretes* Laporte, 1833: 397 type species *Dytiscus griseus* Fabricius, 1781

= *Eunectes* Erichson, 1832: 17 [HN] type species *Dytiscus sticticus* Linnaeus, 1767
= *Nogrus* Dejean, 1833: 53 type species *Dytiscus griseus* Fabricius, 1781

griseus Fabricius, 1781: 293 (*Dytiscus*) **E:** AB AR AZ BH BU CR FR GG GR HU IT ME PT RU (ST) SB SL SP UK
N: AG EG LB MO TU **A:** AF BT CH (BEI FUJ HAI HEB HEI HUB JIA LIA MAC SCH SHA SHG SHN SHX TAI
XIZ YUN ZHE) IN IQ JA HP KA KU NP OM PA RU (FE) SC SI SY TR UP YE **AFR AUR ORR**

= *moroderi* Báguena Corella, 1935: 90
= *plicipennis* Motschulsky, 1845: 29 (*Eunectes*)
= *succinctus* Klug, 1834: t.33/4 (*Eunectes*)

sticticus Linnaeus, 1767: 666 (*Dytiscus*) **E:** SP **N:** AG CI EG MO MR **A:** AE AF CY IN KI KZ QA SA TD TM TR
YE AFR NAR NTR

= *conicollis* Wollaston, 1861: 97 (*Eunectes*)
= *helvolus* Klug, 1834: t.33/3 (*Eunectes*)
= *occidentalis* Erichson, 1847: 73 (*Eunectes*)
= *punctatus* Zoubkoff, 1837: 66 (*Eunectes*)
= *subcoriaceus* Wollaston, 1861: 99 (*Eunectes*)
= *subdiaphanus* Wollaston, 1861: 100 (*Eunectes*)

tribe Hydaticini Sharp, 1882

genus *Hydaticus* Leach, 1817: 69 type species *Dytiscus transversalis* Pontoppidan, 1763

subgenus *Hydaticus* Leach, 1817: 69 type species *Dytiscus transversalis* Pontoppidan, 1763

= *Icmaleus* Gistel, 1856: 355 type species *Dytiscus transversalis* Pontoppidan, 1763

aruspex Clark, 1864: 212 **E:** BY CZ DE EN FI FR GE HU LA NR PL RU (CT NT) SV UK **A:** CH (HEI JIL LIA) JA
RU (ES FE WS) **NAR**

= *americanus* Sharp, 1882: 651
= *laevipennis* Thomson, 1867: 88
= *laeviusculus* Poppius, 1906: 58
= *modestus* Sharp, 1882: 650
= *rugosus* Poppius, 1905: 23

continentalis J. Balfour-Browne, 1944: 355 [RN] **E:** AU BE BH BY CR CZ DE EN FR GE HU IT LA LT PL RU (CT
ST) SK SV SZ UK **A:** RU (WS)

= *stagnalis* Fabricius, 1787: 191 [HN] (*Dytiscus*)

schelkovnikovi Zaitzev, 1913: 197 **E:** AB AR GG RU (ST) **A:** IN

= *litoralis* Zaitzev, 1913: 198

seminiger DeGeer, 1774: 401 (*Dytiscus*) **E:** AU BE BH BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL
NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** IN RU (ES WS)

= *cinctus* O.F. Müller, 1776: 669 [HN] (*Dytiscus*)
= *danicus* Gmelin, 1790: 1955 (*Dytiscus*)
= *hybneri* Fabricius, 1787: 190 (*Dytiscus*)
= *parapleurus* Marsham, 1802: 427 (*Dytiscus*)
= *sexpunctatus* Drapiez, 1819: 48 (*Dytiscus*)

transversalis laevisculptus Zaitzev, 1910: 223 **A:** IN TR

transversalis transversalis Pontoppidan, 1763: 677 (*Dytiscus*) **E:** AL AU BE BH BU BY CR CZ DE EN FI FR GB
GE GG GR HU IT KZ LA LT LU MC ME NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** IS RU (WS)

= *degeneratus* Westhoff, 1882: 305
= *indieriensis* Zaitzev, 1915: 277
= *interruptemaculatus* Gerhardt, 1899: 217
= *punctipennis* Thomson, 1867: 87
= *sahlbergi* Zaitzev, 1905: 226

subgenus *Prodaticus* Sharp, 1882: 647 type species *Prodaticus pictus* Sharp, 1882

= *Guignotites* Brinck, 1943: 141 [RN] type species *Dytiscus vittatus* Fabricius, 1775

- = *Hydaticinus* Guignot, 1950: 104 type species *Hydaticinus rectus* Sharp, 1882 (= *Dytiscus xanthomelas* Brullé, 1837)
- = *Isonotus* Guignot, 1936: 53 [HN] type species *Dytiscus vittatus* Fabricius, 1775
- = *Pleurodytes* Régimbart, 1899: 331 type species *Hydaticus dineutooides* Sharp, 1882

- africanus* Rocchi, 1976: 289 (*Prodaticus*) **A: OM SA YE AFR**
- agaboides* Sharp, 1882: 663 **A: CH (HAI YUN) ORR**
- arabicus* Guignot, 1951: 21 **A: YE**
- bivittatus* Laporte, 1835: 98 **N: EG AFR**
= *sharpi* Peschet, 1917: 45
- bowringii* Clark, 1864: 214 **A: CH (ANH BEI HEB HUB JIA JIX LIA SCH SHA SHN TAI YUN ZHE) JA NC SC ORR**
- conspersus conspersus* Régimbart, 1899: 315 **A: JA SC**
- conspersus sakishimanus* Nakane, 1990: 29 **A: JA**
- decorus* Klug, 1834: t.33/5 **N: EG A: SA SI YE AFR**
- dorsiger* Aubé, 1838: 193 **A: SA YE AFR**
- dregei* Aubé, 1838: 172 **A: SA YE AFR**
= *jucundus* Reiche, 1850: 278
= *nigromarmoratus* Clark, 1864: 220
- fabricii* W.S. Macleay, 1825: 31 [RN] (*Colymbetes*) **A: CH (XIZ YUN) AUR ORR**
= *fabriciisi* Ball, 1932: 19 [RN]
= *rufulus* Aubé, 1838: 199
= *varius* Fabricius, 1801: 267 [HN] (*Dytiscus*)
- flavolineatus* Boheman, 1848: 237 **A: SA YE AFR**
- grammicus* Germar, 1827: t.1 (*Dytiscus*) **E: AB AR AU BH BU CR FR GE GG HU IT MC PL RU (ST) SK SL SZ TR UK YU A: AF CH (BEI HAI HEB HEI HUB JIA JIL LIA SCH YUN) IN JA KI KZ NC TM UZ**
= *lineolatus* Ménériés, 1832: 140 (*Dytiscus*)
= *nigrovittatus* Clark, 1864: 222
- histrion* Clark, 1864: 221 **A: AE AF HP IN IQ KA OM PA SA UP YE ORR**
= *rectangulus* Sharp, 1882: 669
- incertus* Régimbart, 1888: 617 **A: BT CH (YUN) HP NP ORR**
= *martensi* Wewalka, 1972: 115
- leander* Rossi, 1790: 202 (*Dytiscus*) **E: AB AL FR GR IT ME PT SP N: AG EG LB MO TU A: IN IQ IS JO SI SY TM TR AFR**
= *debarrosmachadoi* Franciscolo, 1968: 51
= *fusciventris* Reiche & Saulcy, 1855: 639
= *nauzieli* Fairmaire, 1859: lii
- litigiosus* Régimbart, 1880: 210 **A: CH (HAI) ORR**
= *nubilus* Régimbart, 1899: 318
= *planatus* Régimbart, 1899: 317
- luczonicus* Aubé, 1838: 179 **A: UP ORR**
- major* Régimbart, 1899: 328 **A: CH (YUN) ORR**
- pacificus* Aubé, 1838: 177 **A: CH (SHN TAI YUN) ORR**
= *banksii* Crotch, 1872: 205 [RN]
= *ceylonicus* Guignot, 1935: 130
= *discindens* Walker, 1858: 204
= *latihamatus* Régimbart, 1899: 315
= *lunatus* Régimbart, 1899: 316
= *ruficollis* Fabricius, 1787: 189 [HN] (*Dytiscus*)
- pictus* Sharp, 1882: 648 (*Prodaticus*) **A: AE AF IN IQ OM PA SA SY TD TM UZ**
- ponticus* Sharp, 1882: 662 **N: EG LB A: IN IQ PA SA SI SY TD TM TR ORR**
- rhantoides* Sharp, 1882: 664 **A: CH (FUJ GUA GUI HAI HEI HUB HKG HUN JIA SCH SHG TAI YUN ZHE) JA ORR**
= *fengi* Falkenström, 1936: 236
- ricinus* Wewalka, 1979: 128 **A: AF NP PA ORR**
- satoi dhofarensis* Pederzani, 2003: 18 **A: OM**
- satoi satoi* Wewalka, 1975: 91 **A: BT CH (FUJ HEB LIA SCH TAI XIZ) JA SD ORR**
- servillianus* Aubé, 1838: 197 **A: AE OM YE AFR**
= *discoidalis* Hope, 1843: 364
= *flavomarginatus* Zimmermann, 1920: 228
- tibetanus* Shaverdo, Wewalka & Li, 2012: 78 **A: CH (XIZ)**
- thermonectoides* Sharp, 1884: 447 **A: CH (JIA YUN ZHE) JA SC**

vittatus Fabricius, 1775: 825 (*Dytiscus*) **A:** CH (FUJ GUA HAI HKG HUB JIA JIX MAC SCH SHN SHX TAI ZHE)
HP JA NP SD UP **ORR**

- = *lenzi* Schönfeldt, 1890: 170 (*Graphoderus*)
- = *nepalensis* Satô, 1961: 60
- = *sesquivittatus* Fairmaire, 1880: 164

subfamily **Hydroporinae** Aubé, 1836
tribe Bidessini Sharp, 1882

genus *Allodessus* Guignot, 1953: 110 type species *Hydroporus bistrigatus* Clark, 1862

megacephalus Gschwendtner, 1931: 21 (*Bidessus*) **A:** CH (FUJ TAI) JA
= *maculosus* Gschwendtner, 1931: 462 (*Bidessus*)
= *tokunagai* Kamiya, 1932: 5 (*Bidessus*)

genus *Bidessus* Sharp, 1882: 336 type species *Dytiscus unistriatus* Schrank, 1781

alienus Zimmermann, 1919: 140 **E:** AB CR MC MD RU (ST) **A:** IN KZ RU (WS) TM

anatolicus anatolicus Wewalka, 1972: 72 **A:** TR

anatolicus kadmos Wewalka, 1989: 147 **A:** IS

anatolicus phoenix Wewalka, 1989: 146 **A:** IS

calabricus Guignot, 1957: 91 **E:** BU CR GR IT MC SL **A:** CY IN IQ IS LE SY TR

complicatus Sharp, 1904: 4 **N:** EG **AFR**

- = *brevistriga* Régimbart, 1906: 245
- = *ghesquieri* Guignot, 1948: 1

coxalis Sharp, 1882: 351 **E:** FR PT SP **N:** AG MO TU

- = *ibericus* Falkenström, 1939: 9

cretensis Fery, 1992: 79 **E:** GR (Crete)

delicatulus Schaum, 1844: 198 (*Hydroporus*) **E:** AL AU BH BU CR CZ FR GE GR IT MC ME PL SK SL SZ **A:** TR

exornatus Reiche & Saulcy, 1855: 644 (*Hydroporus*) **E:** CR GR ME **A:** LE SY TR

goudotii Laporte, 1835: 105 (*Hydroporus*) **E:** AL FR GR IT PT SP **N:** AG MO TU

grossepunctatus Vorbringer, 1907: 418 **E:** AU BE BY CZ DE EN FI FR GE HU IT LA LT NL NR PL RU (CT NT ST) SL SV SZ UK **A:** RU (ES WS)

minutissimus Germar, 1824: 31 (*Hydroporus*) **E:** AU FR GB GE IR IT LU PT SP SZ **N:** AG CI MO TU

- = *circumflexus* Breit, 1908: 59
- = *interruptefasciatus* Breit, 1908: 59
- = *lepineyi* Kocher, 1957: 367
- = *trifasciatus* Wollaston, 1846: 453 (*Hydroporus*)

muelleri Zimmermann, 1927: 34 **E:** GR IT ME

- = *tiragalloi* Sanfilippo, 1978: 129

nasutus Sharp, 1887: 170 **E:** AB AR AU BH BU CR CZ HU MD RO RU (ST) SK UK **A:** IS KI KZ RU (WS) TM TR

ovoideus Régimbart, 1895: 81 **N:** EG **AFR**

pumilus Aubé, 1838: 342 (*Hydroporus*) **E:** BH CR FR IT PT SP **N:** AG

saucius Desbrochers des Loges, 1871: 338 (*Hydroporus*) **E:** FR (Corse) IT

- = *baderi* Krausse, 1910: 146
- = *bigoti* Guignot, 1957: 91

sharpi Régimbart, 1895: 77 **N:** TU **AFR**

- = *fictor* Omer-Cooper, 1959: 124
- = *granulum* Régimbart, 1895: 79
- = *nigeriensis* Omer-Cooper, 1974: 306
- = *sedilloti* Régimbart, 1895: 78
- = *sudanensis* Omer-Cooper, 1974: 306

unistriatus Goeze, 1777: 626 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT LA LT LU MC ME NL NR PL RO RU (CT NT ST) SK SL SV SZ UK YU **A:** CH (HEB SHA) KZ MG RU (ES WS) TR

- = *bisulcatus* Curtis, 1840: 276 (*Hygrotus*)
- = *monostriatus* Geoffroy, 1785: 69 (*Dyticus*)
- = *nanus* Gmelin, 1790: 1956 (*Dytiscus*)
- = *opacus* Guignot, 1932: 268
- = *subrufulus* Schneider, 1898: 50
- = *unistriatus* Schrank, 1781: 205 [HN] (*Dytiscus*)

genus *Clypeodytes* Régimbart, 1894: 230 type species *Hydroporus cribrosus* Schaum, 1864

bufo Sharp, 1890: 344 (*Bidessus*) A: CH (GUI HAI HUB) ORR

cribrosus Schaum, 1864: 107 (*Hydroporus*) N: EG AFR

jaechi Wewalka & Biström, 1987: 49 A: NP

genus *Geodessus* Brancucci, 1979: 214 type species *Geodessus besucheti* Brancucci, 1979

besucheti Brancucci, 1979: 214 A: HP NP SD

genus *Glareadessus* Wewalka & Biström, 1998: 59 type species *Glareadessus stocki* Wewalka & Biström, 1998

franzi Wewalka & Biström, 1998: 62 A: IN

stocki Wewalka & Biström, 1998: 61 A: AE OM

genus *Hydroglyphus* Motschulsky, 1853: 5 type species *Dytiscus geminus* Fabricius, 1792

= *Guignotus* Houlbert, 1934: 53 type species *Dytiscus geminus* Fabricius, 1792

amamiensis Satô, 1961: 7 (*Guignotus*) A: CH (HUB TAI) JA

angularis Klug, 1834: t.34/1 (*Hydroporus*) N: AG EG MO TU A: AE IN IQ OM PA SA TR YE AFR

= *klugii* Leprieur, 1880: xxv (*Hydroporus*)

annamita Régimbart, 1889: 153 (*Bidessus*) A: CH ORR

confusus Klug, 1834: t.34/4 (*Hydroporus*) N: EG TU A: IN KI OM SA SI SY TM TR YE AFR

flammulatus Sharp, 1882: 359 (*Bidessus*) A: CH (JIX SCH TAI XIZ) IN JA NP PA UP ORR

= *antennatus* Régimbart, 1892: 118 (*Bidessus*)

geminus Fabricius, 1792: 199 (*Dytiscus*) E: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU

IT LA LS LT LU MC MD ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ TR UK N: AG CI EG LB MO

TU A: AF BT CH (GUI GUX HEI HEN JIL LIA SCH YUN) CY HP IN IQ IS KA KI KZ LE MG NC NP PA RU (ES

WS) SA SI SY TD TM TR UP UZ ORR

= *corsicus* O.Schneider, 1903: 51 (*Bidessus*)

= *inmaculatus* Báguena Corella, 1935: 85 (*Bidessus*)

= *monaulacus* Drapiez, 1820: 270 (*Hydroporus*)

= *nitens* Falkenström, 1939: 7 (*Bidessus*)

= *obscurus* J. Sahlberg, 1903: 16 (*Bidessus*)

= *ocellatus* Báguena Corella, 1935: 85 (*Bidessus*)

= *pectinatus* Báguena Corella, 1935: 85 (*Bidessus*)

= *pusillus* Fabricius, 1781: 297 (*Dytiscus*) [HN]

= *pygmeus* Olivier, 1795: 39 (*Dytiscus*) [HN]

= *symbolum* Kolenati, 1845: 86 (*Hydroporus*)

= *trifidus* Panzer, 1795: 26/t.2 (*Dytiscus*)

gujaratensis (Vazirani, 1973: 297) (*Guignotus*) A: IN OM ORR

hamulatus Gyllenhal, 1813: 691 (*Hyphydrus*) E: BY CT DE EN FI GE LA LT PL RU (NT) SV A: MG

hormuzensis Hájek & Brancucci, 2011: 134 A: AE IN OM

hummeli Falkenström, 1932: 191 (*Bidessus*) A: CH (SCH)

inconstans Régimbart, 1892: 119 (*Bidessus*) A: BT CH (TAI XIZ) JA NP SD ORR

= *fulvescens* Zimmermann, 1923: 34 (*Bidessus*)

infirmus Boheman, 1848: 251 (*Hydroporus*) A: OM SA YE AFR

= *capensis* Régimbart, 1894: 234 (*Bidessus*)

japonicus Sharp, 1873: 54 (*Hydroporus*) A: CH (BEI FUJ GUA HEI HUB JIA JIL JIX LIA ZHE) JA NC RU (FE) SC

= *tangweii* Li, 1992: 36 (*Guignotus*)

= *vernalis* Guignot, 1954: 197 (*Guignotus*)

= *yingkouensis* Li, 1992: 36 (*Guignotus*)

= *yoshimurai* Kamiya, 1932: 4 (*Bidessus*)

kifuneii Nakane, 1987: 172 (*Guignotus*) A: JA

licenti Feng, 1936: 3 (*Bidessus*) A: CH (BEI GAN GUA GUI GUX HEI HUN JIX SCH SHA TIA XIN ZHE) MG

major Sharp, 1882: 354 (*Bidessus*) N: AG EG LB TU A: IS OM SA SI YE AFR

= *sellatus* Peyerimhoff, 1931: 20 (*Bidessus*)

orientalis Clark, 1863: 427 (*Hydroporus*) A: CH (FUJ GUI GUX HAI HUB HUN XIZ YUN ZHE) AUR ORR

pendjabensis Guignot, 1954: 221 (*Guignotus*) A: NP PA UP ORR

pentagrammus Schaum, 1864: 108 (*Hydroporus*) N: EG AFR

regimbarti Gschwendtner, 1936: 367 (*Bidessus*) **A:** CH (GUX GUI SCH SHA YUN) **ORR**
signatellus Klug, 1834: t.34/3 (*Hydroporus*) **E:** AB AR BH CR FR GG GR IT ME RU (ST) SP **N:** AG EG LB MO TU
A: AE AF CY IN IQ IS JO KI KU KZ OM PA SA SI SY TD TM TR UZ YE **AFR**
= *razzaautii* Doderò, 1922: 46 (*Bidessus*)
= *tetragrammus* Hochhuth, 1846: 223 (*Hydroporus*)
= *thermalis* Germar, 1838: xx (*Hydroporus*)
sinuspersicus Hájek & Wewalka, 2009: 94 **A:** AE IN OM
socotraensis Wewalka, 2004: 466 **A:** YE (Socotra)
trassaerti Feng, 1936: 4 (*Bidessus*) **A:** CH (FUJ GUA GUI GUX HEB HEI HUB HUN JIA JIX SHA SCH TIA YUN ZHE)

genus *Leiodytes* Guignot, 1936: 20 type species *Hydroporus evanescens* Boheman, 1848
= *Leiodytes* Guignot, 1950: 97 [HN] type species *Hydroporus evanescens* Boheman, 1848

frontalis Sharp, 1884: 440 (*Bidessus*) **A:** JA SC
gracilis Gschwendtner, 1933: 162 (*Clypeodytes*) **A:** CH (HUB)
indicus Régimbart, 1892: 117 (*Bidessus*) **A:** UP **ORR**
kyushuensis Nakane, 1990: 62 (*Clypeodytes*) **A:** JA
lanyuensis Wang, Satô & Yang, 1998: 161 **A:** CH (TAI)
miyamotoi Nakane, 1990: 63 (*Clypeodytes*) **A:** JA
nicobaricus Redtenbacher, 1867: 21 (*Hydroporus*) **A:** CH (MAC) JA **ORR**
orissaensis Vazirani, 1969: 328 (*Clypeodytes*) **A:** PA **ORR**
perforatus Sharp, 1882: 363 (*Bidessus*) **A:** CH (GUA GUI GUX HAI HUN JIX SCH YUN) **ORR**

genus *Limbodessus* Guignot, 1939: 52 type species *Bidessus neoguineensis* Régimbart, 1892 (= *Hydroporus compactus* Clark, 1862)

compactus Clark, 1862: 421 (*Hydroporus*) **A:** JA **AUR ORR**
= *neoguineensis* Régimbart, 1892: 990 (*Bidessus*)
= *tokarensis* Satô, 1972: 53 (*Uvarus*)

genus *Peschetius* Guignot, 1942: 21 type species *Hydroporus nodieri* Régimbart, 1895

quadricostatus Aubé, 1838: 487 (*Hydroporus*) **A:** IN NP UP **ORR**

genus *Pseuduvarus* Biström, 1988: 10 type species *Hydroporus vitticollis* Boheman, 1848

vitticollis Boheman, 1848: 256 (*Hydroporus*) **N:** MO **A:** CH (TAI) NP PA **AFR ORR**
= *caligosus* Guignot, 1946: 257 (*Amarodytes*)
= *gentilis* Sharp, 1890: 344 (*Bidessus*)
= *monticola* Guignot, 1957: 98 (*Uvarus*)
= *octoguttatus* Régimbart, 1895: 94 (*Bidessus*)
= *ornatipennis* Régimbart, 1900: 372 (*Bidessus*)

genus *Sinodytes* Spangler, 1996: 243 type species *Sinodytes hubbardi* Spangler, 1996

hubbardi Spangler, 1996: 244 **A:** CH (GUX)

genus *Uvarus* Guignot, 1959: 53 type species *Hydroporus lacustris* Say, 1823

occultus Sharp, 1882: 363 (*Bidessus*) **A:** SA
peringueyi Régimbart, 1895: 84 (*Bidessus*) **A:** YE **AFR**

genus *Yola* Gozis, 1886: 8 type species *Dytiscus bicarinatus* Latreille, 1804
= *Yolula* Guignot, 1950: 100 type species *Bidessus dohrni* Sharp, 1882

alluaudi Peschet, 1926: 299 **N:** AG LB MO **AFR**
bicarinata bicarinata Latreille, 1804: 179 (*Dytiscus*) **E:** BE CZ FR IT NL PT SL SP SZ **N:** AG MO TU
= *bicarinatus* Drapiez, 1819: 290 [HN] (*Dytiscus*)

- = *bipunctatus* Ragusa, 1887: 224 (*Bidessus*)
- = *costatus* Gyllenhal in Schönherr, 1808: 31 (*Hyphyrus*)
- = *crispatus* Germar, 1817: t.1 (*Hydroporus*)
- = *cristatus* Lacordaire, 1835: 335 (*Hydroporus*)
- = *interrupta* Báguena Corella, 1935: 84

bicarinata obscurior Desbrochers des Loges, 1871: 337 (*Hydroporus*) **E:** FR (Corse) IT (Elba, Sardegna) **N:** TU

bicristata Sharp, 1882: 347 (*Bidessus*) **A:** SA YE

buettikeri Brancucci, 1985: 230 **A:** SA **YE**

consanguinea Régimbart, 1892:118 (*Bidessus*) **A:** NP **ORR**

darfurensis J. Balfour-Browne, 1947: 136 **A:** YE **AFR**

= *decorata* Guignot, 1956: 251

enigmatica Omer-Cooper, 1954: 212 **N:** EG **A:** SA SI YE **AFR**

nigrosignata Régimbart, 1895: 71 **N:** AG **AFR**

= *pescheti* Peyerimhoff, 1929: 168

porcata Klug, 1834: t.34/5 (*Hydroporus*) **N:** EG **A:** SA **AFR**

wraniki Wewalka, 2004: 468 **A:** YE (Socotra)

genus *Yolina* Guignot, 1936: 25 type species *Hydroporus elegantulus* Boheman, 1848

insignis Sharp, 1882: 348 (*Bidessus*) **N:** EG **A:** **OM** SA YE **AFR**

tribe Hydroporini Aubé, 1836

subtribe Deronectina Galewski, 1994

genus *Amurodytes* Fery & Petrov, 2013: 1823 type species *Amurodytes belovi* Fery & Petrov, 2013

belovi Fery & Petrov, 2013: 1824 **A:** RU (FE)

genus *Boreonectes* Angus, 2010: 124 type species *Dytiscus griseostriatus* DeGeer, 1774

alpestris Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** IT SZ

emmerichi Falkenström, 1936: 88 (*Deronectes*) **A:** CH (QIN SCH XIZ)

griseostriatus DeGeer, 1774: 403 (*Dytiscus*) **E:** ?AR ?AU ?BH ?EN FI FR GE ?GG ?GR IT ?ME NR ?RU (NT) ?SL SV SZ **A:** ?KA ?MG ?PA ?TR ?**NAR**¹

= *maritimus* Helliesen, 1890: 20 (*Deronectes*)

= *nigrescens* Favre, 1890: 52 (*Hydroporus*)

= *obscurus* Della Beffa, 1931: 179 [HN] (*Hydroporus*)

= *palaestinus* Baudi di Selve, 1894: 3 (*Deronectes*)

= *piochardi* Régimbart, 1878: 350 (*Hydroporus*)

= *strandii* Brinck, 1943: 141 (*Deronectes*)

ibericus Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** FR IT PT SP **N:** MO

inexpectatus Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** FR

macedonicus Guéorguiev, 1959: 193 (*Potamonectes*) **E:** GR (Crete) MC

= *creticus* Dutton & Angus, 2007: 12 (*Stictotarsus*)

multilineatus Falkenström, 1922: 16 (*Potamodytes*) **E:** FA FI FR GB IR NR NT SV **A:** RU (ES FE WS)

riberae Dutton & Angus, 2007: 12 (*Stictotarsus*) **E:** BU **A:** TR

genus *Deronectes* Sharp, 1882: 390 type species *Hydroporus latus* Stephens, 1829

= *Bartheus* Houlbert, 1934: 64 type species *Hydroporus latus* Stephens, 1829

abnormicollis Semenov, 1900: 682 **A:** AF CH (XIN) KI KZ TD UZ

= *microthorax* Semenov, 1900: 683

adanensis Hájek, Šťastný, Boukal & Fery, 2011: 465 **A:** TR

afghanicus Wewalka, 1971: 139 **A:** AF PA

algibensis Fery & Fresneda, 1988: 337 **E:** SP

angelinii Fery & Brancucci, 1997: 228 **E:** IT

angulipennis Peyron, 1858: 398 (*Hydroporus*) **A:** TR

¹ Split cytogenetically into several taxa by Dutton & Angus (2007). The occurrence of *B. griseostriatus* in countries marked with question mark has to be verified; however, especially populations from Balkan Peninsula and Asia belong most probably to other species.

- angusi* Fery & Brancucci, 1990: 431 **E**: SP
aubei aubei Mulsant, 1843: 276 (*Hydroporus*) **E**: AU FR GE IT SZ
aubei sanfilippoi Fery & Brancucci, 1997: 234 **E**: FR SP
balkei Fery & Hosseinie, 1998: 252 **A**: IN
bameuli Fery & Hosseinie, 1998: 243 **A**: PA
bicostatus Schaum, 1864: 111 (*Hydroporus*) **E**: PT SP
biltoni Fery & Hosseinie, 1998: 245 **A**: IN
brancuccii Fery & Hosseinie, 1998: 250 **A**: IN
brannanii Schaufuss, 1869: 9 (*Hydroporus*) **E**: SP (Islas Baleares)
costipennis costipennis Brancucci, 1983: 138 **E**: PT SP
costipennis gignouxii Fery & Brancucci, 1989: 303 **E**: SP
 = *gignouxorum* Nilsson, 2007: 49 [UE]
danielssoni Fery & Hosseinie, 1998: 242 **A**: AF
delarouzei Jacquelin du Val, 1857: 34 (*Hydroporus*) **E**: FR SP
depressicollis Rosenhauer, 1856: 50 (*Hydroporus*) **E**: SP
doriae Sharp, 1882: 421 **E**: "Caucasus" **A**: AR IN TR
elburs Fery, Erman & Hosseinie, 2001:346 **A**: IN
elmii Fery & Hosseinie, 1998: 254 **A**: IN
ermani Hájek, Štátný, Boukal & Fery, 2011: 468 **A**: TR
evelynae Fery & Hosseinie, 1998: 254 **A**: TR
fairmairei Leprieur, 1876: cxxi [RN] (*Hydroporus*) **E**: FR IT PT SP **N**: AG MO TU
 = *bombycinus* Leprieur, 1876: cxxii (*Hydroporus*)
 = *sublaevis* Rey, 1887: 2 (*Hydroporus*)
 = *vestitus* Fairmaire, 1859: 27 [HN] (*Hydroporus*)
ferrugineus Fery & Brancucci, 1987: 70 **E**: PT SP
fosteri Aguilera & Ribera, 1996: 39 **E**: SP
hakkariensis Wewalka, 1989: 96 **A**: TR
hebaueri Fery & Hosseinie, 1998: 256 **A**: TR
 = *hebauerorum* Nilsson, 2007: 49 [UE]
hendrichi Fery & Hosseinie, 1998: 253 **A**: IN
hispanicus Rosenhauer, 1856: 49 (*Hydroporus*) **E**: FR SP **N**: MO
 = *septensis* Lagar, 1968: 61
jaechi Wewalka, 1989: 94 **A**: TR
kinzelbachi Fery & Hosseinie, 1998: 262 **A**: SY TR
lareynii Fairmaire, 1858: 455 (*Hydroporus*) **E**: FR (Corse)
 = *coarcticolis* Reiche, 1862: 293 (*Hydroporus*)
latus Stephens, 1829: 192 (*Hydroporus*) **E**: AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT LA LT LU
 ME NL NR PL RU (CT NT) SK SL SV SZ UK
 = *castaneus* Heer, 1837: 54 (*Hydroporus*)
 = *latus* Curtis, 1831: 343 [HN] (*Hydroporus*)
 = *ovatus* Sturm, 1835: 40 (*Hydroporus*)
 = *pyrenaicus* Schaefer, 1930: 104 [HN] (*Hydroporus*)
longipes Sharp, 1882: 420 **A**: IN
moestus inconspectus Leprieur, 1876: cxxii (*Hydroporus*) **E**: AL BU CR FR GR IT MC ME PT SP SZ **N**: MO
moestus moestus Fairmaire, 1858: 455 (*Hydroporus*) **E**: FR (Corse) IT (Sardegna)
nilssoni Fery & Wewalka, 1992: 22 **A**: IN TM
opatrinus Germar, 1824: 31 [NP] (*Hydroporus*) **E**: FR PT SP SZ
 = *silphoides* Ponzani, 1805:82 [NO] (*Dytiscus*)
palaestinensis Fery & Hosseinie, 1999: 271 [RN] **A**: SY
 = *palaestinus* Fery & Hosseinie, 1998: 229 [HN]
parvicollis Schaum, 1864: 112 (*Hydroporus*) **E**: AR BU GG GR MC RO YU **A**: IN TR
 = *planicollis* Sharp, 1882: 420
perrinae Fery & Brancucci, 1997: 260 **N**: AG TU
persicus Peschet, 1914: 227 **A**: IN
peyerimhoffi Régimbart, 1906: 204 (*Hydroporus*) **N**: AG
platynotus mazzoldii Fery & Brancucci, 1997: 242 **E**: GR
platynotus platynotus Germar, 1834: pl. 3 (*Hydroporus*) **E**: AL AU BE BH BU CZ GE LU MC ME NL PL RO SB SK
 = *murinus* Sturm, 1835: 42 (*Hydroporus*)
 = *platynotus* Lacordaire, 1835: 330 [HN] (*Hydroporus*)

riberai Fery & Hosseinie, 1998: 255 **A**: IQ TR
roberti Fery & Hosseinie, 1998: 242 **A**: AF
sahlbergi Zimmermann, 1932: 106 **E**: GR TR **A**: TR
schuberti Wewalka, 1971: 138 **A**: TR
semirufus Germar, 1845: pl.3 (*Hydroporus*) **E**: FR IT
syriacus Wewalka, 1971: 141 **A**: TR
tashk Fery, Hasanshahi & Abbasipour, 2014: 1256 **A**: IN
theryi Peyerimhoff in Bedel, 1925: 356 (*Hydroporus*) **N**: MO
toledo Fery, Erman & Hosseinie, 2001:342 **A**: TR
vestitus Gebler, 1848: 76 (*Hydroporus*) **A**: AF KZ RU (WS) TD UZ
wewalkai Fery & Fresneda, 1988: 241 **E**: SP
wittmeri Wewalka, 1971: 130 **A**: TR
witzgalli Fery & Brancucci, 1997: 278 **A**: TR
youngi Fery & Hosseinie, 1998: 240 **A**: IN

genus *Nebrioporus* Régimbart, 1906: 237 type species *Hydroporus kilimandjarensis* Régimbart, 1906

- = *Bistictus* Guignot, 1941: 59 type species *Hydroporus dubius* Aubé, 1838
- = *Potamodytes* Zimmermann, 1919: 184 [HN] type species *Dytiscus elegans* Panzer, 1794
- = *Potamonectes* Zimmermann, 1921: 87 [RN] type species *Dytiscus elegans* Panzer, 1794
- = *Rhabdonectes* Houlbert, 1934: 68 type species *Hydroporus carinatus* Aubé, 1836
- = *Zimmermannius* Guignot, 1941: 59 type species *Hydroporus canariensis* Bedel, 1881

acuminatellus Fairmaire, 1876: 49 (*Hydroporus*) **N**: AG
airumulus Kolenati, 1845: 85 (*Hydroporus*) **E**: AB AR GG PL RU (ST) UK **A**: AF CH (BEI GAN GUI HEB HEI HEN JIA LIA NMO SCH SHA SHN SHX XIN YUN) HP IN IS KA KI KZ MG PA RU (ES) TD TM TR UZ
 = *amurensis* Sharp, 1882: 427 (*Deronectes*)
 = *kashmirensis* Régimbart, 1899: 195 (*Hydroporus*)
 = *rybinskii* Kinel, 1936: 199 (*Deronectes*)
 = *sulphuricola* Zaitzev, 1951: 58 (*Deronectes*)
amicorum Toledo, 2009: 62 **E**: GR (Crete)
anchoralis Sharp, 1884: 442 (*Deronectes*) **A**: JA
assimilis Paykull, 1798: 236 (*Dytiscus*) **E**: AU BY CR CZ DE EN FI FR GB GE IR LA LT ME NR RU (CT NT) PL SV SZ **A**: RU (ES WS)
 = *affinis* Sturm, 1835: 17 (*Hydroporus*)
 = *frater* Kunze, 1818: 62 (*Hyphydrus*)
 = *hyperboreus* Gyllenhal in C.R. Sahlberg, 1826: 175 (*Hyphydrus*)
baeticus Schaum, 1864: 109 (*Hydroporus*) **E**: SP
 = *mariae* Millán & Rocchi, 1991: 83 (*Potamonectes*)
balli Vazirani, 1970: 127 (*Potamonectes*) **A**: HP PA UP
banajai Brancucci, 1980: 106 (*Potamonectes*) **A**: SA
brownei Guignot, 1949: 44 (*Potamonectes*) **A**: CH (GUI HUN SCH)
bucheti bucheti Régimbart, 1898: 89 (*Hydroporus*) **E**: FR IT
bucheti cazorlensis Lagar, Fresneda & Hernando, 1987: 93 (*Potamonectes*) **E**: SP
canaliculatus Lacordaire, 1835: 328 (*Hydroporus*) **E**: AU BE CZ DE FR GB GE GR HU IT LU NL PL PT SK SP SV SZ
 = *pantherinus* Reclaire & van der Wiel, 1948: 222 (*Deronectes*)
canariensis Bedel, 1881: 265 [RN] (*Hydroporus*) **N**: CI
 = *gomerensis* Guignot, 1949: 6 (*Potamonectes*)
 = *tesselatus* Aubé, 1838: 516 [HN] (*Hydroporus*)
carinatus Aubé, 1838: 238 (*Hydroporus*) **E**: PT SP
ceresyi Aubé, 1838: 260 (*Hydroporus*) **E**: BU CR FR GR IT MA PT SP UK **N**: AG CI EG LB MO MR TU **A**: CY IN IQ IS SI SY TM TR
 = *lyellii* Wollaston, 1857: 26 (*Hydroporus*)
 = *salinus* Joly, 1840: 42 (*Hydroporus*)
 = *undecimlineellus* Fairmaire, 1877: 141 (*Hydroporus*)
clarkii Wollaston, 1862: 438 (*Hydroporus*) **E**: IT PT SP **N**: AG CI MO TU **A**: TR
 = *andalusiae* Clark, 1862: 469 (*Hydroporus*)
 = *subtruncatus* Fairmaire, 1876: 49 (*Hydroporus*)
 = *unilineatus* Báguena Corella, 1935: 88 (*Hydroporus*)

- croceus* Angus, Fresneda & Fery, 1993: 298 **E:** SP
crotchi Preudhomme de Borre, 1871: xiii (*Hydroporus*) **N:** EG **A:** IS SA SI
 = *moestus* Walker, 1871: 10 [HN] (*Hydroporus*)
 = *schweinfurthi* Zimmermann, 1921: 87 (*Deronectes*)
 = *walkeri* Branden, 1885: 49 [RN] (*Deronectes*)
depressus Fabricius, 1775: 233 (*Dytiscus*) **E:** BY CZ DE EN FI GB GE HU IR LA LT NR PL RU (CT NT ST) SL SV
UK A: MG RU (ES WS) **NAR**
 = *boristhenicus* Hochhuth, 1871: 233 (*Hydroporus*)
 = *intermedius* Franck, 1935: 239 (*Deronectes*)
 = *lataescens* Falkenström, 1932: 185 (*Deronectes*)
 = *neuhoffii* Cederhielm, 1798: 32 (*Dytiscus*)
 = *pallidus* Heer, 1837: 54 (*Hydroporus*)
dubius Aubé, 1838: 517 (*Hydroporus*) **N:** MR
 = *vigilans* Wollaston, 1854: 86 (*Hydroporus*)
elegans Panzer, 1794: 24/t.5 (*Dytiscus*) **E:** AU BE BH CR CZ FR GB GE HU IT LS LU NL PT SK SL SP SZ
 = *brevis* Sturm, 1835: 9 [HN] (*Hydroporus*)
 = *marginicollis* Aubé, 1838: 229 (*Hydroporus*)
fabressei Régimbart, 1901: 324 (*Hydroporus*) **E:** FR PT SP
fenestratus Germar, 1836: t.3 (*Hydroporus*) **E:** IT
 = *schaumei* Aubé, 1842: 229 (*Hydroporus*)
formaster formaster Zaitzev, 1908: 269 (*Hydroporus*) **A:** CH (XIN) MG RU (ES WS)
formaster jaechi Toledo, 1998: 77 **A:** CH (XIZ)
hostilis Sharp, 1884: 448 (*Deronectes*) **A:** CH (JIL LIA SCH TAI) JA NC RU (FE) SC
indicus Sharp, 1882: 431 (*Deronectes*) **A:** AF AP CH (XIZ) HP KA NP PA UP
 = *manii* Vazirani, 1970: 124 (*Potamonectes*)
insignis Klug, 1834: t.33/10 (*Hydroporus*) **N:** EG **A:** SA SI YE
 = *princeps* Sharp, 1882: 428 (*Deronectes*)
 = *semiclusus* Walker, 1871: 10 (*Hydroporus*)
kiliani Peyerimhoff, 1929: 169 (*Hydroporus*) **N:** AG **AFR**
laeviventris Reiche & Saulcy, 1855: 642 (*Hydroporus*) **A:** CY LE SY TR
 = *scutellaris* Sharp, 1882: 426 (*Deronectes*)
lanceolatus Walker, 1871: 11 (*Hydroporus*) **N:** EG **A:** IN IQ IS JO KU SA SI SY TR
 = *arabicus* Sharp, 1882: 429 (*Deronectes*)
 = *islamicus* Sharp, 1882: 430 (*Deronectes*)
laticollis Zimmermann, 1933: 163 (*Deronectes*) **A:** CH (SHN)
luctuosus Aubé, 1838: 235 (*Hydroporus*) **E:** BH CR FR GR IT ME SL SP YU **A:** TR
 = *flavopunctatus* Pic, 1895: 10 (*Deronectes*)
 = *lugubris* Ragusa, 1887: 227 [HN] (*Hydroporus*)
 = *sericeus* Costa, 1847: 99 [HN] (*Hydroporus*)
martinii Fairmaire, 1858: 455 (*Hydroporus*) **E:** FR (Corse)
mascatensis Régimbart, 1897: 206 (*Hydroporus*) **A:** AE AF IN OM PA
melanogrammus Régimbart, 1899: 199 (*Hydroporus*) **A:** BT CH (YUN) HP NP UP
 = *satie* Vazirani, 1980: 28 (*Potamonectes*)
millingeni J. Balfour-Browne, 1951: 188 (*Potamonectes*) **A:** YE
nemethi Guignot, 1950: 153 (*Potamonectes*) **N:** MO
nipponicus Takizawa, 1933: 177 (*Deronectes*) **A:** JA
ressli Wewalka, 1974: 108 (*Potamonectes*) **A:** AF IN TD TM UZ
sagartus Toledo, 2009: 71 **A:** IN
sansii Aubé, 1838: 230 (*Hydroporus*) **E:** FR IT SP
sardus Gemminger & Harold, 1868: 440 [RN] (*Hydroporus*) **E:** GR IT
 = *affinis* Aubé, 1838: 232 [HN] (*Hydroporus*)
 = *genei* A. Villa & G.B. Villa, 1838: 62 [HN] (*Hydroporus*)
schoedli Fery, Fresneda & Millán, 1996: 324 **N:** AG TU
seriatus Sharp, 1882: 429 (*Deronectes*) **A:** SA YE
sichuanensis Hendrich & Mazzoldi, 1995: 4 **A:** CH (SCH)
simplicipes Sharp, 1884: 442 (*Deronectes*) **A:** JA RU (FE)
stearinus stearinus Kolenati, 1845: 84 (*Hydroporus*) **E:** AB AR **N:** EG **A:** AF IN IS LE SY TR
 = *rufino* J. Sahlberg, 1913: 43 (*Deronectes*)
 = *turca* Seidlitz, 1887: 55 (*Deronectes*)
 = *variegatus* Aubé, 1838: 236 [HN] (*Hydroporus*)
stearinus suavis Sharp, 1882: 430 (*Deronectes*) **E:** AL BH BU CR GR MC ME SB **A:** TR
 = *infuscatus* J. Sahlberg, 1913: 42 (*Deronectes*)

steppensis Motschulsky, 1860: 516 (*Hydroporus*) **E:** KZ RU (ST)
 = *scythus* Schaum, 1864: 110 (*Hydroporus*)

genus Oreodytes Seidlitz, 1887: 57 type species *Hyphydrus borealis* Gyllenhal in C.R. Sahlberg, 1826 (= *Dytiscus alpinus* Paykull, 1798)

- = *Deuteronectes* Guignot, 1945: 7 type species *Hydroporus picturatus* Horn, 1883
- = *Nectoporus* Guignot, 1950: 26 type species *Hydroporus abbreviatus* Fall, 1923
- = *Neonectes* J. Balfour-Browne, 1944: 189 type species *Hydroporus natrix* Sharp, 1884

alpinus Paykull, 1798: 226 (*Dytiscus*) **E:** FI NR RU (CT NT) SV **A:** RU (FE WS)
 = *bidentatus* Gyllenhal, 1808: 525 (*Hyphydrus*)
 = *borealis* Gyllenhal in C.R. Sahlberg, 1826: 174 (*Hyphydrus*)

babai Satô, 1990: 102 **A:** CH (TAI)

dauricus Motschulsky, 1860: 100 (*Hydrocoptus*) **A:** RU (ES FE)

davisii davisii Curtis, 1831: 343 (*Hydroporus*) **E:** AL AR AU BH BU CR CZ FR GB GE GG GR IR IT ME PL SK SL SZ UK **A:** TR

- = *montanus* Zimmermann, 1915: 218 [HN] (*Hydroporus*)

davisii rhianae R. Carr, 2001:183 **E:** SP

jakovlevi Zaitzev, 1905: 25 (*Hydroporus*) **A:** RU (ES)

- = *nobilis* Poppius, 1905: 10 (*Hydroporus*)

kanoi Kamiya, 1938: 23 (*Deronectes*) **A:** JA

meridionalis Binaghi & Sanfilippo, 1971: 216 **E:** IT

mongolicus Brinck, 1943: 155 (*Deronectes*) **A:** MG

natrix Sharp, 1884: 443 (*Hydroporus*) **A:** CH (JIL LIA) JA NC RU (FE)

okulovi Lafer, 1988: 52 **A:** RU (FE)

sanmarkii alienus Sharp, 1873: 261 (*Hydroporus*) **E:** PT SP

sanmarkii sanmarkii C.R. Sahlberg, 1826: 172 (*Hyphydrus*) **E:** AN AU BE BH BU BY CZ DE FI FR GB GE IC IR IT LU MC ME NL NR PL **RO** RU (CT NT) SB SK SL SP SV SZ UK **A:** CH (JIL) JA MG RU (FE WS) **NAR**

- = *fluviatilis* Stephens, 1828: 46 (*Hygrotus*)
- = *rivalis* Gyllenhal, 1827: 384 (*Hyphydrus*)
- = *stephensii* Stephens, 1835: 391 (*Hygrotus*)

septentrionalis Gyllenhal in C.R. Sahlberg, 1826: 173 (*Hyphydrus*) **E:** AU CZ FI FR GB GE IR IT ME NR PL PT RU (NT) SL SP SV SZ **A:** MG RU (ES WS) TR

- = *devillei* Régimbart, 1901: 326 (*Hydroporus*)
- = *fluviatilis* Sturm, 1835: 23 [HN] (*Hydroporus*)
- = *helveticus* Régimbart, 1901: 326 (*Hydroporus*)

shorti Shaverdo & Fery, 2006: 37 **A:** MG

genus Scarodytes Gozis, 1914: 110 type species *Dytiscus halensis* Fabricius, 1787

- = *Rhiacodytes* Ádám, 1996: 19 type species *Dytiscus halensis* Fabricius, 1787

antoni Fery & Šťastný, 2007: 880 **E:** CR IT

fuscitarsis Aubé, 1838: 255 (*Hydroporus*) **E:** IT (Sardegna)

halensis Fabricius, 1787: 192 (*Dytiscus*) **E:** AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT LA LT LU MC MD ME NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK YU **N:** AG EG MO TU **A:** IN IS LE SI SY TR

- = *amoenus* J. Sahlberg, 1908: 22 [HN] (*Hydroporus*)
- = *areolatus* Duftschmid, 1805: 274 (*Dytiscus*)
- = *areolatus* Gravenhorst, 1807: 105 [HN] (*Dytiscus*)
- = *ibericus* Régimbart, 1901: 326 (*Hydroporus*)
- = *nubilus* Gmelin, 1790: 1957 (*Dytiscus*)
- = *reticulosus* Falkenström, 1939: 18

kaszonensis Csiki, 1946: 631 **E:** RO

malickyi Wewalka, 1977: 139 **E:** GR **A:** TR

margaliti Wewalka, 1977: 142 **A:** IS SY TR

nigriventris Zimmermann, 1919: 192 (*Deronectes*) **E:** FR (Corse)

pederzani Angelini, 1973: 51 **E:** GR IT

roberti Fery, 2011: 384 **E:** GR

ruffoi Franciscolo, 1961: 159 **E:** IT

savinensis cercyrae Fery & Šťastný, 2007: 887 **E:** GR (Corfu)

savinensis savinensis Zimmermann, 1933: 189 (*Deronectes*) **E:** AL CR GR ME

genus *Stictotarsus* Zimmermann, 1919: 184 type species *Dytiscus duodecimpustulatus* Fabricius, 1792

bertrandi Legros, 1956: 134 (*Deronectes*) **E:** PT SP

duodecimpustulatus Fabricius, 1792: 197 (*Dytiscus*) **E:** AU BE CZ DE FR GB GE IR IT LU NL NR PL PT SP SV SZ

= *fluminum* Munster, 1932: 85

= *heeri* Jacquet, 1925: 41 (*Hydroporus*)

maghrebinus Mazzoldi & Toledo, 1998: 212 **N:** AG MO

procerus Aubé, 1838: 505 (*Hydroporus*) **E:** FR (Corse) IT (Sardegna) **N:** AG MO TU

= *duodecimmaculatus* Régimbart, 1877: cxxxiii (*Hydroporus*)

genus *Trichonectes* Guignot, 1941: 58 type species *Potamonectes otini* Guignot, 1941

otini Guignot, 1941: 57 (*Potamonectes*) **E:** SP **N:** MO

subtribe Siettitiina Smrž, 1982

genus *Etruscodytes* Mazza, Cianferoni & Rocchi, 2013: 235 type species *Etruscodytes nethuns* Mazza, Cianferoni & Rocchi, 2013

nethuns Mazza, Cianferoni & Rocchi, 2013: 236 **E:** IT

genus *Graptodytes* Seidlitz, 1887: 57 type species *Dytiscus granularis* Linnaeus, 1767

aequalis Zimmermann, 1918: 69 [NP] (*Hydroporus*) **E:** PT SP **N:** MO

= *octolineatus* Schaufuss, 1882:559 [NO] (*Hydroporus*)

atlantis Théry, 1933: 129 (*Hydroporus*) **N:** MO

aurasius Jeannel, 1907: 18 (*Hydroporus*) **N:** AG TU

bilineatus Sturm, 1835: 68 (*Hydroporus*) **E:** AL AU BE BH BU BY CR CZ DE FI FR GB GE GG GR HU IR IT LA LT LU MC NL PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** KZ RU (ES WS) TR

= *dalmatinus* Zimmermann, 1932: 81

= *hopffgarteni* Schilsky, 1892: 193 (*Hydroporus*)

= *narentinus* Zimmermann, 1915: 220 (*Hydroporus*)

= *nigritarsis* Sharp, 1882: 453 (*Hydroporus*)

= *pervasus* Gozis, 1914: 120 (*Hydroporus*)

bremondi Guignot, 1934: 217 **N:** MO

bussleri Fery, 1994: 399 **A:** IS SY

castilianus Fery, 1995: 40 **E:** SP

delectus Wollaston, 1864: 76 (*Hydroporus*) **N:** CI

eremitus Ribera & Faille, 2010: 6 **N:** MO

flavipes Olivier, 1795: 38 [NP] (*Dytiscus*) **E:** BE BH BU CR FR GB GE GR IT LU ME NL PT SL SP SZ TR **N:** AG MO TU **A:** TR

= *cebennicus* Guignot, 1932: 410

= *concinnus* Stephens, 1835: 392 (*Hydroporus*)

= *manducus* Schaufuss, 1882: 559 (*Hydroporus*)

= *marmoratus* Stephens, 1835: 438 (*Hydroporus*)

= *portalegrensis* Schaufuss, 1882: 559 (*Hydroporus*)

fractus Sharp, 1882: 454 (*Hydroporus*) **E:** BU FR GR IT PT SP **N:** AG TU

= *exsanguis* Bedel, 1925: 364 (*Hydroporus*)

granularis Linnaeus, 1767: 667 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SK SL SV SZ UK

= *funestus* Schilsky, 1888: 183 (*Hydroporus*)

= *istrus* J. Müller, 1926: 290

= *pseudopictus* Zaitzev, 1928: 12

= *rhodanensis* Schaefer, 1952: 35

= *suturalis* P.W.J. Müller, 1821: 225 (*Hyphydrus*)

= *unilineatus* Schrank, 1781: 204 (*Dytiscus*)

ignotus Mulsant & Rey, 1861: 307 (*Hydroporus*) **E:** CR FR GR IT PT SP **N:** AG MO TU

= *bihamatus* Chevrolat, 1861: 149 (*Hydroporus*)

= *fallaciosus* Guignot, 1932: 402

= *ypsilon* Reiche, 1863: 127 (*Hydroporus*)
kuchtai Breit, 1908: 59 (*Hydroporus*) **E:** SP (Islas Baleares)
parisii Gridelli, 1939: 408 **N:** AG
pictus Fabricius, 1787: 194 (*Dytiscus*) **E:** AU BE BH BU BY CR DE EN FI FR GB GE HU IR IT LA LS LT LU MC ME NL NR RO RU (CT NT ST) SK SL SZ UK YU
= *arcuatus* Panzer, 1795: 75 (*Dytiscus*)
= *cruciatus* Schilsky, 1890: 182 (*Hydroporus*)
= *flexuosus* Marsham, 1802: 425 (*Dytiscus*)
= *fortiterpunctatus* Guignot, 1932: 396
pietrii Normand, 1933: 297 **N:** AG TU
sedilloti phrygius Guignot, 1942: 18 **E:** GR MC TR **A:** TR
= *pseudophrygius* Guéorguiev, 1965: 494
sedilloti sedilloti Régimbart, 1878: 352 (*Hydroporus*) **A:** CY IS SY
siculus Fery, 1995: 41 **E:** IT (Sicily)
snizeki Hendrich, 1993: 392 **A:** UZ
varius Aubé, 1838: 334 (*Hydroporus*) **E:** AU BU FR GE GR IT MA PT SP YU **N:** AG MO TU
= *laeticulus* Sharp, 1882: 453 (*Hydroporus*)
= *pauper* O. Schneider, 1903: 51 (*Hydroporus*)
veterator behningi Zaitzev, 1927: 11 **A:** TR
veterator veterator Zimmermann, 1918: 67 [NP] (*Hydroporus*) **E:** BU CR GR IT MC ME
= *montenegrinus* Schaufuss, 1882: 559 [NO] (*Hydroporus*)

genus Iberoporus Castro & Delgado, 2001:34 type species *Iberoporus cermenius* Castro & Delgado, 2001

cermenius Castro & Delgado, 2001:35 **E:** SP

genus Metaporus Guignot, 1945: 6 type species *Hydroporus meridionalis* Aubé, 1838

meridionalis Aubé, 1838: 327 (*Hydroporus*) **E:** FR IT PT SP **N:** AG MO TU

= *lusitanicus* Scholz, 1916: 172 (*Hydroporus*)

= *scriptus* Régimbart, 1895: 24 (*Hydroporus*)

orientalis Toledo & Hosseinie, 2003: 59 **A:** IN

genus Porhydrus Guignot, 1945: 6 type species *Dytiscus lineatus* Fabricius, 1775

genei Aubé, 1838: 328 (*Hydroporus*) **E:** BH CR FR GR IT **N:** AG MO

lineatus Fabricius, 1775: 234 (*Dytiscus*) **E:** AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MC MD **ME** NL NR PL RO RU (CT NT ST) SK SL SV SZ TR UK YU **A:** IN RU (WS)

= *ovalis* Marsham, 1802: 425 [HN] (*Dytiscus*)

= *parvulus* Herbst, 1784: 127 [HN] (*Dytiscus*)

= *pygmaeus* Fabricius, 1792: 200 (*Dytiscus*)

= *quadrilineatus* Drapiez, 1819: 198 [HN] (*Dytiscus*)

= *thoreii* Clark, 1862: 409 (*Hydroporus*)

= *velox* O.F. Müller, 1776: 73 (*Dytiscus*)

obliquesignatus Bielz, 1852: 16 (*Hydroporus*) **E:** AU BH BU BY CR HU IT RO RU (ST) SB SK SL UK **A:** KZ RU (WS)

vicinus Aubé, 1838: 627 (*Hydroporus*) **E:** PT **N:** MO

genus Rhithrodytes Bameul, 1989: 482 type species *Dytiscus crux* Fabricius, 1792

agnus agnus Foster, 1992: 249 **E:** PT

agnus argaensis Bilton & Fery, 1996: 919 **E:** PT

bimaculatus Dufour, 1852: 319 (*Hydroporus*) **E:** FR SP

= *jucundus* Perris, 1869: 7 (*Hydroporus*)

crux Fabricius, 1792: 199 (*Dytiscus*) **E:** FR IT SZ

= *fasciatus* Aubé, 1838: 347 [HN] (*Hydroporus*)

dorsoplagiatus Fairmaire, 1880: 247 (*Hydroporus*) **N:** AG

numidicus Bedel, 1889: 286 (*Hydroporus*) **N:** AG TU

sexguttatus Aubé, 1838: 330 (*Hydroporus*) **E:** FR (Corse) IT

genus *Siettitia* Abeille de Perrin, 1904: 226 type species *Siettitia balsetensis* Abeille de Perrin, 1904

avenionensis Guignot, 1925: 23 **E:** FR

balsetensis Abeille de Perrin, 1904: 227 **E:** FR

genus *Stictonectes* Brinck, 1943: 6 [RN] type species *Dytiscus lepidus* Olivier, 1795

= *Stictonotus* Zimmermann, 1930: 62 [HN] type species *Dytiscus lepidus* Olivier, 1795

abellani Millán, Picazo & Fery in Millán, Picazo, Fery, Moreno & Sánchez-Fernández, 2013: 534 **E:** PT SP

azruensis Théry, 1933: 130 (*Hydroporus*) **N:** MO

canariensis Machado, 1987: 42 **N:** CI (Gran Canaria)

epipleuricus Seidlitz, 1887: 59 (*Hydroporus*) **E:** FR PT SP

escheri Aubé, 1838: 354 (*Hydroporus*) **E:** IT PT SP **N:** AG MO TU

= *bicruciatu*s Germar, 1838: 20 (*Hydroporus*)

= *gallicus* Seidlitz, 1887: 60 (*Hydroporus*)

= *lepieurii* Reiche, 1864: 235 (*Hydroporus*)

formosus Aubé, 1838: 353 (*Hydroporus*) **E:** PT SP **N:** AG MO TU

lepidus Olivier, 1795: 32 (*Dytiscus*) **E:** FR GB GE IR IT PT SL SP SZ **N:** MO

= *bifoveolatus* Zimmermann, 1918: 61 (*Hydroporus*)

= *fauconneti* Pic, 1930: 13 (*Deronectes*)

= *scitulus* Stephens, 1828: 49 (*Hygrotus*)

occidentalis Fresneda & Fery, 1990: 73 **E:** PT SP

optatus Seidlitz, 1887: 60 (*Hydroporus*) **E:** FR IT PT SP **N:** AG MO TU

= *densatus* Peyerimhoff, 1931: 23

*rebecca*e Bilton, 2012: 44 **E:** PT SP

rufulus Aubé, 1838: 349 (*Hydroporus*) **E:** FR IT

= *ramburi* Reiche, 1862: 293 (*Hydroporus*)

samai Schizzerotto, 1988: 539 **N:** AG TU

subtribe *Hydroporina* Aubé, 1836

genus *Hydrocolus* Roughley & Larson, 2000: 407 type species *Hydroporus paugus* Fall, 1923

sahlbergi Nilsson, 2001: 9 [RN] **E:** FI NR RU (NT) SV **A:** RU (ES)

= *pivicornis* J. Sahlberg, 1874: xiii [HN] (*Hydroporus*)

= *pivicornis* J. Sahlberg, 1875: 152 [HN] (*Hydroporus*)

genus *Hydroporus* Clairville, 1806: 182 type species *Dytiscus fuscus* Schrank, 1781 (= *Dytiscus planus* Fabricius, 1781)

= *Hydatoporus* Gistel, 1856: 355 type species *Dytiscus palustris* Linnaeus, 1761

= *Hydrocoptus* Motschulsky, 1853: 5 type species *Dytiscus tristis* Paykull, 1798

= *Hydroporidius* Guignot, 1949: 9 type species *Hydroporus melanarius* Sturm, 1835

= *Hydroporinus* Guignot, 1945: 22 type species *Hydroporus neglectus* Schaum, 1845

= *Hydrotarsus* Falkenström, 1938: 4 type species *Hydrotarsus lundbladi* Falkenström, 1938

= *Schizoporus* Ádám, 1996: 20 type species *Hydroporus angustatus* Sturm, 1835

= *Sternoporus* Falkenström, 1930: 24 type species *Hydroporus longicornis* Sharp, 1871

= *Suphrodytes* Gozis, 1914: 110 type species *Dytiscus dorsalis* Fabricius, 1787

acutangulus Thomson, 1856: 202 **E:** FI NR RU (NT) SV **A:** MG RU (ES FE WS)

= *aenescens* J. Sahlberg, 1880: 50

= *pectoralis* J. Sahlberg, 1880: 51 [HN]

= *punctatulus* J. Sahlberg, 1889: 221

= *sumakovi* Poppius, 1912: 107

= *zaitzevi* Jacobson, 1908: 425 [RN]

amguemensis Shaverdo, 2003:59 **A:** RU (FE)

*ampliatu*s *ampliatu*s Zaitzev, 1927: 13 **E:** RU (ST) **A:** AR IN

*ampliatu*s *colchicus* Bilyashiwsky, 2004:47 **E:** GG

analis Aubé, 1838: 294 **E:** FR (Corse) IT **N:** AG TU

*anatolicu*s *anatolicu*s J. Balfour-Browne, 1963: 2 **A:** TR

*anatolicu*s *koksali* Hájek & Fikáček, 2010:1635 **A:** TR

angusi Nilsson, 1990: 33 **A:** CH (JIL) JA MG RU (ES FE)

- angustatus* Sturm, 1835: 53 **E**: AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU MC MD NL NR PL RO RU (CT NT ST) SK SL SV SZ UK **A**: IN KZ RU (ES WS) TR
 = *acuminatus* Sturm, 1835: 74
- apenninus* Pederzani & Rocchi, 2005: 319 **E**: IT
- artvinensis* Fery & Erman, 2009: 9 **A**: TR
- askalensis* Wewalka, 1992: 56 **A**: TR
- basinotatus* Reiche, 1864: 234 **E**: SP **N**: MO
 = *venator* Sharp, 1882: 465
- bergmani* Nilsson, 1995: 23 **A**: RU (FE)
- bithynicus* Hernando, Aguilera, Castro & Ribera, 2012: 38 **A**: TR
- bodemeyeri bodemeyeri* Ganglbauer, 1900: 139 **E**: GR **A**: TR
 = *collarti* Guignot, 1949: 7
- bodemeyeri cariaensis* Hájek & Fikáček, 2010:1642 **E**: GR (Rhodes) **A**: TR
- bodemeyeri guignoti* Gschwendtner, 1935: 205 **E**: AL BU GR
 = *bulgaricus* Hlisenkovský, 1955: 100
- brancoi brancoi* Rocchi, 1981: 150 **E**: PT SP
- brancoi gredensis* Fery, 1999: 234 **E**: PT SP
- brancuccii* Fery, 1987: 65 **E**: PT SP
- brevis* R.F. Sahlberg, 1834: 3 **E**: BY DE EN FI GE LA NR PL RU (CT NT) SV **A**: RU (ES WS)
- breviusculus* Poppius, 1905: 14 **A**: CH (JIL) RU (ES FE)
- brucki* Wehncke, 1875: 234 **E**: GR **A**: CY LE TR
- cagrankaya* Fery & Erman, 2009: 3 **A**: TR
- cantabricus* Sharp, 1882: 457 **E**: SP
- carli* Wewalka, 1992: 52 **A**: YE
- compunctus* Wollaston, 1865: 65 **N**: CI
- constantini* Hernando & Fresneda, 1996: 155 **E**: SP
- crinitisternus* Shaverdo & Fery, 2001:34 **A**: KZ MG
- cuprescens* K.W. Miller & Fery, 1995: 405 **A**: CY
- decipiens* Sharp, 1878: 113 **E**: PT SP
- discretus discretus* Fairmaire & Brisout, 1859: 28 [CN] **E**: AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK **N**: MO **A**: AF CH (XIN) CY IN KA NP PA RU (ES) TR
 = *alpestris* Falkenström, 1939: 15
 = *corsicus* Wehncke, 1872: 163
 = *cyprus* Régimbart, 1878: 352
 = *lundbladi* Falkenström, 1939: 12
 = *maurus* Sharp, 1882: 463
 = *neuter* Fairmaire & Laboulbène, 1855: 205 [SN]
 = *pescheti* Guignot, 1930: 191
 = *sublaevis* Falkenström, 1922: 184 [HN]
- discretus tatricus* Kinel, 1949: 396 **E**: PL
- distinguendus* Desbrochers des Loges, 1871: 338 **E**: FR IT **N**: AG
 = *avunculus* Fairmaire, 1872: lxxii
 = *gridellii* Focarile, 1960: 68
- dobrogeanus* Ieniştea, 1962: 424 **E**: AU BH BU **CZ** GR HU IT ME RO SK UK **A**: CY TR
- dorsalis* Fabricius, 1787: 192 (*Dytiscus*) **E**: AU BE ?BH ?BU BY CR CZ DE EN FI FR GB GE ?HU IR IT LA ?LT ?LU ?MD NR PL RU (CT) SK ?SL SV SZ ?YU **A**: ?KI RU (WS)²
 = *dubius* Melsheimer, 1844: 29 [HN]
 = ? *fimbriatus* Schrank, 1781: 203 (*Dytiscus*)
 = *marginalis* Schilsky, 1889: 346
 = ? *punctatus* O.F. Müller, 1776: 73 [HN] (*Dytiscus*)
 = *quadricolor* Gmelin, 1790: 1956 (*Dytiscus*)
 = *rufifrons* Fabricius, 1792: 198 [HN] (*Dytiscus*)
- elongatulus* Sturm, 1835: 52 **E**: AU BE BY CZ DE EN FI FR GB GE LA LT NL NR PL RU (CT NT) SK SV UK **A**: MG RU (ES WS)
 = *eugeniae* Zaitzev, 1909: 63
 = *lenensis* Poppius, 1905: 15
- emergens* Vorst & Fery, 2014: 146 **A**: TR**

² Two species were currently recognised by Bergsten et al. (2012). The occurrence of *H. dorsalis* in countries marked with question mark has to be revised with the respect to that fact.

- errans* Sharp, 1882: 462 **N**: CI
erythrocephalus Linnaeus, 1758: 412 (*Dytiscus*) **E**: AB AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GG HU IR IT LA LT LU NL NR PL RO RU (CT NT) SK SL SV SZ UK **A**: IN KZ RU (ES WS) TR
= *deplanatus* Gyllenhal in C.R. Sahlberg, 1826: 178 (*Hyphyrus*)
= *derelictus* Clark, 1862: 471
= *faroensis* Mjöberg, 1917: 10
= *sericeus* Eschscholtz, 1818: 459 (*Dytiscus*)
= *subcostatus* Gerhardt, 1909: 2
erzurumensis Erman & Fery, 2000:172 **A**: TR
esseri Fery & Hendrich, 2011: 39 **A**: TR
ferrugineus Stephens, 1829: 193 **E**: AU BE BU CR CZ FR GB GE HU IT LU ME PL SK SL SZ UK
= *victor* Aubé, 1838: 300
feryi Wewalka, 1992: 54 **N**: AG TU
figuratus Gyllenhal in C.R. Sahlberg, 1826: 175 (*Hyphyrus*) **E**: AU BY CR CZ DE FI FR GB GE NL NR PL RU (CT NT ST) SK SV UK **A**: RU (ES WS)
= *eljasi* Wirén, 1968: 114
= *maeklini* Zaitzev, 1910: 29 [RN]
= *sibiricus* Mäklin, 1881: 22 [HN]
= *transversalis* Dalla Torre, 1877: 61
foveolatus Heer, 1839: 157 **E**: AU BH FR GE HU IT PL SP SZ
= *apfelbecki* Ganglbauer, 1891: 475
= *atropos* Mulsant & Godart, 1860: 179
= *nivalis* Heer, 1839: 157
fuscipennis Schaum in Schaum & Kiesenwetter, 1868: 64 [RN] **E**: AU BY DE EN FI GE HU LA LT MC NR PL RU (CT NT ST) SK SV UK **A**: JA KZ MG RU (ES FE WS) TM **NAR**
= *criniticoxis* Larson, 1975: 301
= *flavipennis* Munster, 1932: 84
= *piceus* Sturm, 1835: 66 [HN]
= *puberulus* Mannerheim, 1853: 163 [HN]
galloprovincialis Manuel, 2013: 456 **E**: FR
geniculatus Thomson, 1856: 200 **E**: FI NR RU (NT) SV **A**: MG RU (ES WS) **NAR**
= *opacus* Wehncke, 1872: 163
= *pilipes* J. Sahlberg, 1921: 3
= *subseriatus* J. Sahlberg, 1910: 171
georgicus Bilyashiwsky, 2004:44 **E**: GG
glabriusculus Aubé, 1838: 312 **E**: BY DE FI GB GE IR LA LT NL NR PL RU (NT) SV **A**: RU (ES WS)
glasunovi dolini Fery & Št'astný, 2010:1012 **A**: KI KZ UZ
glasunovi glasunovi Zaitzev, 1905: 26 **A**: AF CH (XIN) KI TD UZ
= *macrocephalus* Gschwendtner, 1923: 100
goldschmidti Gschwendtner, 1923: 101 **A**: CH (XIN) KI UZ
= *recidivus* Gschwendtner, 1923: 103
gueorguievi Wewalka, 1975: 91 **E**: BU
guernei Régimbart, 1891: 202 **E**: AZ
gyllenhalii Schiødte, 1841: 434 **E**: AU BE BU BY CR CZ DE FI FR GB GE IR IT LU NL NR PL PT RU (NT) SK SP SV
hajeki Fery, 2009: 546 **A**: IN
hebaueri Hendrich, 1990: 244 **E**: AL BH BU GR HU ME SK TR
hellenicus Mazzoldi & Toledo, 1992: 183 **E**: GR
holzschuhi Fery, 2009: 540 **A**: TR
humilis Klug, 1834: t.33/11 **N**: EG **A**: IS SI
= *sinaicus* Wewalka, 1984: 133
hygrotoides Fery, 2000: 1248 [RN] **A**: CH (JIX BEI)
= *discedens* Sharp, 1882: 396 [HN] (*Coelambus*)
ijimai Nilsson & Nakane, 1993: 424 **A**: JA
incognitus Sharp, 1869: 84 **E**: AU BE BY CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK **A**: **KZ** RU (ES WS)
= *discedens* Régimbart, 1877: cxxxix
= *ellipticus* Pétri, 1912: 44
= *seidlitzii* Gerhardt, 1899: 5
incommodus Fery, 2006: 24 **E**: SK
ineptus Sharp, 1882: 462 **A**: SY

- inscitus* Sharp, 1882: 463 **A**: IN IQ KU
jacobsoni Zaitzev, 1927: 17 **E**: GG RU (ST)
jelineki Fery, 2009: 535 **A**: IN TR
jonicus caucasicus Zaitzev, 1927: 12 **E**: AR GG **A**: TR
jonicus jonicus L. Miller, 1862: 276 **E**: AL BH BU CR GR IT MC ME SL
jurjurensis Régimbart, 1895: 29 **N**: AG
 = *djurdjurensis* Bedel, 1925: 371 [UE]
kabakovi Fery & Petrov, 2006:88 **A**: MG RU (ES)
kasyi Wewalka, 1984: 132 **A**: CY SY TR
kozlovskii Zaitzev, 1927: 15 **E**: AR BU GG MC RO RU (ST) **A**: IN LE TR
kraatzii Schaum in Kraatz, 1868: 384 **E**: AU BH BU CZ EN FR GE IT PL SK SZ UK
 = *hedwigae* Schenkling, 1917: 52 [UE]
 = *hedwigi* Reitter, 1897: 45
 = *kraatzii* Schaum in Schaum & Kiesenwetter, 1868: 66
kryshkali Bilyashivsky, 1993: 15 **E**: UK
kurdistanicus Hájek & Fikáček, 2010:1646 **A**: TR
lapponum Gyllenhal, 1808: 532 (*Hyphydrus*) **E**: FI NR RU (NT) SV **A**: **KZ** RU (ES WS) **NAR**
 = *kolstromi* J. Sahlberg, 1875: 145
 = *labradorensis* Fall, 1923: 71
 = *obtusipennis* J. Sahlberg, 1875: 146
laticollis Zimmermann, 1922: 20 **A**: RU (FE)
lenkoranensis Fery, 1999: 255 **E**: AB GG
libanus Régimbart, 1901: 101 **A**: LE TR
limbatus Aubé, 1838: 292 **E**: FR IT PT SP **N**: AG LB MO TU
lluci Fery, 1999: 244 **E**: SP (Islas Baleares)
longicornis Sharp, 1871: 205 [RN] **E**: AU BE BU BY CZ DE FI FR GB GE HU IR IT LA LT LU NR PL RU (CT NT) SV SZ UK **A**: RU (WS)
 = *parallelus* Sharp, 1869: 84 [HN]
longulus Mulsant & Rey, 1861: 305 **E**: AU BE FR GB GE IR IT LU NL SP SZ
 = *celatus* Clark, 1862: 473
lucasi Reiche, 1866: 19 [RN] [NP] **E**: BH FR IT GR PT SP **N**: AG CI LB MO TU
 = *basiclarior* Gozis, 1914: 164 [RN]
 = *bonnairii* Fairmaire, 1872: lxxii
 = *confusus* Lucas, 1846: 96 [HN]
 = *lucasi* Reiche, 1872:24 [RN] [HN]
 = *nigriceps* Schaum, 1864: 110 [HN]
 = *perplexus* Schaum, 1847: 39 [RN]
lundbergi Fery & Erman, 2009: 8 **A**: TR
lundbladi Falkenström, 1938: 4 (*Hydrotarsus*) **N**: MR
macedonicus Fery & Pesic, 2006: 596 **E**: MC ME
marginatus Duftschmid, 1805: 269 (*Dytiscus*) **E**: AL AR AU BE BH BU CR CZ FR GB GE GG GR HU IT MC NL PL RU (ST) SB SK SL SP SZ TR UK **N**: AG MO **A**: IN IS KZ TR
 = *bosnicus* Apfelbeck, 1909: 496
 = *pallens* Zimmermann, 1915: 222 [HN]
mariannae Wewalka, 1974: 106 **A**: IS
martensi Brancucci, 1981: 180 **A**: KA
melanarius Sturm, 1835: 59 **E**: AU BE BH BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RU (CT NT ST) SB SK SL SV SZ UK **A**: **KZ** RU (WS)
 = *montanus* Helliesen, 1890: 23
 = *monticola* Sharp, 1869: 84
 = *munsterii* Helliesen, 1890: 22
 = *obscuricornis* J. Sahlberg, 1921: 3
 = *ruficornis* Zetterstedt, 1838: 139
memnonius Nicolai, 1822: 33 **E**: AB AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GR HU IR IT LA LS LT LU NL NR PL RU (CT NT ST) SK SL SP SV SZ UK **N**: AG EG MO TU **A**: TR
 = *castaneus* Aubé, 1838: 302 [HN]
 = *incertus* Aubé, 1838: 306
 = *insularis* Sharp, 1882: 457
 = *jugularis* Babington, 1832: 328
 = *niger* Sturm, 1835: 44 [HN]
 = *revelierei* Sharp, 1882: 458
 = *subelongatus* Stephens, 1835: 392

- morio* Aubé, 1838: 307 **E:** AU BE BY CZ DE EN FI FR GB GE IR LA LT NL NR PL RU (CT NT) SK SV **A:** JA MG RU (ES FE WS) **NAR**
 = *atriceps* Crotch, 1870: 96 [RN]
 = *caliginosus* LeConte, 1850: 215
 = *caminarius* Motschulsky, 1860: 100
 = *lugubris* Motschulsky, 1845: 353 [HN]
 = *melancholicus* Motschulsky, 1860: 100 [RN]
 = *scaphiformis* Sharp, 1871: 205
 = *valliger* Hellén, 1929: 36
 = *watanabei* Takizawa, 1933: 174
- multiguttatus* Régimbart, 1878: 351 **A:** IS JO SY
 = *ortali* Wewalka, 1984: 136
- nanpingensis* Toledo & Mazzoldi, 1996: 241 **A:** CH (SCH)
- neclae* Erman & Fery, 2006: 41 **A:** TR
- necopinatus necopinatus* Fery, 1999: 248 **E:** PT SP
- necopinatus robertorum* Fery, 1999: 250 **E:** FR GB (Channel Isles)
- necopinatus roni* Fery, 1999: 253 **E:** GB
- neglectus* Schaum, 1845: 409 **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT LU NL NR PL RU (CT NT) SK SV SZ UK **A:** RU (WS)
 = *incrassatus* Thomson, 1871: 366
- nevadensis* Sharp, 1882: 481 **E:** PT SP
- nigellus* Mannerheim, 1853: 163 **E:** AN AR AU BU DE FI FR GE GG IT LA NR PL RU (CT) SP SV SZ **A:** CH (QIN, SCH) IN KI KZ MG RU (FE WS) TR **NAR**
 = *bungei* Zaitzev, 1910: 31
 = *mtiula* Zaitzev, 1927: 14
 = *obscuripes* Motschulsky, 1860: 100
 = *pyrenaicus* Wehncke, 1872: 163
 = *sieversi* J. Sahlberg, 1910: 173
 = *tungus* Zaitzev, 1910: 32
- nigrita* Fabricius, 1792: 201 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FA FI FR GB GE HU IC IR IT LA LT LU MC NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK **A:** KI KZ RU (ES WS)
 = *bisbiguttatus* J. Sahlberg, 1921: 1
 = *convexior* Seidlitz, 1887: 67
 = *glabellus* Thomson, 1867: 80
 = *melaenus* Nicolai, 1822: 34
 = *monilicornis* J. Sahlberg, 1875: 154
 = *obovatus* J. Sahlberg, 1880: 52
 = *subalpinus* Thomson, 1871: 365
 = *trivialis* Stephens, 1828: 59
- normandi alhambrae* Fery, 1999: 242 **E:** SP
- normandi ifnii* Fery, 1999: 241 **N:** MO
- normandi ifranensis* Fery, 1999: 239 **N:** MO
- normandi normandi* Régimbart, 1903: 254 **E:** FR PT SP
- notabilis* LeConte, 1850: 216 **E:** FI NR RU (CT NT) SV **A:** MG RU (ES FE WS) **NAR**
 = *arcticus* Thomson, 1856: 197
 = *fennicus* Seidlitz, 1887: 66
 = *tomentosus* Poppius, 1905: 12
- notatus* Sturm, 1835: 62 **E:** BY CZ DE EN FI FR GE HU LA LT NL PL RU (CT NT) SV UK **A:** RU (ES WS)
 = *sacha* Zaitzev, 1910: 30
- oasis* Wewalka, 1992: 53 **N:** EG
- obscurus* Sturm, 1835: 65 **E:** AU BE BY CR CZ DE EN FI FR GB GE IR LA LT LU NL NR PL RU (CT NT ST) SK SV SZ UK **A:** RU (WS) **NAR**
 = *hockingi* Larson, 1975: 296
- obsoletus* Aubé, 1838: 298 **E:** CR DE FR GB GE GR IR IT NR PT SP SV **N:** AG LB MO MR TU **A:** SY TR
- paganettianus* Scholz, 1923: 183 **E:** PT SP
- palustris* Linnaeus, 1761: 216 (*Dytiscus*) **E:** AB AN AR AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SK SL SP SV SZ UK YU **A:** IN MG RU (ES WS) TR
 = *apicalis* Schilsky, 1888: 183
 = *buresi* Mañan, 1938: 95
 = *cambriensis* Curtis, 1831: 343
 = *crisatomarginatus* Goeze, 1777: 625 (*Dytiscus*)
 = *fimbriatus* Gmelin, 1790: 1957 [HN] (*Dytiscus*)

- = *fuscatorius* Munster, 1927: 160
 = *lituratus* Fabricius, 1781: 296 (*Dytiscus*)
 = *proximus* Stephens, 1828: 55
 = *sempustulatus* Fabricius, 1777: 239 (*Dytiscus*)
 = *styriacus* Seidlitz, 1887: 70
 = *tinctus* Clark, 1862: 326
 = *variegatus* Geoffroy, 1785: 68 (*Dytiscus*)
pfefferi Wewalka, 1974: 107 [RN] **E: GR**
 = *orientalis* Hlisenkovský, 1955: 87 [HN]
pilosus Guignot, 1949: 5 (*Hydrotarsus*) **N: CI**
planus Fabricius, 1781: 501 (*Dytiscus*) **E: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MC NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ TR UK YU N: AG MO A: IN IQ KI KZ LE RU (WS) TM TR**
 = *flavipes* Dalla Torre, 1879: 40
 = *frisius* Verhoeff, 1891: 23
 = *fuscatus* Stephens, 1828: 62
 = *fuscus* Schrank, 1781: 203 (*Dytiscus*)
 = *holosericeus* Marsham, 1802: 427 (*Dytiscus*)
 = *humeralis* Marsham, 1802: 422 (*Dytiscus*)
 = *lividus* Geoffroy, 1785: 68 (*Dytiscus*)
 = *nigricans* Schrank, 1781: 205 (*Dytiscus*)
 = *nigriceps* Preller, 1862: 23
 = *pallescens* Seidlitz, 1887: 72
 = *sordidus* Herbst, 1784: 126 (*Dytiscus*)
polaris Fall, 1923: 92 **A: RU (FE – Wrangel Island) NAR**
 = *subvirescens* Fall, 1923: 93
productus Fairmaire, 1880: 248 **N: AG TU**
 = *occultus* Sharp, 1882: 456
pseudopubescens Zimmermann, 1919: 166 **A: RU (ES WS)**
 = *punctatissimus* Poppius, 1905: 14 [HN]
puberulus LeConte, 1850: 215 **E: FI NR RU (NT) SV NAR**
 = *levanderi* J. Sahlberg, 1889: 221
pubescens Gyllenhal, 1808: 536 (*Hyphydrus*) **E: AB AL AU BE BH BU CR CZ DE EN FA FI FR GB GE GG GR IR IT LA LT LU MC ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ TR UK N: AG LB MO TU A: CY IN IS JO LE SY TR**
 = *antidotus* Sharp, 1882: 462
 = *caliginosus* Stephens, 1839: 69
 = *estrellensis* Schaufuss, 1882: 559
 = *fulvipennis* Munster, 1932: 84
 = *roseni* Zimmermann, 1919: 175
 = *scaphula* Sturm, 1835: 58
 = *scopularis* Schiödte, 1841: 439
punctipennis J. Sahlberg, 1880: 50 **A: RU (ES WS)**
regularis Sharp, 1882: 482 **E: FR (Corse) IT (Sardegna)**
rifensis Manuel, 2014: 93 **N: MO**
rufifrons O.F. Müller, 1776: 73 (*Dytiscus*) **E: AU BE BY CR CZ DE EN FI FR GB GE HU IT LA LT NL NR PL RO RU (CT NT ST) SK SL SV SZ UK A: RU (ES WS)**
 = *duftschmidti* Rye, 1872: 47 [RN]
 = *intermedius* J. Sahlberg, 1880: 49
 = *piceus* Stephens, 1828: 62
 = *ruficeps* Nicolai, 1822: 33
 = *rufifrons* Duftschmid, 1805: 270 [HN] (*Dytiscus*)
sabaudus sabaudus Fauvel, 1865: 276 **E: AU BU CZ FR GE IT MC PL SK SL SP SZ UK**
 = *alticola* Sharp, 1882: 468
 = *scholzi* W. Kolbe, 1899: 24
sabaudus sierranavadensis Shaverdo, 2004: 24 **E: SP**
saghaliensis Takizawa, 1933: 173 **A: JA RU (FE)**
sanfilippoi Ghidini, 1958: 13 **E: IT**
sardomontanus Pederzani, Rocchi & Schizzerotto, 2004: 129 **E: IT (Sardegna)**
scalesianus Pedeher, 1828: 57 **E: AU BY CZ DE EN FI FR GB GE HU IR LA LT NL NR PL RU (CT NT) SV UK A: RU (WS)**
 = *pygmaeus* Sturm, 1835: 73 [HN]
sejilashan Jia, Zhao & Fery, 2012: 58 **A: CH (XIZ)**
semenowi Jakovlev, 1897: 41 **E: FI NR RU (CT NT) SV**

- = *afflatus* Scholz, 1917: 250
 = *longitarsis* J. Sahlberg, 1910: 168
shaverdoae Fery, 2009: 547 **E:** AR
sibiricus J. Sahlberg, 1880: 49 **A:** MG RU (ES FE WS) **NAR**
 = *boreus* Gordon, 1981: 106
 = *sibiricus* Sharp, 1882: 466 [HN]
sivrikaya Fery & Erman, 2009: 6 **A:** TR
springeri J. Müller, 1924: 72 **E:** IT SL
striola Gyllenhal in C.R. Sahlberg, 1826: 181 (*Hyphydrus*) **E:** AU BE BH BY CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RO RU (CT NT ST) SV UK **A:** KZ RU (ES WS) **NAR**
 = *ambiguus* Aubé, 1838: 287
 = *subtonsus* LeConte, 1855: 297
 = *vittula* Erichson, 1837: 178
submuticus Thomson, 1874: 537 **E:** FI NR RU (CT NT) SV **A:** CH (JIL) JA MG RU (ES FE WS)
 = *konoï* Nakane, 1963: 25
 = *penitus* Guignot, 1945: 20
 = *rubripes* J. Sahlberg, 1875: 151
 = *rufipes* J. Sahlberg, 1874: xiii [HN]
talyschensis Bilyashiwsky, 2004:45 **E:** AB
tatianaë Fery & Petrov, 2006:83 **A:** RU (WS)
teres Sharp, 1882: 458 **A:** JO SY
tessellatus Drapiez, 1819: 43 [NP] (*Dytiscus*) **E:** AB AL BE BH BU CR FR GB GG GR IR IT LA MA MC ME NL PT RU (ST) SP **N:** AG EG MO TU **A:** CY IN IQ IS LE SY TR
 = *chrysostomus* Gozis, 1914: 161
 = *habelmanni* Wehncke, 1876: 76
 = *nigricollis* Desbrochers des Loges, 1871: 339
 = *nigricollis* Fairmaire, 1872: lxxii [HN]
 = *pueli* Barthe, 1916: 245
 = *xanthopus* Stephens, 1835: 393
thracicus Guéorguiev, 1966: 71 **E:** AR BU GG GR RU (ST) **A:** TR
tibetanus Zaitzev, 1953: 169 **A:** CH (SCH XIZ)
tokui Satô, 1985: 51 **A:** JA
toledoï Fery & Erman, 2009: 8 **A:** TR
toubkal Fery & Hájek, 2013: 602 **N:** MO
transgrediens Gschwendtner, 1923: 109 **E:** AB AR GG RU (ST) UK **A:** IN KI TM TR
 = *ponticus* Zaitzev, 1927: 16
tristis Paykull, 1798: 232 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT KZ LA LS LT LU MC NL NR PL RU (CT NT) SK SL SV SZ UK **A:** JA RU (ES FE WS) **NAR**
 = *ampliceps* J. Sahlberg, 1921: 2
 = *ruficapillus* Mannerheim, 1852: 304
 = *varians* LeConte, 1850: 215
tuvaensis Pederzani, 2001:234 **A:** RU (ES)
uenoi Nakane, 1963: 25 **A:** CH (HEI JIL QIN) JA MG RU (ES FE)
umbrosus Gyllenhal, 1808: 538 (*Hyphydrus*) **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT LU NL NR PL RU (CT NT ST) SK SV SZ UK **A:** KZ RU (ES FE WS)
 = *minutus* Stephens, 1828: 59
vagepictus Fairmaire & Laboulbène, 1855: 208 **E:** FR PT SP
vespertinus Fery & Hendrich, 1988: 145 **E:** PT SP
yakutiae Nilsson, 1990: 34 **A:** RU (FE)
zimmermanni J. Müller, 1926: 288 **E:** BH CR ME SL
 = *bicolor* J. Müller, 1933: 202

tribe Hydrovatini Sharp, 1882

genus *Hydrovatus* Motschulsky, 1853: 4 type species *Hyphydrus cuspidatus* Kunze, 1818

- = *Hydatonychus* H.J. Kolbe, 1883: 402 type species *Hydatonychus crassicornis* H.J. Kolbe, 1883
 = *Oxynoptilus* Schaum in Schaum & Kiesenwetter, 1868: 28 type species *Hyphydrus cuspidatus* Kunze, 1818
 = *Pseudhydrovatus* Peschet, 1924: 140 type species *Pseudhydrovatus antennatus* Peschet, 1924 (= *Hydrovatus occidentalis* Guignot, 1949)
 = *Vathydrus* Guignot, 1954: 197 type species *Hydrovatus sordidus* Sharp, 1882

acuminatus Motschulsky, 1859: 42 **N:** EG LB **A:** CH (FUJ GUA GUX HAI HUB HUN JIA JIX SHA TAI XIZ YUN)

IN IQ IS JA NP OM PA SA SY TR **YE (Socotra)** **AFR AUR ORR**

- = *affinis* Régimbart, 1895: 108
- = *badius* Clark, 1863: 424 (*Hydroporus*)
- = *consanguineus* Régimbart, 1880: 212
- = *ferrugineus* Zimmermann, 1919: 127 [RN]
- = *furvus* Guignot, 1950: 25
- = *humilis* Sharp, 1882: 327
- = *malaccae* Clark, 1863: 425 (*Hydroporus*)
- = *obscurus* Motschulsky, 1859: 43
- = *obscurus* Régimbart, 1895: 108 [HN]
- = *sordidus* Sharp, 1882: 327

aristidis Leprieur, 1879: lxxxii **N: EG A: IS SA AFR**

bonvouloiri Sharp, 1882: 335 **A: AF CH (FUJ TAI YUN) JA PA ORR**

- = *loochooensis* Kamiya, 1938: 10

castaneus Motschulsky, 1855: 82 **A: CH (XIZ) ORR**

clypealis Sharp, 1876: 61 **E: CR FR GB IR IT PT SB SP N: AG EG MO TU**

compactus Sharp, 1882: 333 **N: EG AFR**

confertus Sharp, 1882: 329 **A: BT CH (FUJ GUX HAI HUN SHG YUN) NP PA UP ORR**

cuspidatus Kunze, 1818: 68 (*Hyphydrus*) **E: AB AL AR AU BE BU CR CZ DE FR GE GG GR HU IT MC MD NL PL PT RO RU (ST) SB SK SL SP SV SZ UK N: AG EG LB MO TU A: CY IN IQ IS KI LE SI SY TM TR UZ AFR**

- = *maculatus* Sharp, 1882: 322 [HN]
- = *maculosus* Zimmermann, 1919: 126 [RN]
- = *simplex* Sharp, 1882: 322

deserticola joyceae Nilsson, 2001: 10 [RN] **N: EG AFR**

- = *badius* Omer-Cooper, 1931: 760 [HN]

irakensis Abdul-Karim & Ali, 1986: 280 **A: IQ**

japonicus Takizawa, 1933: 166 **A: JA**

longicornis Sharp, 1882: 323 **N: EG AFR**

- = *berdoa* Bruneau de Miré & Legros, 1963: 850

meridionalis Abdul-Karim & Ali, 1986: 281 **A: IQ**

obtusus Motschulsky, 1855: 82 **A: CH (FUJ HAI HUB ZHE) ORR**

- = *acutus* Sharp, 1882: 330

picipennis Motschulsky, 1859: 40 **A: CH (XIZ) ORR**

pinguis Régimbart, 1892: 114 **A: CH (YUN) NP ORR**

pumilus Sharp, 1882: 331 **A: JA ORR**

rufoniger rufoniger Clark, 1863: 423 (*Hyphydrus*) **A: CH (MAC) "China" ORR**

- = *atricolor* Régimbart, 1880: 212

seminarius Motschulsky, 1859: 42 **A: BT CH (JIX TAI) JA NP PA ORR**

- = *fuscus* Sharp, 1882: 326
- = *matsuii* Nakane, 1990: 198
- = *tinctus* Sharp, 1882: 328

subrotundatus Motschulsky, 1859: 41 **A: CH (FUJ GUX HUN YUN) NP ORR**

- = *carbonarius* Clark, 1863: 423 (*Hydroporus*)
- = *elevatus* Sharp, 1882: 328
- = *ferrugatus* Régimbart, 1877: lxxix
- = *fuscobrunneus* Clark, 1863: 424 (*Hydroporus*)
- = *javanus* Csiki, 1938: 126
- = *orientalis* Sharp, 1882: 805

subtilis Sharp, 1882: 329 **A: CH (MAC TAI XIZ) JA SC ORR**

- = *adachii* Kamiya, 1932: 4

villiersi Guignot, 1955: 860 **N: EG A: IS SI AFR**

- = *albertianus* Guignot, 1959: 165
- = *browneanus* Guignot, 1959: 140
- = *uncus* Guignot, 1959: 164

yagii Kitayama, M. Mori & Matsui, 1993: 1 **A: JA**

tribe Hygrotini Portevin, 1929

genus *Herophydrus* Sharp, 1882: 389 type species *Hyphydrus guineensis* Aubé, 1838

- = *Dryephorus* Guignot, 1950: 150 type species *Coelambus nodieri* Régimbart, 1895

cleopatrae Peyron, 1858: 398 (*Hydroporus*) **A: IS TR**

- = *galileae* Wewalka, 1984: 131

- = *gouini* Guignot, 1953: 115 (*Hygrotus*)
- guineensis* Aubé, 1838: 455 (*Hyphydrus*) **E: FR IT MA N: AG EG LB A: IS SA YE AFR**
- = *barbarus* Schaum in White, 1847: 34 [RN] (*Hydroporus*)
- = *ferrugineus* Lucas, 1846: 98 [HN] (*Hydroporus*)
- = *hyphroides* Perris, 1864: 277 (*Hydroporus*)
- = *inflatus* Reiche, 1872: 24 [RN] (*Hydroporus*)
- = *mutatus* Gemminger & Harold, 1868: 437 [RN] (*Hydroporus*)
- = *ruficeps* Boheman, 1848: 253 [HN] (*Hydroporus*)
- = *turgidus* Erichson, 1843: 220 (*Hyphydrus*)
- = *umbrosus* Zimmermann, 1926: 29
- musicus* Klug, 1834: t.33/12 (*Hydroporus*) **E: AB AR GG GR IT MA RU (ST) SP UK N: AG CI EG LB MO TU A: AE AF CH (XIN) IN IQ IS JO KI KU KZ NP PA SA SI SY TD TR UP UZ YE ORR**
- = *alei* Abdul-Karim & Ali, 1986: 276 (*Hygrotus*)
- = *fractilinea* Solsky, 1874: 134 (*Hydroporus*)
- = *interruptus* Sharp, 1882: 398 (*Coelambus*)
- rufus* Clark, 1863: 423 (*Hyphydrus*) **A: CH (FUJ GUA GUX HAI HUB TAI) JA**
- = *rotundatus* Gschwendtner, 1931: 21 (*Hyphoporus*)
- vaziranii* Nilsson, 1999: 19 [RN] (*Hygrotus*) **A: KA**
- = *kashmirensis* Vazirani, 1970: 118 [HN] (*Hydroporus*)

genus *Hygrotus* Stephens, 1828: 38 type species *Dytiscus inaequalis* Fabricius, 1777

subgenus *Coelambus* Thomson, 1860: 13 type species *Dytiscus confluens* Fabricius, 1787

- ahmeti* Hájek, Fery & Erman, 2005: 262 **A: TR**
- armeniacus* Zaitzev, 1927: 5 (*Coelambus*) **E: AR GG A: TR**
- caspius* Wehncke, 1875: 234 (*Hydroporus*) **E: KZ RU (CT ST) A: CH (GAN HEB NMO QIN SHA XIN) KZ MG RU (ES WS) TM**
- = *reitteri* Zaitzev, 1908: 268 (*Coelambus*)
- = *trilineatus* Feng, 1936: 6 (*Coelambus*)
- chinensis* Sharp, 1882: 398 (*Coelambus*) **A: CH (BEI HEB HEI JIL JIX LIA NMO SCH SHA TAI XIN ZHE) JA MG NC RU (FE) SC**
- = *vittatus* Sharp, 1884: 441 (*Coelambus*)
- confluens* Fabricius, 1787: 193 (*Dytiscus*) **E: AB AR AU AZ BE BH BU BY CR CZ DE EN FR GB GE GG GR HU IR IT LS LU MA MC MD ME NL NR PL PT RU (CT ST) SK SL SP SV SZ UK YU N: AG CI EG LB MO MR TU A: AE AF CY HP IN IQ IS JO KA KZ KU PA SA SI SY TM TR UZ YE AFR**
- corpulentus* Schaum, 1864: 109 (*Hydroporus*) **E: RU (ST) UK A: KI KZ UZ**
- = *leonhardi* Scholz, 1916: 168 (*Coelambus*)
- curvilobus* Fery, Sadeghi & Hosseinie, 2005: 31 **A: IN**
- enneagrammus* Ahrens, 1833: 645 (*Hydroporus*) **E: AB BU GE GG KZ PL RO RU (ST) UK A: AF CH (XIN) IN KI KU KZ MG PA RU (WS) SY TD TM TR UZ**
- = *blandus* Germar, 1834: t.4 (*Hydroporus*)
- = *puncticeps* Seidlitz, 1887: 43 (*Coelambus*)
- = *tauricus* Motschulsky, 1860: 303 (*Hydroporus*)
- flaviventris* Motschulsky, 1860: 303 (*Hydroporus*) **E: AB AR GE GG PL RU (ST) A: CH (QIN XIN) KA KI KZ MG PA RU (WS)**
- fresnedai* Fery, 1992: 347 (*Coelambus*) **E: SP**
- impressopunctatus* Schaller, 1783: 313 (*Dytiscus*) **E: AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU MC MD NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK A: AF CH (HEB HEI LIA NMO QIN SCH SHA XIN) IN JA KA KI KZ MG RU (ES FE WS) TM TR UZ NAR**
- = *alternans* Gravenhorst, 1807: 104 (*Dytiscus*)
- = *decemlineatus* Mannerheim, 1853: 161 (*Hydroporus*)
- = *flavicans* Gmelin, 1790: 1957 (*Dytiscus*)
- = *hiurai* Satô, 1972: 54 (*Coelambus*)
- = *lineatus* O.F. Müller, 1776: 74 [HN] (*Dytiscus*)
- = *lineellus* Gyllenhal, 1808: 529 (*Hyphydrus*)
- = *opacus* Falkenström, 1932: 192 (*Coelambus*)
- = *ovalis* Thunberg, 1784: 19 [HN] (*Dytiscus*)
- = *picipes* Fabricius, 1787: 192 (*Dytiscus*)
- = *punctatus* Marsham, 1802: 426 [HN] (*Dytiscus*)
- = *roborovskii* Zaitzev, 1953: 135 (*Coelambus*)
- = *similis* Kirby, 1837: 38 (*Hydroporus*)
- inscriptus* Sharp, 1882: 404 (*Coelambus*) **N: EG A: AE IN IQ KU OM SA SY TM UZ**

- = *uzbekorum* Zaitzev, 1953: 140 (*Coelambus*)
lagari Fery, 1992: 115 (*Coelambus*) **E:** IT PT SP **N:** AG MO TU
lernaeus Schaum, 1857: 153 (*Hydroporus*) **E:** BU GG GR MC RO **N:** EG **A:** AF IS KI SY TR UZ
marklini Gyllenhal, 1813: 689 (*Hyphydrus*) **E:** AR BY DE EN FI FR GG LA NR PL RU (CT NT ST) SP SV UK **A:** CH (GAN QIN XIZ) KZ MG RU (ES FE WS) TR UZ **NAR**
 = *astur* Sharp, 1882: 468 (*Hydroporus*)
 = *awajewi* Jakovlev, 1899: 508 (*Coelambus*)
 = *canadensis* Fall, 1919: 11 (*Coelambus*)
 = *lutzi* Reitter, 1908: 215 (*Hydroporus*)
 = *mistellus* Marseul, 1882: 98 (*Hydroporus*)
 = *mixtus* Motschulsky, 1860: 515 (*Hydrocoptus*)
 = *pallens* Aubé, 1838: 358 (*Hydroporus*)
 = *steppensis* Branden, 1885: 63 [RN] [HN] (*Hydroporus*)
 = *virgo* Fall, 1919: 12 (*Coelambus*)
nigrolineatus Steven, 1808: 33 (*Hyphydrus*) **E:** AU BE BY CZ DE FI FR GB GE NL PL RU (ST) SV UK **A:** KZ MG RU (WS)
 = *lautus* Schaum, 1843: 187 (*Hydroporus*)
novemlineatus Stephens, 1829: 192 (*Hydroporus*) **E:** BE BU DE EN FI GB GE IR LT NL NR RU (NT) SV **A:** RU (FE WS) **NAR**
 = *hudsonicus* Fall, 1919: 18 (*Coelambus*)
 = *parallellus* Aubé, 1838: 268 [HN] (*Hydroporus*)
 = *schoenherri* Aubé, 1838: 267 (*Hydroporus*)
orthogrammus Sharp, 1882: 405 (*Coelambus*) **A:** IN IQ KU SA
pallidulus Aubé, 1850: 300 (*Hydroporus*) **E:** AB AU BU FR GG GR HU IT RO SP UK **N:** AG EG LB MO TU **A:** IN SI SY TM TR
 = *fulviventris* Costa, 1883: 85 (*Hydroporus*)
parallelogrammus Ahrens, 1812: 11 (*Dytiscus*) **E:** AB AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IR IT LA LT MD NL NR PL RO RU (CT ST) SB SK SL SP SV SZ UK **A:** AF CH (BEI) ES IQ KI KZ MG RU (ES WS) TM TR UZ
 = *consobrinus* Kunze, 1818: 61 (*Hyphydrus*)
 = *distinctus* Feng, 1936: 7 (*Coelambus*)
 = *kaszabi* Guéorguiev, 1970: 253 (*Coelambus*)
 = *punctum* Gebler, 1829: 67 (*Hydroporus*)
pectoralis Motschulsky, 1860: 303 (*Hydroporus*) **A:** KZ RU (ES WS)
polonicus polonicus Aubé, 1842: 230 (*Hydroporus*) **E:** AB BY FI LA LT PL RU (CT NT ST) UK **A:** KZ RU (WS)
polonicus sahlbergi Sharp, 1882: 402 [RN] (*Coelambus*) **A:** RU (ES)
 = *unguicularis* J. Sahlberg, 1880: 47 [HN] (*Coelambus*)
saginitus Schaum, 1857: 154 (*Hydroporus*) **E:** BU CR GR IT KZ MC MD RU (ST) UK **N:** EG **A:** CY IN IS KZ LE SY TM TR
 = *elevatus* Sharp, 1882: 403 (*Coelambus*)
 = *mulsantis* Peyron, 1858: 400 (*Hydroporus*)
sanfilippoi Fery, 1992: 116 (*Coelambus*) **E:** IT (Sardegna)
semenowi Jakovlev, 1899: 504 (*Coelambus*) **A:** CH (GAN)
stefanschoedli Fery, Sadeghi & Hosseini, 2005: 34 **A:** IN
unguicularis Crotch, 1874: 73 (*Hydroporus*) **E:** RU (NT) **A:** CH (NMO) MG RU (ES FE WS) **NAR**
 = *mongolicus* Jakovlev, 1899: 506 (*Coelambus*)
urgensis Jakovlev, 1899: 507 (*Coelambus*) **A:** CH (GAN) KZ MG RU (ES) UZ
zigetangco Fery, 2003: 156 **A:** CH (SCH XIZ) PA

subgenus *Hygrotus* Stephens, 1828: 38 type species *Dytiscus inaequalis* Fabricius, 1777

- aequalis* Falkenström, 1932: 192 **A:** CH (SCH)
decoratus Gyllenhal, 1810: xvi (*Hyphydrus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SK SL SV SZ UK **A:** KZ RU (ES WS)
 = *unicolor* Schilsky, 1888: 183
inaequalis Fabricius, 1777: 239 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC MD ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK **N:** AG MO **A:** CH (HEI JIL LIA NMO SHA) IN IS JA KI KZ **LE** MG RU (ES FE WS) SY TR
 = *dalmatinus* Zimmermann, 1915: 218
 = *hokkaidensis* Satô, 1972: 54
 = *minor* Costa, 1847: 97 (*Hydroporus*)
 = *parvulus* Fabricius, 1792: 201 [HN] (*Dytiscus*)

= *uhagonii* Seidlitz, 1887: 39
quinquelineatus Zetterstedt, 1828: 234 (*Hyphydrus*) **E:** AU BY DE FI FR GB GE IR NR RU (CT NT ST) SV SZ **A:** CH (NMO) KZ MG RU (ES FE WS) TD
= *conjunctus* Munster, 1930: 339
= *disjunctus* Munster, 1932: 83
versicolor Schaller, 1783: 313 (*Dytiscus*) **E:** AB AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** RU (WS)
= *affinis* Stephens, 1828: 48
= *collaris* Panzer, 1795: 79 (*Dytiscus*)
= *confluens* Munster, 1932: 83 [HN]
= *recurvus* Marsham, 1802: 424 (*Dytiscus*)
= *reticulatus* Fabricius, 1792: 200 (*Dytiscus*)
= *semilineatus* Zimmermann, 1915: 218

genus *Hyphoporus* Sharp, 1882: 389 type species *Hydroporus solieri* Aubé, 1838

anita Vazirani, 1969: 221 **A:** PA UP
aper Sharp, 1882: 390 **A:** IN PA UP **ORR**
bertrandi Vazirani, 1969: 218 **A:** PA
dehraduni Vazirani, 1969: 211 **A:** UP
elevatus Sharp, 1882: 390 **A:** PA UP **ORR**
kempi Gschwendtner, 1936: 368 **A:** CH (YUN) **ORR**
nilghiricus Régimbart, 1903: 331 **A:** PA **ORR**
pacistanus Guignot, 1959: 10 **A:** AF PA
severini Régimbart, 1892: 115 **A:** AF PA UP **ORR**
solieri Aubé, 1838: 554 (*Hydroporus*) **N:** EG **A:** IN KU SA SI
= *innesi* Reitter, 1909: 31
= *letourneuxi* Pic, 1896: 141
= *posticalis* J. Sahlberg, 1913: 41

tribe Hyphydrini Gistel, 1848

genus *Agnoshydrus* Biström, Nilsson & Wewalka, 1997: 72 type species *Hydrovatus laccophiloides* Régimbart, 1888

taiwanus Wewalka & Wang, 2007:4 **A:** CH (TAI)

genus *Allopachria* Zimmermann, 1924: 194 type species *Allopachria quadripustulata* Zimmermann, 1924
= *Nipponhydrus* Guignot, 1954: 196 type species *Hyphydrus flavomaculatus* Kamiya, 1938

bianae Wewalka, 2010: 31 **A:** CH (GUA)
bimaculata Satô, 1972: 51 (*Microdytes*) **A:** JA (Ryukyu Islands)
dieterlei Wewalka, 2000:117 **A:** CH (HUN)
= *dieterlorum* Nilsson, 2007: 49 [UE]
dudgeoni Wewalka, 2000:117 **A:** CH (GUX HKG JIX)
elongata Bian & Ji, 2012: 29 **A:** CH (GUX)
ernsti Wewalka, 2000: 117 **A:** CH (GUX) **ORR**
flavomaculata Kamiya, 1838: 12 (*Hyphydrus*) **A:** CH (GUX) JA
friedrichi Wewalka, 2000:113 **A:** CH (HUN)
froehlich Wewalka, 2000: 105 **A:** CH (HKG)
grandis Bian & Ji, 2010: 61 **A:** CH (JIX)
guangdongensis Wewalka, 2010: 30 **A:** CH (GUA)
hajeki Wewalka, 2010: 32 **A:** CH (YUN)
hautmanni Wewalka, 2000: 108 **A:** CH (ANH)
= *hautmannorum* Nilsson, 2007: 49 [UE]
jaechi Wewalka, 2000: 124 **A:** CH (HAI)
jendeki Wewalka, 2000: 116 **A:** CH (YUN)
jilanzhui Wewalka, 2000: 109 **A:** CH (GUX HUN)
komareki Wewalka, 2010: 33 **A:** CH (GUA GUX)

liselotteae Wewalka, 2000: 113 **A**: CH (GUX)
longyanensis Ji, Guo & Bian, 2014: 194 **A**: CH (FUJ)
manfredi Wewalka, 2010: 34 **A**: CH (GUA)
miaowangi Wewalka, 2010: 29 **A**: CH (JIX)
quadrinaculata Satô, 1981: 70 (*Nipponhydrus*) **A**: NP
schillhammeri Wewalka, 2000: 108 **A**: CH (HUN)
schoenmanni Wewalka, 2000: 113 **A**: CH (ANH)
scholzi Wewalka, 2000: 116 **A**: CH (YUN)
= *scholzorum* Nilsson, 2007: 49 [UE]
taiwana Satô, 1990: 101 (*Microdytes*) **A**: CH (TAI)
wangi Wewalka & Nilsson, 1994: 991 **A**: CH (TAI)
weinbergeri Wewalka, 2000: 112 **A**: CH (FUJ)
= *weinbergerorum* Nilsson, 2007: 49 [UE]
wuzhifengensis Bian & Ji, 2010: 60 **A**: CH (JIX)
yanfengi Bian & Ji, 2012: 31 **A**: CH (GUX)
yiae Bian, Guo & Ji, 2013: 85 **A**: CH (CHQ)

genus *Dimitshydrus* Uéno, 1996: 36 type species *Dimitshydrus typhlops* Uéno, 1996

typhlops Uéno, 1996: 42 **A**: JA

genus *Heterhydrus* Fairmaire, 1869: 186 type species *Heterhydrus agaboides* Fairmaire, 1869

senegalensis Laporte, 1835: 106 (*Hyphydrus*) **N**: EG SI **AFR**

genus *Hyphydrus* Illiger, 1802: 299 type species *Dytiscus gibbus* Fabricius, 1777 (= *Dytiscus ovatus* Linnaeus, 1761)

- = *Actobaena* Gistel, 1856: 355 type species *Hyphydrus fabricii* Cristofori, 1832 (= *Dytiscus ovatus* Linnaeus, 1761)
- = *Allophydrus* Zimmermann, 1930: 65 type species *Hyphydrus major* Sharp, 1882 (= *Hyphydrus grandis* Laporte, 1835)
- = *Apriophorus* Guignot, 1936: 12 type species *Hyphydrus lyratus* Swartz in Schönherr, 1808
- = *Aulacodytes* Guignot, 1936: 12 type species *Hyphydrus impressus* Klug, 1832
- = *Pachytes* Montrouzier, 1860: 244 type species *Pachytes elegans* Montrouzier, 1860

anatolicus Guignot, 1957: 91 **E**: BH CR GR HU IT MC RU (ST) **A**: TR

= *carrarai* Sanfilippo, 1963: 77

aubei Ganglbauer, 1891: 448 [RN] **E**: AU BH BU CR FR GB GR IT MA ME PT SL SP SZ **N**: AG LB MO TU

= *variegatus* Aubé, 1838: 372 [HN]

birmanicus Régimbart, 1888: 614 **A**: BT CH (YUN) **ORR**

cycloides Régimbart, 1889: 56 **N**: EG **AFR**

= *circularis* Régimbart, 1895: 53

= *lamottei* Legros, 1958: 212

= *malawiensis* Omer-Cooper, 1971: 279

= *nigeriensis* Omer-Cooper, 1971: 282

= *pelates* Guignot, 1953: 1

detectus Falkenström, 1936: 87 **A**: CH (FUJ GUI HEI HUB JIA JIX LIA SCH SHN ZHE) "Manchuria"

= *chinensis* Hlisenkovský, 1955: 85

= *pieli* Guignot, 1936: 133

= *reductus* Hlisenkovský, 1955: 86

dioscoridis Hájek & Reiter, 2014: 74 **A**: YE (Socotra)

dongba Št'astný, 2000: 298 **A**: CH (YUN)

excoffieri Régimbart, 1899: 210 **A**: CH (GAN HUB YUN) **ORR**

falkenstromi Gschwendtner, 1939: 25 **A**: CH (BEI FUJ HEI JIA JIL LIA NMO SHN TIA) RU (FE)

= *brincki* Guignot, 1946: 72

fangensis Biström & Satô, 1988: 47 **A**: CH (HAI) **ORR**

grandis Laporte, 1835: 107 **N**: EG SI **AFR**

= *major* Sharp, 1882: 375

gschwendtneri Guignot, 1942: 17 [RN] **A**: AF HP PA SD

= *indicus* Gschwendtner, 1936: 367 [HN]

= *lindemanna* Guignot, 1959: 8

= *nalinie* Vazirani, 1969: 311 [RN]

holmeni Biström, 1983: 107 **A**: BT NP

- japonicus japonicus* Sharp, 1873: 54 **A:** JA RU (FE) SC
= *frontalis* Sharp, 1882: 381
= *paromoeus* Guignot, 1954: 40
- japonicus vagus* Brinck, 1943: 4 **A:** CH (GUI GUX HEB HUN SHG LIA SCH SHA TAI YUN) NC
- laeviventris laeviventris* Sharp, 1882: 381 **A:** JA
- laeviventris tsugaru* Nakane, 1993: 2 **A:** JA
- lyratus flavicans* Régimbart, 1892: 115 **A:** PA UP **ORR**
- lyratus lyratus* Swartz in Schönherr, 1808: 29 **A:** CH (FUJ GUA GUI GUX HAI HKG HUB MAC TAI XIZ YUN) JA
AUR ORR
= *bisulcatus* Clark, 1863: 422
= *fossulipennis* W.J. MacLeay, 1871: 122 (*Hydroporus*)
= *nigronotatus* Clark, 1863: 421
- maculatus* Babington, 1841: 12 **N:** AG CI EG LB **AFR**
= *africanus* Sharp, 1882: 376
= *crassus* Wollaston, 1867: 33
- orientalis* Clark, 1863: 419 **A:** CH (BEI FUJ GAN GUA GUI GUX HAI HEB HKG HUB JIA JIX SCH SHG SHN TAI YUN XIN XIZ ZHE) JA **ORR**
= *eximius* Clark, 1863: 421
- ovatus* Linnaeus, 1761: 547 (*Dytiscus*) **E:** AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** KZ RU (ES WS) TR
= *fabricii* Cristofori, 1832: 14
= *ferrugineus* Linnaeus, 1767: 666 (*Dytiscus*)
= *gibbus* Fabricius, 1777: 238 (*Dytiscus*)
= *grossus* O.F. Müller, 1776: 72 (*Dytiscus*)
= *ovalis* Illiger, 1798: 271 [HN] (*Dytiscus*)
= *sphaericus* DeGeer, 1774: 402 (*Dytiscus*)
= *variegatus* Stephens, 1828: 45
- pictus* Klug, 1834: t.33/9 **N:** EG LB **A:** AE IN IS OM SA SI YE **AFR**
= *lugubris* Preudhomme de Borre, 1871: x
- pulchellus* Clark, 1863: 420 **A:** CH (FUJ GUA GUX HAI HUN JIX LIA TAI) JA **ORR**
= *jeanneli* Guignot, 1935: 269
= *orbicularis* Régimbart, 1899: 212
= *wui* Gschwendtner, 1933: 161
- renardi* Severin, 1890: cxci **A:** BT HP NP SD UP **ORR**
- sanctus* Sharp, 1882: 380 **A:** IS JO SY
- sumatrae* Régimbart, 1880: 211 **A:** CH (YUN) **ORR**
= *assamensis* Vazirani, 1969: 309
- genus *Microdytes* J.Balfour-Browne, 1946: 106** type species *Microdytes belli* J.Balfour-Browne, 1946
- bistroemi* Wewalka, 1997: 20 **A:** CH (JIX)
- championi* J. Balfour-Browne, 1946: 107 **A:** NP SD UP
- elgae* Hendrich, Balke & Wewalka, 1995: 42 **A:** AP BT **ORR**
- hainanensis* Wewalka, 1997: 25 **A:** CH (HAI)
- heineri* Wewalka, 2011: 23 **A:** CH (YUN) **ORR**
- lotteae* Wewalka, 1998: 64 **A:** CH (FUJ)
- maculatus* Motschulsky, 1859: 42 (*Hydrovatus*) **A:** CH (YUN) **ORR**
- nilssoni* Wewalka, 1997: 30 **A:** CH (ANH GUX HUB HUN)
- satoi* Wewalka, 1997: 33 **A:** CH (GUI GUX)
- schoenmanni* Wewalka, 1997: 34 **A:** CH (YUN) NP SD **ORR**
- shepardi* Wewalka, 1997: 37 **A:** CH (YUN) **ORR**
- shunichii* Satô, 1995: 313 **A:** CH (HKG YUN) **ORR**
= *holzmanni* Wewalka & Wang, 1998: 66
= *holzmannorum* Nilsson, 2007: 51 [UE]
- sinensis* Wewalka, 1997: 38 **A:** CH (ANH HUN JIX)
- tomokunii* Satô, 1981: 68 **A:** NP
- trontelji* Wewalka, Ribera & Balke, 2007:61 **A:** CH (HAI)
- uenoi* Satô, 1972: 49 **A:** CH (ANH FUJ GUI HUN SCH TAI ZHE) JA
- wewalkai* Bian & Ji, 2009: 37 **A:** CH (HAI)

tribe Laccornini Wolfe & Roughley, 1990

genus *Laccornis* Gozis, 1914: 111 type species *Hydroporus oblongus* Stephens, 1835
= *Agaporus* Zimmermann, 1919: 147 type species *Hydroporus oblongus* Stephens, 1835

kocae Ganglbauer, 1904: 352 (*Hydroporus*) **E:** AU CR HU RU (ST) SK UK

= *breviusculus* Gschwendtner, 1935: 206

oblongus Stephens, 1835: 437 (*Hydroporus*) **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT NL NR PL RU (CT NT ST) SK SV **A:** RU (ES WS) **NAR**

= *bohemani* Thomson, 1856: 198 (*Hydroporus*)

= *nitidus* Sturm, 1835: 38 (*Hydroporus*)

tribe Methlini Branden, 1885

genus *Methles* Sharp, 1882: 317 type species *Methles punctipennis* Sharp, 1882 (= *Hydroporus cribratellus* Fairmaire, 1880)

cribratellus Fairmaire, 1880: 248 (*Hydroporus*) **E:** IT PT SP **N:** AG EG **A:** SA **AFR**

= *punctipennis* Sharp, 1882: 490

= *umbrosus* Gschwendtner, 1930: 210

rectus Sharp, 1882: 490 **A:** IN IQ

spinus Sharp, 1882: 489 **N:** EG **A:** CY IS SI SY TR **AFR**

incertae sedis (Hydroporinae)

genus *Morimotoa* Uéno, 1957: 260 type species *Morimotoa phreatica* Uéno, 1957

gigantea Uéno, 1996: 33 **A:** JA

morimotoi Uéno, 1996: 29 **A:** JA

phreatica miurai Uéno, 1957: 273 **A:** JA

phreatica phreatica Uéno, 1957: 268 **A:** JA

subfamily **Laccophilinae** Gistel, 1848

tribe Agabetini Branden, 1885

genus *Agabetes* Crotch, 1873: 398 type species *Colymbetes acuctus* Harris, 1828

svetlanae Nilsson, 1989: 36 **A:** IN

tribe Laccophilini Gistel, 1848

genus *Japanolaccophilus* Satô, 1972: 57 type species *Neptosternus niponensis* Kamiya, 1939

niponensis Kamiya, 1939: 32 (*Neptosternus*) **A:** JA

genus *Laccophilus* Leach, 1815: 84 type species *Dytiscus minutus* Linnaeus, 1758

anticatus anticatus Sharp, 1890: 341 **A:** UP **ORR**

= *wewalki* Vazirani, 1975: 487

biguttatus Kirby, 1837: 69 **E:** FI MD NR RU (NT) SV **A:** CH (HEB NMO) MG RU (ES WS) **NAR**

= *apicicornis* Reitter, 1899: 198

= *fengi* Guignot, 1942: 86 [RN]

= *inconspicuus* Fall, 1917: 164

= *pallidulus* Zimmermann, 1930: 50

= *strohmi* Thomson, 1874: 535

= *uniformis* Feng, 1936: 1 [HN]

chinensis Boheman, 1858: 21 **A:** BT CH (ANH FUJ GUA GUI HAI HKG HUN JIX SCH TAI XIZ YUN) HP JA NP PA SD UP **ORR**

continentalis Gschwendtner, 1935: 16 **A:** YE (Socotra) **AFR**

- demoflysi* Normand, 1938: 343 **N**: TU
- difficilis* Sharp, 1873: 53 **A**: CH (BEI FUJ GUA GUI HAI HEI HUB HUN JIA JIL JIX LIA SCH SHG SHN SHX ZHE YUN) JA NC RU (FE) SC
- dikinohaseus* Kamite, Hikida & Satô, 2005:624 **A**: JA (Honshu)
- ellipticus* Régimbart, 1889: 152 **A**: CH (FUJ GUA HAI XIZ) **ORR**
- flexuosus* Aubé, 1838: 430 **A**: CH (FUJ GUA GUI HAI HKG HUB JIA TAI) HP IN JA NP PA SD UP **ORR**
 = *chloroticus* Régimbart, 1887: 267
 = *cognatus* Sharp, 1882: 316
 = *formosanus* Takizawa, 1932: 22
 = *solutus* Sharp, 1882: 315
- hyalinus* DeGeer, 1774: 406 (*Dytiscus*) **E**: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MA MC MD ME NL NR PL PT RO RU (NT ST) SK SL SP SV SZ UK YU **N**: AG CI LB MO TU **A**: CY IN IQ IS KI LE RU (ES WS) SY TM TR UZ
 = *cyrioticus* Mouchamps, 1956: 3
 = *hyalinus* Marsham, 1802: 420 (*Dytiscus*)
 = *inflatus* Wollaston, 1864: 79
 = *interruptus* Panzer, 1795: 80 (*Dytiscus*)
 = *kusteri* Marseul, 1866: 19 [RN]
 = *marmoratus* Geoffroy, 1785: 70 (*Dytiscus*)
 = *marmoreus* Olivier, 1795: 20 (*Dytiscus*)
 = *pictus* Küster, 1851: 9 [HN]
 = *testaceus* Aubé, 1837: 214
- indicus* Gschwendtner, 1936: 366 **A**: PA **ORR**
 = *sindensis* Vazirani, 1969: 247
- inefficiens* Walker, 1859: 51 (*Hydroporus*) **A**: IN NP PA UP **ORR**
 = *basalis* Motschulsky, 1859: 45
- kempi holmeni* Brancucci, 1983: 276 **A**: CH (YUN) **ORR**
- kempi kempi* Gschwendtner, 1936: 366 **A**: SD
- kobensis* Sharp, 1873: 53 **A**: CH (FUJ GUX HUN SHN TAI) JA
- lewisoides* Brancucci, 1983: 272 **A**: CH (HEB JIA NMO SHG) RU (FE) SC
- lewisius* Sharp, 1873: 52 **A**: CH (ANH BEI FUJ HEB HUN JIA JIL JIX SCH SHG SHN ZHE) JA
- maindroni maindroni* Régimbart, 1897: 207 **A**: AE OM
- maindroni persicus* Brancucci, 1983: 286 **A**: IN PA
- mateui* Omer-Cooper, 1970: 285 **N**: AG
- medialis* Sharp, 1882: 309 **A**: BT CH (GUA YUN) SD **ORR**
 = *birmanicus* Régimbart, 1891: 538
 = *cingulifer* Guignot, 1956: 60
 = *lucasseni* Régimbart, 1893: 106
- minutus* Linnaeus, 1758: 412 (*Dytiscus*) **E**: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MA MC MD ME NL NR PL PT RO RU (NT ST) SK SL SP SV SZ UK YU **N**: AG MO TU **A**: AF CH (XIN YUN) IN IQ IS JO KA KI KZ MG PA RU (ES WS) SY TD TM TR UZ **ORR**
 = *cimicoides* O.F. Müller, 1776: 72 (*Dytiscus*)
 = *gibbus* Gmelin, 1790: 1957 (*Dytiscus*)
 = *gilvus* O.F. Müller, 1776: 72 (*Dytiscus*)
 = *melanophthalmos* Geoffroy, 1785: 68 (*Dytiscus*)
 = *obscurus* Panzer, 1795: 77 (*Dytiscus*)
 = *striatus* Depoli, 1930: 141
 = *variolosus* Herbst, 1784: 128 (*Dytiscus*)
 = *virescens* Brahm, 1791: 27 [HN] (*Dytiscus*)
- nakajimai* Kamite, Hikida & Satô, 2005:622 **A**: JA (Ryukyus)
- pallescens* Régimbart, 1903: 14 **A**: YE (Socotra) **AFR**
- parvulus obtusus* Sharp, 1882: 311 **A**: CH (FUJ GUA GUX HAI HUB HUN SCH XIZ YUN) **ORR**
 = *derasus* Sharp, 1882: 311
 = *dispersus* Sharp, 1882: 312
- parvulus parvulus* Aubé, 1838: 429 **A**: AP BT HP NP PA UP **ORR**
 = *orientalis* Aubé, 1838: 431
 = *proteus* Régimbart, 1877: lxxix
 = *undulifer* Motschulsky, 1859: 44
- pictipennis* Sharp, 1882: 305 **N**: EG **A**: **OM** SA YE **AFR**
 = *discretus* Sharp, 1882: 305
 = *restrictus* Sharp, 1882: 315
 = *wehnckeii* Sharp, 1882: 306
- poecilus* Klug, 1834: t.33/8 **E**: AB AL AR AU BE BH BU CR CZ EN FR GB GE GG GR HU IT LA LS LT LU MC

ME NL NR PL RO RU (ST) SK SL SP SV SZ UK YU N: AG EG MO A: AF CH (XIN) IN IQ IS KI KU KZ **LE** SA
SI SY TD TM TR UZ

= *laticornis* Pic, 1896: 140

= *parumpunctatus* O.Schneider, 1903: 51

= *ponticus* Sharp, 1882: 311

= *variegatus* Germar & Kaulfuss, 1816: t. 6 [HN] (*Dytiscus*)

pulicarius Sharp, 1882: 313 A: CH (HKG) JA **ORR**

= *chibi* Satô, 1972: 56

= *mjobergi* Zimmermann, 1927: 4

= *planitarsis* Régimbart, 1891: 539

punctatissimus Brancucci, 1983: 368 A: NP PA UP **ORR**

sharpi Régimbart, 1889: 151 A: CH (ANH BEI FUJ GUA GUI GUX HAI HEB HKG HUB HUN JIA JIL JIX LIA

SCH SHX TAI YUN ZHE) HP IN JA NP PA SA SC SD UP **YE** AUR **ORR**

= *samosir* Csiki, 1938: 125

= *similis* Régimbart, 1889: 150

siamensis siamensis Sharp, 1882: 306 A: CH (YUN) **ORR**

siamensis taiwanensis Brancucci, 1983: 302 A: CH (FUJ GUA GUX HAI JIX TAI YUN)

sordidus Sharp, 1882: 302 N: EG A: IN SA SI YE

sublineatus Sharp, 1882: 305 A: SA YE

tonkinensis Brancucci, 1983: 258 A: CH (HAI) **ORR**

transversalis lituratus Sharp, 1882: 313 A: CH (FUJ GUA HAI HKG YUN) **ORR**

transversalis transversalis Régimbart, 1877: lxxix AUR **ORR**

= *unifasciatus* Sharp, 1882: 303

uniformis Motschulsky, 1859: 46 A: CH (FUJ GUA HUB) UP **ORR**

= *rufulus* Régimbart, 1888: 611

= *weyersi* Régimbart, 1900: 147

vagelineatus Zimmermann, 1922: 19 A: CH (ANH FUJ HUB JIA JIX YUN ZHE) JA RU (FE) SC

wittmeri Brancucci, 1983: 260 A: CH (GUA YUN) **ORR**

genus *Laccoporus* J. Balfour-Browne, 1939: 103 type species *Laccoporus viator* J. Balfour-Browne, 1939 (= *Laccophilus nigrutilus* Gschwendtner, 1936)

nigrutilus Gschwendtner, 1936: 367 (*Laccophilus*) A: CH (XIZ)

= *viator* J. Balfour-Browne, 1939: 104

genus *Neptosternus* Sharp, 1882: 286 type species *Neptosternus ornatus* Sharp, 1882

circumductus Régimbart, 1899: 268 A: IN UP **ORR**

coomani Peschet, 1923: 175 A: CH (GUA GUX HAI HKG) **ORR**

hydaticoides Régimbart, 1877: lxxix (*Laccophilus*) A: CH (GUX HAI HKG TAI) **ORR**

= *tenasserimus* Guignot, 1956: 452

= *yanbini* Bian & Ji, 2009: 36

maculatus Hendrich & Balke, 1997: 62 A: CH (GUA) **ORR**

ornatus Sharp, 1882: 317 N: AG **AFR**

= *rotroi* Pic, 1924: 21 (*Laccophilus*)

= *tropicus* Guignot, 1954: 6

= *meridianus* Omer-Cooper, 1970: 66

= *nigeriensis* Omer-Cooper, 1970: 67

punctatus Zhao, Hájek, Jia & Pang, 2012: 206 A: CH (GUA)

strnadi Hendrich & Balke, 1997: 64 A: CH (YUN) **ORR**

taiwanensis Hendrich & Balke, 1997: 65 A: CH (TAI)

wewalkai Balke, Hendrich & Yang, 1997: 372 A: CH (GUX) **ORR**

genus *Philodytes* J. Balfour-Browne, 1939: 479 type species *Laccophilus umbrinus* Motschulsky, 1855

umbrinus Motschulsky, 1855: 83 (*Laccophilus*) N: AG EG A: SI **AFR**

= *luridus* Schaum, 1864: 107 (*Laccophilus*)